

## Reporting

Data Infrastructure Insights

NetApp January 17, 2025

This PDF was generated from https://docs.netapp.com/us-en/data-infrastructure-insights/reporting\_overview.html on January 17, 2025. Always check docs.netapp.com for the latest.

# **Table of Contents**

Reporting 1
Data Infrastructure Insights Reporting Overview
Data Infrastructure Insights Reporting User Roles.
Predefined Reports Made Easy
Storage Manager Dashboard
Creating a Report (Example)
Managing Reports
Creating Custom Reports
Access the Reporting Database via API
How historical data is retained for Reporting
Data Infrastructure Insights Reporting Schema Diagrams
Data Infrastructure Insights Schemas for Reporting

# Reporting

## **Data Infrastructure Insights Reporting Overview**

Data Infrastructure Insights reporting is a business intelligence tool that enables you to view pre-defined reports or create custom reports.



The Reporting feature is available in Data Infrastructure Insights Premium Edition.

With Data Infrastructure Insights reporting you can perform the following tasks:

- Run a pre-defined report
- Create a custom report
- · Customize a report's format and delivery method
- · Schedule reports to run automatically
- · Email reports
- · Use colors to represent thresholds on data

Data Infrastructure Insights Reporting can generate custom reports for areas like chargeback, consumption analysis, and forecasting, and can help answer questions such as the following:

- · What inventory do I have?
- Where is my inventory?
- Who is using our assets?
- · What is the chargeback for allocated storage for a business unit?
- · How long until I need to acquire additional storage capacity?
- · Are business units aligned along the proper storage tiers?
- · How is storage allocation changing over a month, quarter, or year?

## Accessing Data Infrastructure Insights Reporting

You can access Data Infrastructure Insights Reporting by clicking the Reports link in the menu.

You will be taken to the Reporting interface. Data Infrastructure Insights uses IBM Cognos Analytics for its reporting engine.

## What is ETL?

When working with Reporting, you will hear the terms "Data Warehouse" and "ETL". ETL stands for "Extract, Transform, and Load". The ETL process retrieves data collected in Data Infrastructure Insights, and transforms the data into a format for use in Reporting. "Data Warehouse" refers to the collected data available for Reporting.

The ETL process includes these individual processes:

• Extract: Takes data from Data Infrastructure Insights.

- **Transform**: Applies business logic rules or functions to the data as it is extracted from Data Infrastructure Insights.
- Load: Saves the transformed data into the data warehouse for use in Reporting.

## Data Infrastructure Insights Reporting User Roles

If you have Data Infrastructure Insights Premium Edition with Reporting, every Data Infrastructure Insights user on your tenant also has a Single Sign-On (SSO) login to the Reporting application (i.e. Cognos). Simply click the **Reports** link in the menu and you will automatically be logged in to Reporting.

Your user role in Data Infrastructure Insights determines your Reporting user role:

Data Infrastructure Insights Role	Reporting Role	Reporting Permissions
Guest	Consumer	Can view, schedule, and run reports and set personal preferences such as those for languages and time zones. Consumers cannot create reports or perform administrative tasks.
User	Author	Can perform all Consumer functions as well as create and manage reports and dashboards.
Administrator	Administrator	Can perform all Author functions as well as all administrative tasks such as configuration of reports and the shutdown and restart of reporting tasks.

The following table shows the functions available to each Reporting role.

Feature	Consumer	Author	Administrator
View reports in the Team Content tab	Yes	Yes	Yes
Run reports	Yes	Yes	Yes
Schedule reports	Yes	Yes	Yes
Upload external files	No	Yes	Yes
Create Jobs	No	Yes	Yes
Create stories	No	Yes	Yes
Create reports	No	Yes	Yes
Create Packages and Data Modules	No	Yes	Yes
Perform administrative tasks	No	No	Yes

Add/Edit HTML Item	No	No	Yes
Run report with HTML Item	Yes	Yes	Yes
Add/Edit Custom SQL	No	No	Yes
Run reports with Custom SQL	Yes	Yes	Yes

## Setting Reporting (Cognos) email preferences



If you change your user email preferences within Data Infrastructure Insights Reporting (i.e. the Cognos application), those preferences are active *only for the current session*. Logging out of Cognos and back in again will reset your email preferences.

#### What steps should I take to prepare my existing environment for enabling SSO?

To ensure your reports are retained, migrate all reports from *My Content* to *Team Content* using the following steps. You must do this prior to enabling SSO on your tenant:

#### 1. Navigate to **Menu > Content**

≣	IBM Cognos Analytics with Watson
습	Home
+	New
Ŧ	Upload data
	Content
0	Recent >
റ്	Manage

- 1. Create a new folder in Team Content
  - a. If multiple users have been created, please create a separate folder for each user to avoid overwriting reports with duplicate names
- 2. Navigate to My Content
- 3. Select all of the reports you wish to retain.
- 4. In the upper right corner of the menu, select "Copy or move"
- 5. Navigate to the newly created folder in Team Content
- 6. Paste the reports to the newly created folder using the "Copy to" or "Move to" buttons

- 7. Once SSO is enabled for Cognos, log into Data Infrastructure Insights with the email address used to create your account.
- 8. Navigate to the *Team Content* folder within Cognos, and Copy or Move the previously saved reports back to *My Content*.

## **Predefined Reports Made Easy**

Data Infrastructure Insights Reporting includes predefined reports that address a number of common reporting requirements, providing critical insight that stakeholders need to make informed decisions about their storage infrastructure.



The Reporting feature is available in Data Infrastructure Insights Premium Edition.

You can generate pre-defined reports from the Data Infrastructure Insights Reporting Portal, email them to other users, and even modify them. Several reports enable you to filter by device, business entity, or tier. The reporting tools use IBM Cognos as a foundation and give you many data presentation options.


The pre-defined reports show your inventory, storage capacity, chargeback, performance, storage efficiency, and cloud cost data. You can modify these pre-defined reports and save your modifications.

You can generate reports in various formats, including HTML, PDF, CSV, XML, and Excel.

### **Navigating to Pre-defined Reports**

When you open the Reporting Portal, the *Team Content* folder is the starting point for you to select the type of information that you require in the Data Infrastructure Insights reports.

- 1. In the left navigation pane, select **Content > Team Content**.
- 2. Select Reports to access the pre-defined reports.



IBM Cognos Analyti	cs with Watson	🗋 Content 🗸					
Content							
My content	Team content						
1234		Packages		Reports	:	Storage Manager Dashboard	
Last Accessed 3/23/202	23, 9:49 PM	Last Accessed 4/3/2023, 3:	:53 PM	Last Accessed 11/5/2021, 3:36 PM		Last Accessed 4/16/2019, 7:09 PM	

### Using predefined reports to answer common questions

The following predefined reports are available in **Team content > Reports**.

#### **Application Service Level Capacity and Performance**

The Application Service Level Capacity and Performance report provides a high level overview of your applications. You can use this information for capacity planning or for a migration plan.

#### Chargeback

The Chargeback report provides storage capacity chargeback and accountability information by hosts, application, and business entities, and includes both current and historical data.

To prevent double counting do not include ESX servers, only monitor the VMs.

#### **Data Sources**

The Data Sources report shows all the data sources that are installed on your site, the status of the data source (success/failure), and status messages. The report provides information about where to start troubleshooting data sources. Failed data sources impact the accuracy of reporting and the general usability of the product.

#### **ESX vs VM Performance**

The ESX vs VM Performance report provides a comparison of ESX servers and VMs, showing average and peak IOPs, throughput, and latency and utilizations for ESX servers and VMs. To prevent double counting, exclude the ESX servers; only include the VMs.

An updated version of this report is available at the NetApp Storage Automation Store.

#### **Fabric Summary**

The Fabric Summary report identifies switches and switch information, including port counts, firmware versions, and license status. The report does not include NPV switch ports.

#### **Host HBAs**

The Host HBAs report provides an overview of the hosts in the environment and provides the vendor, model, and firmware version of HBAs, and the firmware level of the switches to which they are connected. This report can be used to analyze firmware compatibility when planning a firmware upgrade for a switch or an HBA.

#### Host Service Level Capacity and Performance

The Host Service Level Capacity and Performance report provides an overview of storage utilization by host for block only applications.

#### **Host Summary**

The Host Summary report provides an overview of storage utilization by each selected host with information for Fibre Channel and iSCSI hosts. The report enables you to compare ports and paths, the Fibre Channel and ISCSI capacity, and violation counts.

#### **License Details**

The License Details report shows the entitled quantity of resources you are licensed for across all sites with active licenses. The report also shows a summation of actual quantity across all the sites with active licenses. The summation may include overlaps of storage arrays managed by multiple servers.

#### Mapped but not Masked Volumes

The Mapped but not Masked Volumes report lists the volumes whose logical unit number (LUN) has been mapped for use by a particular host, but is not masked to that host. In some cases these could be decommissioned LUNs that have been unmasked. Unmasked volumes can be accessed by any host, making them vulnerable to data corruption.

#### **NetApp Capacity and Performance**

The NetApp Capacity and Performance report provides global data for allocated, utilized, and committed capacity with trending and performance data for NetApp capacity.

#### Scorecard

The Scorecard report provides a summary and general status of all assets acquired by Data Infrastructure Insights. Status is indicated with green, yellow, and red flags:

- · Green indicates normal condition
- · Yellow indicates a potential issue in the environment
- · Red indicates an issue that requires attention

All of the fields in the report are described in the Data Dictionary provided with the report.

#### **Storage Summary**

The Storage Summary report provides a global summary of used and unused capacity data for raw, allocated, storage pools, and volumes. This report provides an overview of all of the storage discovered.

#### **VM Capacity and Performance**

Describes the virtual machine (VM) environment and its capacity usage. VM tools must be enabled to view some data, such as when VMs were powered down.

#### **VM Paths**

The VM Paths report provides data store capacity data and performance metrics for which virtual machine is running on which host, which hosts are accessing which shared volumes, what the active access path is, and

what comprises capacity allocation and usage.

#### HDS Capacity by Thin Pool

The HDS Capacity by Thin Pool report shows the amount of usable capacity on a storage pool that is thin provisioned.

#### NetApp Capacity by Aggregate

The NetApp Capacity by Aggregate report shows raw total, total, used, available, and committed space of aggregates.

#### Symmetrix Capacity by Thick Array

The Symmetrix Capacity by Thick Array report shows raw capacity, useable capacity, free capacity, mapped, masked, and total free capacity.

### Symmetrix Capacity by Thin Pool

The Symmetrix Capacity by Thin Pool report shows raw capacity, useable capacity, used capacity, free capacity, used percentage, subscribed capacity, and subscription rate.

### XIV Capacity by Array

The XIV Capacity by Array report shows used and unused capacity for the array.

### **XIV Capacity by Pool**

The XIV Capacity by Pool report shows used and unused capacity for storage pools.

## **Storage Manager Dashboard**

The Storage Manager Dashboard provides you with a centralized visualization that enables you to compare and contrast resource usage over time against the acceptable ranges and previous days of activity. Showing only the key performance metrics for your storage services, you can make decisions about how to maintain your data centers.



The Reporting feature is available in Data Infrastructure Insights Premium Edition.

### Summary

Selecting **Storage Manager Dashboard** from Team Content gives you several reports that provide information on of your traffic and storage.

IBM Cognos Analyt	tics with Watson		🗅 Content 🗸					
🗋 Storage	Manager	Das	hboard					
My content	Team content							
Team content / Stora	ige Manager Dasl	hboard						
Data Center Traffic	c Details		Orphaned Storage Details		Storage Manager Report	ł	Storage Pools Capacity and Performance Details	
Last Accessed 4/17/2019, 6:47 PM		۵	Last Accessed 5/2/2019, 8:30 PM	ß	Last Accessed 12/17/2019, 9:44 PM	ß	Last Accessed 4/17/2019, 6:47 PM	

For an at-a-glance view, the **Storage Manager Report** comprises seven components that contain contextual information on many aspects of your storage environment. You can drill down on the aspects of your storage services to perform an in-depth of analysis of a section that interests you most.

NetApp <sup>.</sup> Storage Manager Dashboard	(Data as of Jan 28, 2016)
Summary History ( Target; = Actual; = Forecast;    Low;    Mid;    High	
Capacity (Used / Useble) Last 12 Months 0.4PB	в 4/8
FC Switch Ports         0.2K         1.4k           (Connected / Total)         Last 12 Months         0.2K         1.4k	K <sub>N/A</sub>
FC Bandwidth 0% (Utilization% / Capacity) Last 5 Weeks 0% 20% 40% 50% 50% 10% 8TB/s	
torage Tiers Capacity (  Target; - Actual; = Forecast ) Last 12 Months Used Capacity Total Capacity Months to Full	Top 10 Applications Last 12 Months Used Allocated Response Time ( Acceptable
	Hadoop 11.7TB 11 Applicatio 0.2TB 00
N/A 0.42PB	Applicatio • OTB • 3m
0 0.4PB 0.8PB 0 0.49PB 1PB 0 6 12+	Applicatio
	JUICE 0TB   2m
aily Storage Traffic (Terabytes)	SaproX4 OTB 1m
Daily mean for last 6 months Daily mean for last 7 days Yesterday 20278	Y         Twilight         OTB         sts         sts         stm         100ms
	Storage Tiers Daily Performance
	Response Time         Throughput (IOPS)         35TB           N/A
0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 Hour	30TB 20TB 10TB
	OTB

This component shows the used versus usable storage capacity, total switch ports versus the number of switch ports connected, and total connected switch port utilization versus the total bandwidth, and how each of these trend over time. You can view the actual utilization compared against the low, mid, and high ranges, which enables you to compare and contrast usage between projections and your desired actuals, based on a target.

For capacity and switch ports, you can configure this target. The forecast is based on an extrapolation of the current growth rate and the date you set. When the forecasted used capacity, which is based on future usage projection date, exceeds the target, an alert (solid red circle) appears next to Capacity.

#### **Storage Tiers Capacity**

This component shows the tier capacity used versus the capacity allocated to the tier, which indicates how the used capacity increases or decreases over a 12-month period and how many months are remaining to full capacity. Capacity usage is shown with values provided for actual usage, the usage forecast, and a target for capacity, which you can configure. When the forecasted used capacity, which is based on future usage projection date, exceeds the target capacity, an alert (solid red circle) appears next to a tier.

You can click any tier to display the Storage Pools Capacity and Performance Details report, which shows free versus used capacities, number of days to full, and performance (IOPS and Response Time) details for all the pools in the selected tier. You can also click any storage or storage pool name in this report to display the asset page summarizing the current state of that resource.

#### **Daily Storage Traffic**

This component shows how the environment is performing, if there is any large growth, changes, or potential issues compared to the previous six months. It also shows the average traffic versus the traffic for the previous seven days, and for the previous day. You can visualize any abnormalities in the way the infrastructure is performing because it provides information that highlights both cyclical (previous seven days) and seasonal variations (previous six months).

You can click the title (Daily Storage Traffic) to display the Storage Traffic Details report, which shows the heat map of the hourly storage traffic for the previous day for each storage system. Click any storage name in this report to display the asset page summarizing the current state of that resource.

#### **Data Centers Time to Full**

This component shows all the data centers versus all of the tiers and how much capacity remains in each data center for each tier of storage based on forecasted growth rates. Tier capacity level is shown in blue; the darker the color, the lesser time the tier at the location has left before it is full.

You can click a section of a tier to display the Storage Pools Days to Full Details report, which shows total capacity, free capacity, and number of days to full for all the pools in the selected tier and the data center. Click any storage or storage pool name in this report to display the asset page summarizing the current state of that resource.

#### **Top 10 Applications**

This component shows the top 10 applications based on the used capacity. Regardless of how the tier organizes the data, this area displays the current used capacity and share of the infrastructure. You can visualize the range of user experience for the previous seven days to see if consumers experience acceptable (or, more importantly, unacceptable) response times.

This area also shows trending, which indicates if the applications meet their performance service level objectives (SLO). You can view the previous week's minimum response time, the first quartile, the third quartile, and the maximum response time, with a median shown against an acceptable SLO, which you can configure. When the median response time for any application is out of the acceptable SLO range, an alert (solid red circle) appears next to the application. You can click an application to display the asset page summarizing the current state of that resource.

#### **Storage Tiers Daily Performance**

This component shows a summary of the tier's performance for response time and IOPS for the previous seven days. This performance is compared against a SLO, which you can configure, enabling you to see if there is opportunity to consolidate tiers, realign workloads delivered from those tiers, or identify issues with particular tiers. When median response time or median IOPS is out of the acceptable SLO range, an alert (solid red circle) appears next to a tier.

You can click a tier name to display the Storage Pools Capacity and Performance Details report, which shows free versus used capacities, number of days to full, and performance (IOPS and response time) details for all the pools in the selected tier. Click any storage or storage pool in this report to display the asset page summarizing the current state of that resource.

#### **Orphaned Capacity**

This component shows the total orphaned capacity and orphaned capacity by tier, comparing it against acceptable ranges for total usable capacity and showing the actual capacity that is orphaned. Orphaned capacity is defined by configuration and by performance. Storage orphaned by configuration describes a situation in which there is storage allocated to a host. However, the configuration has not been performed properly and the host cannot access the storage. Orphaned by performance is when the storage is correctly configured to be accessed by a host. However, there has been no storage traffic.

The horizontal stacked bar shows the acceptable ranges. The darker the gray, the more unacceptable the situation is. The actual situation is shown with the narrow bronze bar that shows the actual capacity that is orphaned.


You can click a tier to display the Orphaned Storage Details report, which shows all the volumes identified as orphaned by configuration and performance for the selected tier. Click any storage, storage pool, or volume in this report to display the asset page summarizing the current state of that resource.

## **Creating a Report (Example)**

Use the steps in this example to generate a simple report on physical capacity of storage and storage pools in a number of data centers.

#### Steps

- 1. Navigate to Menu > Content > Team Content > Reports
- 2. In the upper-right of the screen, select [New +]
- 3. Select Report



4. On the Templates tab, select Blank

The Source and Data tabs is displayed

- 5. Open Select a source +
- 6. Under Team content, open Packages

A list of available packages is displayed.

### 7. Choose Storage and Storage Pool Capacity

Insertable objects	₩ :	Open		×
₽ <sub>ta</sub> ⊗				
+		My content Team content		
		Team content / Packages		V 1↓ ⊕
		Name	Туре	Last Accessed
		🖶 Host Volume Hourly Performance	Package	6/25/2021, 9:36 PM
Select a source Select a data source to use with your report.		🚍 Internal Volume Capacity	Package	11/4/2021, 4:23 PM
		🚍 Internal Volume Daily Performance	Package	1/7/2022, 4:23 PM
		🚍 Internal Volume Hourly Performance	Package	1/6/2022, 11:41 PM
		🖶 Inventory	Package	12/17/2019, 9:22 PM
		🖻 Port Capacity	Package	11/20/2019, 4:13 PM
Select a data source to use with your report.	E Qtree Capacity	🖶 Qtree Capacity	Package	11/4/2021, 6:07 PM
Select a source +		🖻 Qtree Performance	Package	11/4/2021, 11:07 PM
		🚍 Storage and Storage Pool Capacity	Package	12/17/2019, 5:58 PM
		🚍 Storage Efficiency	Package	12/17/2019, 9:17 PM
		🖻 Storage Node Capacity	Package	1/13/2023, 4:09 PM
Select a data source to use with your report.		🖻 Storage Node Performance	Package	1/13/2023, 6:11 PM 👻

#### 8. Select Open

The available styles for your report are displayed.

#### 9. Select List

Add appropriate names for List and Query

- 10. Select **OK**
- 11. Expand Physical Capacity
- 12. Expand to the lowest level of Data Center
- 13. Drag *Data Center* to the Reporting palate.
- 14. Expand Capacity (MB)
- 15. Drag *Capacity (MB)* to the Reporting palate.
- 16. Drag Used Capacity (MB) to the Reporting palate.
- 17. Run the report by selecting an output type from the **Run** menu.

⊳	~	$\leftarrow \rightarrow$
٠	Ru	in HTML
	Ru	in PDF
	Ru	in Excel
	Ru	ın Excel data
	Ru	in CSV
	Ru	in XML
	Sh	ow run options

#### Result

A report similar to the following is created:

~	Data Cente	r Capacity (MB)	Used Capacity (MB)
Ч	Asia	122,070,096.00	45,708,105.00
0	BLR	100,709,506.00	54,982,204.00
<b>U</b>	Boulder	22,883,450.00	12,011,075.00
	DC01	1,707,024,715.00	1,407,609,686.00
	DC02	732,370,688.00	732,370,688.00
_	DC03	314,598,162.00	65,448,975.00
•••	DC04	573,573,884.00	282,645,615.00
	DC05	89,245,458.00	62,145,011.00
Ŭ	DC06	19,455,433,799.00	11,283,487,744.00
	DC08	100,709,506.00	44,950,171.00
	DC10	112,916,718.00	43,346,818.00
	DC14	23,565,735,054.00	17,357,431,924.00
	DC56	137,549,084.00	10,657,793.00
	Europe	743,942,208.00	240,369,325.00
	HIO	9,823,036,853.00	4,216,750,338.00
	London	0.00	0.00
	N/A	9,049,939,023.00	5,887,911,992.00
<b>X</b> (	RTP	12,386,326,262.00	5,638,948,477.00
	SAC	9,269,642,330.00	6,197,549,437.00
+	⊤ Тор	↑ Page up 🛛 <b>↓ Page</b>	down  Bottom

## **Managing Reports**

You can customize a report's output format and delivery, set report properties or schedules, and email reports.



The Reporting feature is available in Data Infrastructure Insights Premium Edition.



Before making changes to reporting permissions or security, you must copy "My Content" reports to the "Team Content" folder to ensure Reports are saved.

## Customizing a report's output format and delivery

You can customize the format and delivery method of reports.

1. In the Data Infrastructure Insights Reporting Portal, Go to **Menu > Content > My Content/Team Content**. Mouse over the report you want to customize and open the "three dots" menu.

🗅 Reports									① : ↑ New	+
My content Team conte	nt									
Team content / Reports										
1 item selected							More +	Crea	ate ∨ Details (j) Delete mil   C	ancel
Capacity Management Environment Usage		Capacity Trending and Forecasting - Executive Level		CI Scorecard	Run as Edit rep	port	rt - NEW		FC Port Remediation	
Last Accessed 4/29/2019, 8:28 PM	i.	Last Accessed 4/29/2019, 8:29 PM	Ē.	Last Accessed 10/28/2021, 9:18 PM	Create a View ve	report view a new job ersions		Ē.	Last Accessed 4/29/2019, 8:29 PM	Ē.
K8S Chargeback		K8S Overview		NEW - Flex Groups		r move to	ecutive		Reclamation Efficiency And Allocation Lifecycle	
Last Accessed 1/5/2022, 11:16 PM	Ē.	Last Accessed 12/5/2021, 1:34 AM	Ē.	Last Accessed 4/5/2023, 1:36 PM	Edit nar Properti Details			۵	Last Accessed 10/28/2021, 9:31 PM	6
Storage Capacity and Cost Analysis		Storage Infrastructure Executive Summary		Virtual Machine Remediation	Delete	Consumption			Weekly Storage Consumption	
Last Accessed 4/29/2019, 8:30 PM		Last Accessed 4/29/2019, 8:30 PM	Ē.	Last Accessed 4/4/2023, 8:21 PM		ast Accessed I/4/2023, 7:32 PM		۵	Last Accessed 4/5/2023, 12:14 AM	E.

#### 1. Click Properties > Schedule

- 1. You can set the following options:
  - Schedule when you want reports to run.
  - Choose **Options** for report format and delivery (Save, Print, Email) and Languages for the report.
- 2. Click Save to produce the report using the selections you made.


### Copying a report to the clipboard

Use this process to copy a report to the clipboard.

- 1. Select a report to copy from (Menu > Content > My Content or Team Content)
- 2. Choose Edit report from the report's drop-down menu

Capacity Trending and Forecasting - Executive Level Last Accessed 4/29/2019, 8:29 PM	e	
	Edit report	
	Create report view	
	Create a new job	
	View versions	

- 3. In the upper-right of the screen, open the "three dots" menu next to "Properties".
- 4. Select Copy Report to Clipboard.




### Opening reports from the clipboard

You can open a report specification that was previously copied to the clipboard.

About this task

Start by creating a new report or opening an existing report that you wish to replace with the copied report. The steps below are for a new report.

- 1. Select Menu > +New > Report and create a blank report.
- 2. In the upper-right of the screen, open the "three dots" menu next to "Properties".
- 3. Select Open Report from Clipboard.



1. Paste the copied code into the window and select OK.

- 2. Select the floppy disk icon to save the report.
- 3. Choose where to save the report (My Content, Team Content, or create a new folder).
- 4. Give the new report a meaningful name and select **Save**.

## Editing an existing report

Be aware that editing files in their default location runs a risk of those reports being overwritten upon the next report catalog refresh. It is recommended to save the edited report under a new name or store it in a non-default location.

## Troubleshooting

Here you will find suggestions for troubleshooting problems with Reporting.

Problem:	Try this:
When scheduling a report to be sent via email, the name of the user logged in is pre-populated to the email's "To" field. However, the name is in the form of "firstname lastname" (first name, space, last name). Since this is not a valid email address, the email will fail to send when the scheduled report is run.	When scheduling the report to be sent via email, clear the pre-populated name and enter a valid, properly- formatted email address in the "To" field.

## **Creating Custom Reports**

You can use the report authoring tools to create custom reports. After creating reports, you can save them and run them on a regular schedule. The results of reports can be automatically sent by email to yourself and others.



The Reporting feature is available in Data Infrastructure Insights Premium Edition.

The examples in this section show the following process, which can be used for any of the Data Infrastructure Insights Reporting data models:

- · Identifying a question to be answered with a report
- · Determining the data needed to support the results
- · Selecting data elements for the report

Before designing your custom report, you need to complete some prerequisite tasks. If you do not complete these, reports could be inaccurate or incomplete.

For example, if you do not finish the device identification process, your capacity reports will not be accurate. Or, if you do not finish setting annotations (such as tiers, business units, and data centers), your custom reports might not accurately report data across your domain or might show "N/A" for some data points.

Before you design your reports, complete the following tasks:

- Configure all data collectors properly.
- Enter annotations (such as tiers, data centers, and business units) on devices and resources on your tenant. It is beneficial to have annotations stable before generating reports, because Data Infrastructure

Insights Reporting collects historical information.

## **Report Creation Process**

The process of creating custom (also called "ad hoc") reports involves several tasks:

- Plan the results of your report.
- Identify data to support your results.
- Select the data model (for example, Chargeback data model, Inventory data model, and so on) that contains the data.
- Select data elements for the report.
- Optionally format, sort, and filter report results.

#### Planning the Results of Your Custom Report

Before you open the report authoring tools, you might want to plan the results you want from the report. With report authoring tools, you can create reports easily and might not need a great deal of planning; however, it is a good idea to get a sense from the report requestor about the report requirements.

- · Identify the exact question you want to answer. For example:
  - How much capacity do I have left?
  - · What are the chargeback costs per business unit?
  - · What is the capacity by tier to ensure that business units are aligned at the proper tier of storage?
  - How can I forecast power and cooling requirements? (Add customized metadata by adding annotations to resources.)
- Identify the data elements that you need to support the answer.
- Identify the relationships between data that you want to see in the answer. Do not include illogical relationships in your question, for example, "I want to see the ports that relate to capacity."
- Identify any calculations needed on data.
- Determine what types of filtering are needed to limit the results.
- Determine if you need to use current or historical data.
- Determine if you need to set access privileges on reports to limit the data to specific audiences.
- Identify how the report will be distributed. For example, should it be emailed on a set schedule or included in the Team content folder area?
- Determine who will maintain the report. This might affect the complexity of the design.
- Create a mockup of the report.

#### Tips for designing reports

Several tips might be helpful when you are designing reports.

• Determine whether you need to use current or historical data.

Most reports only need to report on the latest data available in the Data Infrastructure Insights.

• Data Infrastructure Insights Reporting provides historical information on capacity and performance, but not on inventory.

• Everybody sees all data; however, you might need to limit data to specific audiences.

To segment the information for different users, you can create reports and set access permissions on them.

## **Reporting data models**

Data Infrastructure Insights includes several data models from which you can either select predefined reports or create your own custom report.

Each data model contains a simple data mart and an advanced data mart:

- The simple data mart provides quick access to the most commonly used data elements and includes only the last snapshot of Data Warehouse data; it does not include historical data.
- The advanced data mart provides all values and details available from the simple data mart and includes access to historical data values.

#### Capacity data models

Enables you to answer questions about storage capacity, file system utilization, internal volume capacity, port capacity, qtree capacity, and virtual machine (VM) capacity. The Capacity data model is a container for several capacity data models. You can create reports answering various types of questions using this data model:

#### Storage and Storage Pool Capacity data model

Enables you to answer questions about storage capacity resource planning, including storage and storage pools, and includes both physical and virtual storage pool data. This simple data model can help you answer questions related to capacity on the floor and the capacity usage of storage pools by tier and data center over time.

If you are new to capacity reporting, you should start with this data model because it is a simpler, targeted data model. You can answer questions similar to the following using this data model:

- What is the projected date for reaching the capacity threshold of 80% of my physical storage?
- · What is the physical storage capacity on an array for a given tier?
- What is my storage capacity by manufacturer and family as well as by data center?
- What is the storage utilization trend on an array for all of the tiers?
- What are my top 10 storage systems with the highest utilization?
- What is the storage utilization trend of the storage pools?
- · How much capacity is already allocated?
- · What capacity is available for allocation?

#### File System Utilization data model

This data model provides visibility about capacity utilization by hosts at the file system level. Administrators can determine allocated and used capacity per file system, determine the type of file system, and identify trending statistics by file system type. You can answer the following questions using this data model:

- What is the size of the file system?
- Where is the data kept and how is it accessed, for example, local or SAN?
- What are the historical trends for the file system capacity? Then, based on this, what can we anticipate for future needs?

#### Internal Volume Capacity data model

Enables you to answer questions about internal volume used capacity, allocated capacity, and capacity usage over time:

- Which internal volumes have a utilization higher than a predefined threshold?
- Which internal volumes are in danger of running out of capacity based on a trend? 8 What is the used capacity versus the allocated capacity on our internal volumes?

#### Port Capacity data model

Enables you to answer questions about switch port connectivity, port status, and port speed over time. You can answer questions similar the following to help you plan for purchases of new switches: How can I create a port consumption forecast that predicts resource (port) availability (according to data center, switch vendor and port speed)?

- Which ports are likely to run out of capacity, providing data speed, data center, vendor and number of Host and storage ports?
- What are the switch port capacity trends over time?
- What are the port speeds?
- What type of port capacity is needed and which organization is about to run out of a certain port type or vendor?
- What is the optimal time to purchase that capacity and make it available?

#### Qtree Capacity data model

Enables you to trend qtree utilization (with data such as used versus allocated capacity) over time. You can view the information by different dimensions—for example, by business entity, application, tier, and service level. You can answer the following questions using this data model:

- · What is the used capacity for qtrees versus the limits set per application or business entity?
- What are the trends of our used and free capacity so that we can do capacity planning?
- · Which business entities are using the most capacity?
- · Which applications consume the most capacity?

#### VM Capacity data model

Enables you to report your virtual environment and its capacity usage. This data model lets you report on changes in capacity usage over time for VMs and data stores. The data model also provides thin provisioning and virtual machine chargeback data.

- How can I determine capacity chargeback based on capacity provisioned to VMs and data stores?
- What capacity is not used by VMs and which portion of unused is free, orphaned, or other?
- What do we need to purchase based on consumption trends?
- What are my storage efficiency savings achieved by using storage thin provisioning and deduplication technologies?

Capacities in the VM Capacity data model are taken from virtual disks (VMDKs). This means that the provisioned size of a VM using the VM Capacity data model is the size of its virtual disks. This is different from the provisioned capacity in the Virtual Machines view in Data Infrastructure Insights, which shows the

provisioned size for the VM itself.

#### Volume Capacity data model

Enables you to analyze all aspects of the volumes on your tenant and organize data by vendor, model, tier, service level, and data center.

You can view the capacity related to orphaned volumes, unused volumes, and protection volumes (used for replication). You can also see different volume technologies (iSCSI or FC), and compare virtual volumes to non-virtual volumes for array virtualization issues.

You can answer questions similar to the following with this data model:

- Which volumes have a utilization higher than a predefined threshold?
- What is the trend in my data center for orphan volume capacity?
- · How much of my data center capacity is virtualized or thin provisioned?
- · How much of my data center capacity must be reserved for replication?

#### Chargeback data model

Enables you to answer questions about used capacity and allocated capacity on storage resources (volumes, internal volumes, and qtrees). This data model provides storage capacity chargeback and accountability information by hosts, application, and business entities, and includes both current and historical data. Report data can be categorized by service level and storage tier.

You can use this data model to generate chargeback reports by finding the amount of capacity that is used by a business entity. This data model enables you to create unified reporting of multiple protocols (including NAS, SAN, FC, and iSCSI).

- For storage without internal volumes, chargeback reports show chargeback by volumes.
- · For storage with internal volumes:
  - If business entities are assigned to volumes, chargeback reports show chargeback by volumes.
  - If business entities are not assigned to volumes but assigned to qtrees, chargeback reports show chargeback by qtrees.
  - If business entities are not assigned to volumes and not assigned to qtrees, chargeback reports show the internal volume.
  - The decision whether to show chargeback by volume, qtree or internal volume is made per each internal volume, so it is possible for different internal volumes in the same storage pool to show chargeback at different levels.

Capacity facts are purged after a default time interval. For details, see Data Warehouse processes.

Reports using the Chargeback data model might display different values than reports using the Storage Capacity data model.

- For storage arrays that are not NetApp storage systems, the data from both data models is the same.
- For NetApp and Celerra storage systems, the Chargeback data model uses a single layer (of volumes, internal volumes, or qtrees) to base its charges, while the Storage Capacity data model uses multiple layers (of volumes and internal volumes) to base its charges.

#### Inventory data model

Enables you to answer questions about inventory resources including hosts, storage systems, switches, disks, tapes, qtrees, quotas, virtual machines and servers, and generic devices. The Inventory data model includes several submarts that enable you to view information about replications, FC paths, iSCSI paths, NFS paths, and violations. The Inventory data model does not include historical data. Questions you can answer with this data

- What assets do I have and where are they?
- Who is using the assets?
- · What types of devices do I have and what are components of those devices?
- · How many hosts per OS do I have and how many ports exist on those hosts?
- · What storage arrays per vendor exist in each data center?
- · How many switches per vendor do I have in each data center?
- · How many ports are not licensed?
- What vendor tapes are we using and how many ports exist on each tape?re all the generic devices identified before we begin working on reports?
- What are the paths between hosts and storage volumes or tapes?
- · What are the paths between generic devices and storage volumes or tapes?
- · How many violations of each type do I have per data center?
- · For each replicated volume, what are the source and target volumes?
- Do I have any firmware incompatibilities or port speed mismatches between Fibre Channel host HBAs and switches?

#### Performance data model

Enables you to answer questions about performance for volumes, application volumes, internal volumes, switches, applications, VMs, VMDKs, ESX versus VM, hosts, and application nodes. Many of these report *Hourly* data, *Daily* data, or both. Using this data model, you can create reports that answer several types of performance management questions:

- · What volumes or internal volumes have not been used or accessed during a specific period?
- · Can we pinpoint any potential misconfiguration for storage for an application (unused)?
- · What was the overall access behavior pattern for an application?
- · Are tiered volumes assigned appropriately for a given application?
- Could we use cheaper storage for an application currently running without impact to application performance?
- · What are the applications that are producing more accesses to currently configured storage?

When you use the switch performance tables, you can obtain the following information:

- · Is my host traffic through connected ports balanced?
- Which switches or ports are exhibiting a high number of errors?
- What are the most used switches based on port performance?
- What are the underutilized switches based on port performance?

- · What is the host trending throughput based on port performance?
- What is the performance utilization for last X days for one specified host, storage system, tape, or switch?
- Which devices are producing traffic on a specific switch (for example, which devices are responsible for use of a highly utilized switch)?
- What is the throughput for a specific business unit in our environment?

When you use the disk performance tables, you can obtain the following information:

- What is the throughput for a specified storage pool based on disk performance data?
- What is the highest used storage pool?
- What is the average disk utilization for a specific storage?
- What is the trend of usage for a storage system or storage pool based on disk performance data?
- What is the disk usage trending for a specific storage pool?

When you use VM and VMDK performance tables, you can obtain the following information:

- Is my virtual environment performing optimally?
- Which VMDKs are reporting the highest workloads?
- How can I use the performance reported from VMDs mapped to different datastores to make decisions about re-tiering.

The Performance data model includes information that helps you determine the appropriateness of tiers, storage misconfigurations for applications, and last access times of volumes and internal volumes. This data model provides data such as response times, IOPs, throughput, number of writes pending, and accessed status.

#### Storage Efficiency data model

Enables you to track the storage efficiency score and potential over time. This data model stores measurements of not only the provisioned capacity, but also the amount that is used or consumed (the physical measurement). For example, when thin provisioning is enabled, Data Infrastructure Insights indicates how much capacity is taken from the device. You can also use this model to determine efficiency when deduplication is enabled. You can answer various questions using the Storage Efficiency data mart:

- What is our storage efficiency savings as a result of implementing thin provisioning and deduplication technologies?
- · What are the storage savings across data centers?
- · Based on historical capacity trends, when do we need to purchase additional storage?
- What would be the capacity gain if we enabled technologies such as thin provisioning and deduplication?
- Regarding storage capacity, am I at risk now?

#### Data model fact and dimension tables

Each data model includes both fact and dimension tables.

- Fact tables: Contain data that is measured, for example, quantity, raw and usable capacity. Contain foreign keys to dimension tables.
- Dimension tables: Contain descriptive information about facts, for example, data center and business units.

A dimension is a structure, often composed of hierarchies, that categorizes data. Dimensional attributes help describe the dimensional values.

Using different or multiple dimension attributes (seen as columns in the reports), you construct reports that access data for each dimension described in the data model.

#### Colors used in data model elements

Colors on data model elements have different indications.

- Yellow assets: Represent measurements.
- Non-yellow assets: Represent attributes. These values do not aggregate.

#### Using multiple data models in one report

Typically, you use one data model per report. However, you can write a report that combines data from multiple data models.

To write a report that combines data from multiple data models, choose one of the data models to use as the base, then write SQL queries to access the data from the additional data marts. You can use the SQL Join feature to combine the data from the different queries into a single query that you can use to write the report.

For example, say you want the current capacity for each storage array and you want to capture custom annotations on the arrays. You could create the report using the Storage Capacity data model. You could use the elements from the Current Capacity and dimension tables and add a separate SQL query to access the annotations information in the Inventory data model. Finally, you could combine the data by linking the Inventory storage data to the Storage Dimension table using the storage name and the join criteria.

## Access the Reporting Database via API

Data Infrastructure Insights' powerful API allows users to query the Data Infrastructure Insights Reporting database directly, without going through the Cognos Reporting environment.



This documentation refers to the Data Infrastructure Insights Reporting feature, which is available in Data Infrastructure Insights Premium Edition.

## Odata

The Data Infrastructure Insights Reporting API follows the OData v4 (Open Data Protocol) standard for its querying of the Reporting database.

For more information or to learn more, check out this tutorial on OData.

All requests will start with the url https://<Data Infrastructure Insights URL>/rest/v1/dwh-management/odata

## **Generating an APIKey**

Read more about Data Infrastructure Insights APIs.

To generate an API key, do the following:

• Log into your Data Infrastructure Insights environment and select Admin > API Access.

- Click "+ API Access Token".
- Enter a Name & Description.
- For type, choose Data Warehouse.
- Set Permissions as Read/Write.
- Set a desires Expiration date.
- Click "Save", then **copy the key and save it** somewhere safe. You will not be able to access the full key later.

APIkeys are good for *Sync* or *Async*.

## **Direct query of tables**

With the API Key in place, direct queries of the Reporting database are now possible. Long URLs may be simplified to https://.../odata/ for display purposes rather than the full https://<Data Infrastructure Insights URL>/rest/v1/dwh-management/odata/

Try simple queries like

- https://<Data Infrastructure Insights URL>/rest/v1/dwh-management/odata/dwh\_custom
- https://<Data Infrastructure Insights URL>/rest/v1/dwh-management/odata/dwh\_inventory
- https://<Data Infrastructure Insights URL>/rest/v1/dwh-management/odata/dwh\_inventory/storage
- https://<Data Infrastructure Insights URL>/rest/v1/dwh-management/odata/dwh\_inventory/disk
- https://.../odata/dwh\_custom/custom\_queries

### **REST API Examples**

The URL for all calls is https://<Data Infrastructure Insights URL>/rest/v1/dwh-management/odata.

• GET /{schema}/\*\* - Retrieves data from the Reporting Database.

Format: https://<Data Infrastructure Insights URL>/rest/v1/dwh-management/odata/<schema\_name>/<query>

Example:

```
https://<domain>/rest/v1/dwh-
management/odata/dwh_inventory/fabric?$count=true&$orderby=name
```

Result:

```
{
   "@odata.context": "$metadata#fabric",
   "@odata.count": 2,
   "value": [
       {
           "id": 851,
           "identifier": "10:00:50:EB:1A:40:3B:44",
           "wwn": "10:00:50:EB:1A:40:3B:44",
           "name": "10:00:50:EB:1A:40:3B:44",
           "vsanEnabled": "0",
           "vsanId": null,
           "zoningEnabled": "0",
           "url": "https://<domain>/web/#/assets/fabrics/941716"
       },
       {
           "id": 852,
           "identifier": "10:00:50:EB:1A:40:44:0C",
           "wwn": "10:00:50:EB:1A:40:44:0C",
           "name": "10:00:50:EB:1A:40:44:0C",
           "vsanEnabled": "0",
           "vsanId": null,
           "zoningEnabled": "0",
           "url": "https://<domain>/web/#/assets/fabrics/941836"
        }
    ]
}
```

## **Helpful Hints**

Keep the following in mind when working with Reporting API queries.

- · The query payload must be a valid JSON string
- · The query payload must be contained in a single line
- Double quotes must be escaped, i.e. \"
- Tabs are supported as \t
- Avoid comments
- · Lower-case table names are supported

Additionally:

- 2 Headers are required:
  - Name "X-CloudInsights-ApiKey"
  - Attribute Value "<apikey>"

Your API key will be specific to your Data Infrastructure Insights environment.

### Synchronous or Asynchronous?

By default, an API command will operate in *synchronous* mode, meaning that you send the request and the response is returned immediately. However, at times a query may take a long time to execute, which could lead to the request timing out. To get around this, you can execute a request *asynchronously*. In asynchronous mode, the request will return a URL through which the execution can be monitored. The URL will return the result when it is ready.

To execute a query in async mode, add the header **Prefer: respond-async** to the request. Upon successful execution, the response will contain the following headers:

```
Status Code: 202 (which means ACCEPTED)
preference-applied: respond-async
location: https://<Data Infrastructure Insights URL>/rest/v1/dwh-
management/odata/dwh_custom/asyncStatus/<token>
```

Querying the location URL will return the same headers if the response is not ready yet, or will return with status 200 if the response is ready. The response content will be of type text and contains the http status of the original query and some metadata, followed by the results of the original query.

```
HTTP/1.1 200 OK
OData-Version: 4.0
Content-Type: application/json;odata.metadata=minimal
oDataResponseSizeCounted: true
{ <JSON RESPONSE> }
```

To see a list of all async queries and which of them are ready, use the following command:

GET https://<Data Infrastructure Insights URL>/rest/v1/dwhmanagement/odata/dwh\_custom/asyncList

The response has the following format:

## How historical data is retained for Reporting

Data Infrastructure Insights retains historical data for use in Reporting based on the data marts and granularity of the data, as shown in the following table.

Data mart	Measured object	Granularity	Retention period
Performance marts	Volumes and internal volumes	Hourly	14 days
Performance marts	Volumes and internal volumes	Daily	13 months
Performance marts	Application	Hourly	13 months
Performance marts	Host	Hourly	13 months
Performance marts	Switch performance for port	Hourly	35 days
Performance marts	Switch performance for host, storage, and tape	Hourly	13 months
Performance marts	Storage node	Hourly	14 days
Performance marts	Storage node	Daily	13 months
Performance marts	VM performance	Hourly	14 days
Performance marts	VM performance	Daily	13 months
Performance marts	Hypervisor performance	Hourly	35 days
Performance marts	Hypervisor performance	Daily	13 months
Performance marts	VMDK performance	Hourly	35 days
Performance marts	VMDK performance	Daily	13 months
Performance marts	Disk performance	Hourly	14 days
Performance marts	Disk performance	Daily	13 months

Capacity marts	All (except individual volumes)	Daily	13 months
Capacity marts	All (except individual volumes)	Monthly representative	14 months and beyond
Inventory marts	Individual volumes	Current state	1 day (or until next ETL)

## Data Infrastructure Insights Reporting Schema Diagrams

This document provides the schema diagrams for the Reporting Database. You can also download a file containing the schema tables.




The Reporting feature is available in Data Infrastructure Insights Premium Edition.


## **Inventory Datamart**

The following images describe the inventory datamart.


#### Annotations



Applications




#### **Kubernetes Metrics**




NN


**Kubernetes Cluster Metrics Fact** 




**Kubernetes Namespace Metrics Fact** 




**Kubernetes Node Metrics Fact** 




**Kubernetes PVC Metrics Fact** 




**Kubernetes Workload Metrics Fact** 




NAS




## Paths and Violations




**Port Connectivity** 




### **SAN Fabric**




Storage



**Storage Node** 




VM




## **Capacity Datamart**

The following images describe the capacity datamart.

## Chargeback




**Disk Group Capacity** 




#### **File System Utilization**

				🗐 vm_dim	ension					
∃tier_dimens	ion			Column						
Column				💡 tk	INT	NOT NU	LL			
tk INT	r	NOT NULL		name	VARCHAR(	255) NOT NU	LLA			
- 100 million - 100 million	ARCHAR(255)			naturalKey	VARCHAR(	768) NOT NU	LL/			
sequence INT		NULL	<u>4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 </u>	os	VARCHAR(	255) NULL				
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	, DUBLE	NULL		virtualCen	terlp VARCHAR(	255) NULL				
id INT		NULL	6	url	VARCHAR(	255) NULL				
	VYINT(1)	NULL		id	INT	NULL				
dateTk INT		NULL		latest	TINYINT(1)	NULL				
			ř.	ips	VARCHAR(	4096) NULL				
				💡 dateTk	INT	NULL				
				-	1		- b:			
date_dimensi	on				1					
Column										
tk	INT	NOT NULL								
ullDate	DATETIME	NOT NULL		<b></b> fs_util_fa	<b>.</b>		A			
davinMonth	TINYINT	NOT NULL		Column						
dayiniwonun daγlnYear	SMALLINT	and the second s	<u></u>					<b></b> comput	e_resource_dim	nension
lateYear	SMALLINT	CONTRACTOR CONTRACTOR			DICTUT	NOTABLE		Column		-
/earLabel	CHAR(4)	NOT NULL		sizeMB	BIGINT			tk	INT	NOT NU
nonthNum	TINYINT	NOT NULL		usedMB	BIGINT	NOT NULL				1000 C 1000 C 1000
nonthLabel	CHAR(7)	NOT NULL		dateTk	INT	NOT NULL		identifier	VARCHAR(768)	
ayin/VeekNum	TINYINT	NOT NULL		hostTk	INT	NOT NULL		name	VARCHAR(255)	
uarter	TINYINT	NOT NULL		vmTk	OUTCETK INT	NOT NULL	•	type	ENUM	NOT NU
uarterLabel	CHAR(7)	NOT NULL -	<u> </u>	computeRes				domain	VARCHAR(255)	
dayInQuarter	SMALLINT	NOT NULL		fsTk	INT	NOT NULL		ip	TEXT	NULL
epQuarter	TINYINT	NOT NULL		storageTk	INT	NOT NULL		05	VARCHAR(255)	
epMonth	TINYINT	NOT NULL		- —● @	INT	NOT NULL		id	INT	NULL
repWeek	TINYINT	NOT NULL		📲 🍞 tk	INT	NOT NULL		latest	TINYINT(1)	NULL
repDay	TINYINT	NOT NULL	25					🦞 dateTk	INT	NULL
repMonthOrLates		NOT NULL			•	•		65		
sspFlag	TINYINT	NOT NULL			35					
latest	TINYINT(1)	Contraction of the second second	55			6				
future	TINYINT(1)		12		35	12				
latare	The first sector	NOTNOEL	5 S		15	1				
			25			8				
					35					
	14				35					
storage_dime	ension	and a second second			24	-			Ĩ	
Column	201001		-	host_dimen	sion	A			4	
tk	INT	NOT NUL		Column				stow dimon		
name		R(255) NOT NUL		💡 tk	INT	NOT NULL		stem_dimen	SIUIT	
identifier		R(768) NOT NUL		name	VARCHAR(255)	NOT NULL	Column			
qi		R(255) NOT NUL		identifier	VARCHAR(768)	NOT NULL	🣍 tk		INT	NOT
model		R(255) NOT NUL			VARCHAR(255)	STREET, STORAGE	compute	Resourceldent	tifier VARCHAR(7	68) NOT
manufacturer		R(255) NOT NUL			VARCHAR(255)	200 S 200 S	name		VARCHAR(2	
serialNumber		R(255) NULL			VARCHAR(255)	The second s	location		VARCHAR(2	
microcodeVersio					VARCHAR(255)	200 C 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	hardwa	eld	VARCHAR(2	19 Jan 19 19 19 19
family		R(255) NOT NUL	-	url	VARCHAR(255)	Sec. 2012	type		VARCHAR(2	Contraction of the second
	VARCHAR	R(255) NULL		id		NULL	id		INT	NULI
url		NULL		latest		NULL	latest		TINYINT(1)	NOT
	INT	NOLL								
url id latest	INT TINYINT(1)					100 S 200 S				
id	TINYINT(1)			dataCenter	VARCHAR(255)	100 S 200 S	? dateTk		INT	NULL


**Internal Volume Capacity** 




**Kubernetes PV Capacity** 



**Port Capacity** 



#### **Qtree Capacity**



**Storage Capacity Efficiency** 

Column  tk INT NOT NULL  dateTk INT NOT NULL  storageTk INT NOT NULL	
dateTk     INT     NOT NULL     storageTk     INT     NOT NULL	
storageTk INT NOT NULL	
<ul> <li>ANALY CONTRACTOR AND AND AND AND AND AND AND AND AND AND</li></ul>	
rawCapacityMB BIGINT NOT NULL	
backendCapacityMB BIGINT NOT NULL	
storageTechnology VARCHAR(255) NULL	
gainMB BIGINT NOT NULL	
IossMB BIGINT NOT NULL	mala
potentialGainMB BIGINT NOT NULL	siui
potentialLossMB BIGINT NOT NULL	_
💡 tk	_
fullDate	
dayInMonth	
dayInYear	
dateYear	
monthNum	
dayInWeekNum	
quarter	
dayInQuarter	
repQuarter	
repMonth	
storage_dimension repWeek	
Column repDay	
tk INT NOT NULL latest	
name VARCHAR(255) NOT NULL yearLabel	
identifier VARCHAR(768) NOT NULL	
ip VARCHAR(255) NOT NULL quarterLabel	
model VARCHAR(255) NOT NULL repMonthOrLates	t
manufacturer VARCHAR(255) NOT NULL sspFlag	
serialNumber VARCHAR(255) NULL future	
microcodeVersion VARCHAR(255) NULL	
family VARCHAR(255) NOT NULL	
id INT NULL	
latest TINYINT(1) NULL	
dateTk INT NULL	
url VARCHAR(255) NULL	
dataCenter VARCHAR(255) NULL	

Storage and Storage Pool Capacity

Column	21/2					
	INIT	NOT				
tk	INT	NOTN				
fullDate	DATETIME	NOTN	1000			
dayInMonth	TINYINT	NOT N	1000			
dayInYear	SMALLINT		10.00	<u> </u>		_
dateYear	SMALLINT			Ĩ.		
monthNum	TINYINT	NOT N	100			
dayInWeekNum	TINYINT	NOTN	1000			
quarter	TINYINT	NOTN	10.00			
dayInQuarter	SMALLINT	NOT N				
repQuarter	TINYINT	NOTN	1000			
repMonth	TINYINT	NOT N	1000			
repWeek	TINYINT	NOT N	100 12			
repDay	TINYINT	NOT N	ULL	<u>~</u>		_
latest	TINYINT(1)	NULL		Ĩ		
yearLabel	CHAR(4)	NOT N	ULL			
monthLabel	CHAR(7)	NOT N	ULL			
quarterLabel	CHAR(7)	NOT N	ULL			
repMonthOrLatest	TINYINT	NOT N	ULL			
sspFlag	TINYINT	NOT N	ULL			
C	TINYINT(1)					
uuure		NOTN	ULL			
	¢ ↓	NOTN	ULL		6	
storage_dime	¢ ↓	NOTN	ULL	A		
storage_dime	nsion					
<mark>∃storage_dime</mark> Column ≹tk	nsion INT		NOT	NULL		
storage_dime Column tk name	Insion INT VARCHAI	R(255)	NOT	NULL		
storage_dime Column tk name identifier	INT VARCHAI VARCHAI	R(255) R(768)	NOT NOT NOT	NULL NULL NULL		
storage_dime Column tk name identifier ip	INT VARCHAI VARCHAI VARCHAI	R(255) R(768) R(255)	NOT NOT NOT NOT	NULL NULL NULL		
storage_dime Column tk name identifier ip model	INT VARCHAI VARCHAI VARCHAI VARCHAI	R(255) R(768) R(255) R(255)	NOT NOT NOT NOT NOT	NULL NULL NULL NULL		
Storage_dime Column tk name identifier ip model manufacturer	INT VARCHAI VARCHAI VARCHAI VARCHAI VARCHAI	R(255) R(768) R(255) R(255) R(255)	NOT NOT NOT NOT NOT NOT	NULL NULL NULL NULL NULL		
storage_dime Column tk name identifier ip model manufacturer serialNumber	INT VARCHAI VARCHAI VARCHAI VARCHAI VARCHAI	R(255) R(768) R(255) R(255) R(255) R(255) R(255)	NOT NOT NOT NOT NOT NOT NULL	NULL NULL NULL NULL NULL		
Column tk name identifier ip model manufacturer serialNumber microcodeVersio	INT VARCHAI VARCHAI VARCHAI VARCHAI VARCHAI VARCHAI	R(255) R(768) R(255) R(255) R(255) R(255) R(255)	NOT NOT NOT NOT NOT NULL NULL	NULL NULL NULL NULL NULL		•
storage_dime Column tk name identifier ip model manufacturer serialNumber microcodeVersio family	INT VARCHAI VARCHAI VARCHAI VARCHAI VARCHAI VARCHAI VARCHAI VARCHAI	R(255) R(768) R(255) R(255) R(255) R(255) R(255) R(255) R(255)	NOT NOT NOT NOT NOT NULL NULL NULL	NULL NULL NULL NULL NULL		•
storage_dime Column tk name identifier ip model manufacturer serialNumber microcodeVersio family id	INT VARCHAI VARCHAI VARCHAI VARCHAI VARCHAI VARCHAI VARCHAI INT	R(255) R(768) R(255) R(255) R(255) R(255) R(255) R(255) R(255)	NOT NOT NOT NOT NOT NULL NULL NOT NULL	NULL NULL NULL NULL NULL		
storage_dime Column tk name identifier ip model manufacturer serialNumber microcodeVersio family id latest	INT VARCHAI VARCHAI VARCHAI VARCHAI VARCHAI VARCHAI INT TINYINT(	R(255) R(768) R(255) R(255) R(255) R(255) R(255) R(255) R(255) 1)	NOT NOT NOT NOT NULL NULL NULL NULL	NULL NULL NULL NULL NULL NULL		•
storage_dime Column tk name identifier ip model manufacturer serialNumber microcodeVersio family id latest dateTk	INT INT VARCHAI VARCHAI VARCHAI VARCHAI VARCHAI VARCHAI INT INTINYINT( INT	R(255) R(768) R(255) R(255) R(255) R(255) R(255) R(255) R(255) 1)	NOT NOT NOT NOT NOT NULL NULL NULL NULL	NULL NULL NULL NULL NULL NULL		•
Column tk name identifier ip model manufacturer serialNumber microcodeVersio family id latest	INT VARCHAI VARCHAI VARCHAI VARCHAI VARCHAI VARCHAI INT TINYINT(	R(255) R(768) R(255) R(255) R(255) R(255) R(255) R(255) 1) R(255)	NOT NOT NOT NOT NOT NULL NULL NULL NULL	NULL NULL NULL NULL NULL NULL		•

tier_dime			A	
Column tk	INT	_	NOTABLE	
	2263-22	DUDEEN	NOT NULL	
name	VARCHA	R(255)		
sequence	INT		NULL	
cost	DOUBLE			
id	INT		NULL	
latest	TINYINT	(1)	NULL	
Y dateTk	INT		NULL	
	Ĩ			
storage_and_stora	ige_pool	_capac	city_fact	۵
Column		_		
tk			INT	NOT NULL
dateTk			INT	NOT NULL
storagePoolTk			INT	NOT NULL
storageTk			INT	NOT NULL
ierTk			INT	NOT NULL
backend			TINYINT(1)	NOT NULL
irtual			TINYINT(1)	NOT NULL
apacityMB			BIGINT	NOT NULL
awCapacityMB			BIGINT	NOT NULL
usedCapacityMB			BIGINT	NOT NULL
usedRawCapacityMB			BIGINT	NOT NULL
snapshotUsedCapac	ityMB		BIGINT	NOT NULL
snapshotUsedRawC	apacityMB		BIGINT	NOT NULL
sVirtual			TINYINT(1)	NOT NULL
oftLimitCapacityMB			BIGINT	NULL
unconfiguredRawCap	acityMB		BIGINT	NOT NULL
spareRawCapacityME	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		BIGINT	NOT NULL
failedRawCapacityME			BIGINT	NOT NULL
volumeCapacityMB			BIGINT	NOT NULL
unusedVolumeCapad	tvMB		BIGINT	NOT NULL
volumeConsumedCa	10		BIGINT	NOT NULL
mappedVolumeCapa	7		BIGINT	NOT NULL
			BIGINT	NOT NULL
mackad\/olumaCana	Constant of the	t/MR	BIGINT	NOT NULL
2010 2000 2000 2000 2000 2000 2000 2000	ieu Capaci	SU -	BIGINT	NOT NULL
nternalVolumeAllocal	anacit 44		DIGINI	
nternalVolumeAllocal nternalVolumeUsedC	Sector States		DICINIT	
nternalVolumeAllocal nternalVolumeUsedO nternalVolumeConsu	Sector States		BIGINT	NOT NULL
maskedVolumeCapa InternalVolumeAllocal InternalVolumeUsedC InternalVolumeConsu dedupeRatio	Sector States		FLOAT	NULL
nternalVolumeAllocal nternalVolumeUsedO nternalVolumeConsu	Sector States		7070000	100 B (100 B (10) B (100 B (10) B (10) B (10) B (10) B (10

Column		
🦞 tk	INT	NOT NULL
identifier	VARCHAR(768)	NOT NULL
name	VARCHAR(255)	NOT NULL
storageName	VARCHAR(255)	NOT NULL
storageIP	VARCHAR(255)	NOT NULL
type	VARCHAR(255)	NULL
redundancy	VARCHAR(255)	NULL
thinProvisioningSupported	TINYINT(1)	NULL
virtual	TINYINT(1)	NULL
usesFlashPools	TINYINT(1)	NOT NULL
id	INT	NULL
latest	TINYINT(1)	NULL
💡 dateTk	INT	NULL
isVirtual	TINYINT(1)	NULL
uri	VARCHAR(255)	NULL

- 4

## Storage Node Capacity


Column								
ŕ	tk	INT	NOT NULL					
	name	VARCHAR(255)	NOT NULL					
	sequence	INT	NULL					
	cost	DOUBLE	NULL					
	id	INT	NULL					
	latest	TINYINT(1)	NULL					
	dateTk	INT	NULL					

	Column		
Ŷ	tk	INT	NOT NULL
	name	VARCHAR(255)	NOT NULL
	identifier	VARCHAR(768)	NOT NULL
	version	VARCHAR(255)	NOT NULL
	model	VARCHAR(255)	NOT NULL
	serialNumber	VARCHAR(255)	NOT NULL
	siteName	VARCHAR(255)	NULL
	url	VARCHAR(255)	NULL
	id	INT	NULL
	latest	TINYINT(1)	NULL
	dateTk	INT	NULL


Column			
k		INT	NOT I
lateTk		INT	NOT I
storageTk		INT	NOT I
storageNodeTk		INT	NOT I
ierTk			NOT I
otalNodeCapacityUtiliz	ationMB	DOUBLE	NULL
usableNodeCapacityUti		DOUBLE	
usedNodeCapacityUtiliz	ationMB	DOUBLE	NULL
usedMetaDataNodeCap	acityUtilizationMB	DOUBLE	NULL
llowedMetaDataNodeC	apacityUtilizationMB	DOUBLE	NULL
storage dim	nension	,	
storage_dim	nension	/	
Column			
statement of the second statement of the second statement of the second statement of the second statement of the	INT	NOT NUI	ш
Column tk name	INT VARCHAR(255)	NOT NUI	
Column V tk name identifier	INT VARCHAR(255) VARCHAR(768)	NOT NUI NOT NUI NOT NUI	
Column tk name identifier ip	INT VARCHAR(255) VARCHAR(768) VARCHAR(255)	NOT NUI NOT NUI NOT NUI NOT NUI	
Column tk name identifier ip model	INT VARCHAR(255) VARCHAR(768) VARCHAR(255) VARCHAR(255)	NOT NUI NOT NUI NOT NUI NOT NUI	
tk name identifier ip model manufacturer	INT VARCHAR(255) VARCHAR(768) VARCHAR(255) VARCHAR(255) VARCHAR(255)	NOT NUI NOT NUI NOT NUI NOT NUI NOT NUI	
tk name identifier ip model manufacturer serialNumber	INT VARCHAR(255) VARCHAR(768) VARCHAR(255) VARCHAR(255) VARCHAR(255)	NOT NUI NOT NUI NOT NUI NOT NUI NOT NUI NULL	
Column tk name identifier ip model manufacturer serialNumber microcodeVers	INT VARCHAR(255) VARCHAR(255) VARCHAR(255) VARCHAR(255) VARCHAR(255) VARCHAR(255)	NOT NUI NOT NUI NOT NUI NOT NUI NOT NUI NULL	
tk name identifier ip model manufacturer serialNumber microcodeVers family	INT VARCHAR(255) VARCHAR(255) VARCHAR(255) VARCHAR(255) VARCHAR(255) VARCHAR(255) VARCHAR(255)	NOT NUI NOT NUI NOT NUI NOT NUI NOT NUI NULL NULL NOT NUI	
Column tk name identifier ip model manufacturer serialNumber microcodeVers	INT VARCHAR(255) VARCHAR(255) VARCHAR(255) VARCHAR(255) VARCHAR(255) VARCHAR(255)	NOT NUI NOT NUI NOT NUI NOT NUI NOT NUI NULL	
tk name identifier ip model manufacturer serialNumber microcodeVers family	INT VARCHAR(255) VARCHAR(255) VARCHAR(255) VARCHAR(255) VARCHAR(255) VARCHAR(255) VARCHAR(255) INT	NOT NUI NOT NUI NOT NUI NOT NUI NOT NUI NULL NULL NOT NUI	
tk name identifier ip model manufacturer serialNumber microcodeVers family id	INT VARCHAR(255) VARCHAR(255) VARCHAR(255) VARCHAR(255) VARCHAR(255) VARCHAR(255) VARCHAR(255) INT	NOT NUI NOT NUI NOT NUI NOT NUI NOT NUI NULL NULL NULL	
tk name identifier ip model manufacturer serialNumber microcodeVers family id latest	INT VARCHAR(255) VARCHAR(255) VARCHAR(255) VARCHAR(255) VARCHAR(255) VARCHAR(255) VARCHAR(255) VARCHAR(255) INT TINYINT(1)	NOT NUI NOT NUI NOT NUI NOT NUI NOT NUI NULL NULL NULL NULL NULL	

Column		
📍 tk	INT	NOT NU
fullDate	DATETIME	NOT NUI
dayinMonth	TINYINT	NOT NUI
dayInYear	SMALLINT	NOT NUI
dateYear	SMALLINT	NOT NUI
monthNum	TINYINT	NOT NUI
dayInWeekNum	TINYINT	NOT NUI
quarter	TINYINT	NOT NUI
dayInQuarter	SMALLINT	NOT NUI
repQuarter	TINYINT	NOT NUI
repMonth	TINYINT	NOT NUI
repWeek	TINYINT	NOT NUI
repDay	TINYINT	NOT NUI
latest	TINYINT(1)	NULL
yearLabel	CHAR(4)	NOT NUI
monthLabel	CHAR(7)	NOT NUI
quarterLabel	CHAR(7)	NOT NUI
repMonthOrLatest	TINYINT	NOT NUI
sspFlag	TINYINT	NOT NU
future	TINYINT(1)	NOT NUI

## VM Capacity




**Volume Capacity** 




## **Performance Datamart**

The following images describe the performance datamart.

## **Application Volume Hourly Performance**



#### **Disk Daily Performance**



**Disk Hourly Performance** 


Column					
💡 tk	INT	V			
hourDateTime	DATETIME				
, hour	TINYINT				-
minute	TINYINT				
second	TINYINT				
microsecond	MEDIUMINT				
የ dateTk	INT				
•					
Contraction of the second		L			
date_dimension	1				
Column					
tk	INT	1			
fullDate	DATETIME				
fullDate dayInMonth	DATETIME TINYINT	<b>V</b>	-,-	-	
dayInMonth		1000	_,_		
	TINYINT		_,_	.—	
dayinMonth dayinYear	TINYINT SMALLINT	<b>S</b>	_,_		
dayinMonth dayinYear dateYear	TINYINT SMALLINT SMALLINT			. —	
dayInMonth dayInYear dateYear yearLabel	TINYINT SMALLINT SMALLINT CHAR(4)				
dayinMonth dayinYear dateYear yearLabel monthNum	TINYINT SMALLINT SMALLINT CHAR(4) TINYINT				
dayinMonth dayinYear dateYear yearLabel monthNum monthLabel	TINYINT SMALLINT SMALLINT CHAR(4) TINYINT CHAR(7)				
dayinMonth dayinYear dateYear yearLabel monthNum monthLabel dayinWeekNum	TINYINT SMALLINT SMALLINT CHAR(4) TINYINT CHAR(7) TINYINT				
dayinMonth dayinYear dateYear yearLabel monthNum monthLabel dayinWeekNum quarter	TINYINT SMALLINT SMALLINT CHAR(4) TINYINT CHAR(7) TINYINT TINYINT				
dayinMonth dayinYear dateYear yearLabel monthNum monthLabel dayinWeekNum quarter quarterLabel	TINYINT SMALLINT SMALLINT CHAR(4) TINYINT CHAR(7) TINYINT TINYINT CHAR(7)				
dayinMonth dayinYear dateYear yearLabel monthLabel dayinWeekNum quarter quarterLabel dayinQuarter	TINYINT SMALLINT SMALLINT CHAR(4) TINYINT CHAR(7) TINYINT CHAR(7) SMALLINT				
dayinMonth dayinYear dateYear yearLabel monthNum monthLabel dayinWeekNum quarter quarterLabel dayinQuarter repQuarter	TINYINT SMALLINT SMALLINT CHAR(4) TINYINT CHAR(7) TINYINT CHAR(7) SMALLINT TINYINT				
dayinMonth dayinYear dateYear wearLabel monthNum monthLabel dayinWeekNum quarterLabel quarterLabel qayinQuarter repQuarter repQuarter	TINYINT SMALLINT SMALLINT CHAR(4) TINYINT CHAR(7) TINYINT CHAR(7) SMALLINT TINYINT TINYINT		_,		
dayinMonth dayinYear dateYear wearLabel monthNum monthLabel dayinWeekNum quarter quarter aquarterLabel dayinQuarter repQuarter repQuarter repMonth repWeek	TINYINT SMALLINT SMALLINT CHAR(4) TINYINT CHAR(7) TINYINT CHAR(7) SMALLINT TINYINT TINYINT TINYINT TINYINT				
dayinMonth dayinYear dateYear wearLabel monthNum monthLabel dayinWeekNum quarter quarter quarter dayinQuarter repQuarter repQuarter repQuarter repWeek repDay	TINYINT SMALLINT SMALLINT CHAR(4) TINYINT CHAR(7) TINYINT CHAR(7) SMALLINT TINYINT TINYINT TINYINT TINYINT				
dayinMonth dayinYear dateYear wearLabel monthNum monthLabel dayinWeekNum quarter quarterLabel dayinQuarter repQuarter repQuarter repQuarter repQuarter repQuarter repMonthOrLatest	TINYINT SMALLINT SMALLINT CHAR(4) TINYINT CHAR(7) TINYINT CHAR(7) SMALLINT TINYINT TINYINT TINYINT TINYINT TINYINT				

	BIGINT	$[\mathbf{v}]$
nestamp	BIGINT	
timeTk	INT	
ateTk	INT	
iskTk	INT	
prageTk	INT	
toragePoolTk	INT	
eadThroughpu		
riteThroughpu		
alThroughpu		
	Max DOUBLE	
idlops	DOUBLE	
elops 	DOUBLE	
tallops	DOUBLE	
otallopsMax	DOUBLE	
dUtilization	DOUBLE	
riteUtilization	DOUBLE	
talUtilization	DOUBLE	
alUtilizationM		
ccessed	INT	
	•	
-		-
and the second		
	on	
	on	
	INT	
olumn	INT	2
Column K dentifier	INT VARCHAR(768	3)
Column dentifier torageldentifie	INT VARCHAR(768 VARCHAR(768	) V 3) V
Column entifier torageldentifier ame	INT VARCHAR(768 VARCHAR(768 VARCHAR(256	
entifier orageldentifier ame peed	INT VARCHAR(768 VARCHAR(768 VARCHAR(255 INT	) V )) V )) V
Column Column dentifier torageldentifier ame peed pcation	INT VARCHAR(768 VARCHAR(768 VARCHAR(255 INT VARCHAR(255	
Column Column Ientifier torageldentifier ame peed peed pcation ble	INT VARCHAR(768 VARCHAR(768 VARCHAR(255 INT VARCHAR(255 ENUM	
entifier orageIdentifier ame seed cation le	INT VARCHAR(768 VARCHAR(768 VARCHAR(256 INT VARCHAR(255 ENUM VARCHAR(255	
Column k dentifier storageldentifier iame poed ocation ole rendor nodel	INT VARCHAR(768 VARCHAR(768 VARCHAR(256 INT VARCHAR(256 ENUM VARCHAR(255 VARCHAR(255	
name speed ocation role vendor model ype	INT VARCHAR(768 VARCHAR(768 VARCHAR(250 INT VARCHAR(250 ENUM VARCHAR(250 VARCHAR(250 ENUM	
column i lentifier torageldentifier ame peed ccation ole endor nodel pe pe	INT VARCHAR(768 VARCHAR(768 VARCHAR(256 INT VARCHAR(256 ENUM VARCHAR(256 ENUM VARCHAR(256	
Column  culture column culture consistent co	INT VARCHAR(768 VARCHAR(768 VARCHAR(256 INT VARCHAR(256 ENUM VARCHAR(256 ENUM VARCHAR(256 ENUM	
olumn entifier orageldentifier me eed eation ee ndor odel odel skGroup	INT VARCHAR(768 VARCHAR(768 VARCHAR(256 INT VARCHAR(256 ENUM VARCHAR(256 ENUM VARCHAR(256 ENUM VARCHAR(256 ENUM	
lumn ageldentifier ne ed stion dor del s coroup us	INT VARCHAR(768 VARCHAR(768 VARCHAR(256 INT VARCHAR(256 ENUM VARCHAR(256 ENUM VARCHAR(256 ENUM VARCHAR(256 VARCHAR(256	
umn tifier ageldentifier ed tion dor lel Group Js	INT VARCHAR(768 VARCHAR(768 VARCHAR(256 INT VARCHAR(256 ENUM VARCHAR(256 ENUM VARCHAR(256 ENUM VARCHAR(256 ENUM	


latest 💡 dateTk

INT


## **Host Hourly Performance**




**Internal Volume Hourly Performance** 



**Internal Volume Daily Performance** 



#### **Qtree Daily Performance**



**Storage Node Daily Performance** 


			Y IK	INT	V				
			name	VARCHAR(2					
			identifier	VARCHAR(7	68) 📝	]			
			ip	VARCHAR(2	55) 🔽	]			
			model	VARCHAR(2	55) 🔽	]			
			manufacturer	VARCHAR(2	55) 📝	]			
			serialNumber	VARCHAR(2	55) 🜅	]			
			microcodeVersion			]			
			family	VARCHAR(2					
			url	VARCHAR(2					
late_dimensio	on		id	INT					
Column			latest	TINYINT(1)					
1	INT	1	dataCenter	VARCHAR(2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
IIDate	DATETIME		Y dateTk	INT					
ayInMonth	TINYINT		1						
ayInYear	SMALLINT		1	1					
ateYear	SMALLINT		i	i					
arLabel	CHAR(4)		1						
onthNum	TINYINT								
onthLabel	CHAR(7)		storage_node_d	laily_perform	nance	_fact 🔺			
yInWeekNum	TINYINT		Column						
larter	TINYINT		髉 tk	IN	Т	1			
arterLabel	CHAR(7)		💡 timestamp	BI	GINT	V		dim_dim	ension
yInQuarter	SMALLINT		dateTk	IN	т			Column	
pQuarter	TINYINT		storageTk	IN				Y tk	INT
pMonth	TINYINT	<b>V</b>	 storageNodeTk	IN					- Martin I
pWeek	TINYINT		tierTk	IN			•	name	VARCHAR(25
pDay	TINYINT		readResponseTir		OUBLE		•	cost	DOUBLE
pMonthOrLates	t TINYINT		writeResponseTir		OUBLE			id	INT
pFlag	TINYINT		totalResponseTin		OUBLE			latest	TINYINT(1)
test	TINYINT(1)		totalResponseTin		OUBLE			P dateTk	INT
ture	TINYINT(1)		readThroughput		OUBLE			T date TK	IINT
			writeThroughput		OUBLE				
			totalThroughput		OUBLE				
			totalThroughputMa		OUBLE				
			readlops		OUBLE	- Contractor			
torage_node_	dimension		writelops		OUBLE				
olumn			totallops		OUBLE				
IN	IT	1	totallopsMax		OUBLE				
	ARCHAR(255)		diskReadsReplac		OUBLE				
	ARCHAR(255)	Contraction of the local distance of the loc	cacheHitRatio	D	OUBLE				
	ARCHAR(255)		utilization	D	OUBLE				
	ARCHAR(255)	100000	 utilizationMax	D	OUBLE				
rialNumber VA		a la constante de la constante	readFileSystemIo	ps D(	OUBLE				
	ARCHAR(255)		writeFileSystemIo		OUBLE				
	ARCHAR(255)		readFileSystemTh		DUBLE				
1 1/2	11011/11(200)	Contraction of the	writeFileSystemTh	hroughput Do	DUBLE				
	IT								
IN			portUtilization	D	OUBLE				
IN test TI	NYINT(1)		portUtilization portErrors		GINT				
I IN	NYINT(1)			BI					

storage\_dimension


INT

Column 💡 tk

Storage Node Hourly Performance



**Switch Hourly Performance for Host** 



Column		
tk	INT	1
fullDate	DATETIME	
dayInMonth	TINYINT	
dayinYear	SMALLINT	
dateYear	SMALLINT	V
yearLabel	CHAR(4)	
monthNum	TINYINT	
monthLabel	CHAR(7)	
dayInWeekNum	TINYINT	
quarter	TINYINT	
quarterLabel	CHAR(7)	
dayInQuarter	SMALLINT	
repQuarter	TINYINT	
repMonth	TINYINT	
repWeek	TINYINT	V
repDay	TINYINT	
repMonthOrLatest	TINYINT	V
latest	TINYINT(1)	
future	TINYINT(1)	V
sspFlag	TINYINT	

10000

Column					
C	BIGINT	V			
meTk	INT				
ateTk	INT				
ostTk	INT			host dimen	sion
pplicationTk	INT			Column	
pplicationGroupTk	INT				19.17
usinessEntityTk	INT			🦞 tk	INT
Traffic	DOUBLE			name	VARCHAR
Traffic	DOUBLE	<u>P</u>		identifier	VARCHAR
rrorRateFlag	TINYINT(1)			ip	VARCHAR
rcErrorRateFlag	TINYINT(1)			OS	VARCHAR
yncLossCount	BIGINT	2	<u>0</u>	model	VARCHAR
ignalLossCount	BIGINT	P)		manufacturer	VARCHAR
lass3DiscardCount	BIGINT			id	INT
ameTooShortCount	BIGINT			latest	TINYINT(1)
ameTooLongCount	BIGINT	22		💡 dateTk	INT
bCreditErrorCount	BIGINT	[27]		url	VARCHAR
(E	DOUBLE			dataCenter	VARCHAR
	DOUBLE	2			
Max	DOUBLE	2			
Max	DOUBLE	P		🔄 business er	ntity dime
alanceIndex	SMALLINT				any_unic
reightedBalanceIndex	SMALLINT	Ē		Column	
ortSpeed	INT			🦞 tk	INT
ortCount	INT			fullname	VARCHAR
otalTraffic	DOUBLE			tenant	VARCHAR
afficUtilizationTotal	DOUBLE			lob	VARCHAR
afficUtilizationTotalMax	DOUBLE	(E)		businessUnit	VARCHAR
LinkResets	BIGINT			project	VARCHAR
				id	INT
LinkResets	BIGINT			latest	TINYINT(1
ortErrorsLinkFailure	BIGINT			💡 dateTk	INT
bCreditZeroRx	BIGINT			1	
bCreditZeroTx	BIGINT				
bCreditZeroMsTx	DOUBLE				
bCreditZeroTotal	BIGINT				
afficRateTx	DOUBLE				
afficRateRx	DOUBLE				
afficRateTotal	DOUBLE				
afficFrameRateTx	DOUBLE				
afficFrameRateRx	DOUBLE				
afficFrameRateTotal	DOUBLE				
afficFrameSizeAvgTx	BIGINT			<b></b> time dime	nsion
afficFrameSizeAvgRx	BIGINT			Column	
ortErrorsTimeoutDiscardTx	BIGINT			and the second se	15.17
ortErrorsCrc	BIGINT		_ — —	> <u><sup>¶ tk</sup></u>	INT
ortErrorsEncin	BIGINT			💡 hourDateTim	
ortErrorsEncOut	BIGINT			hour	TINYINT
				minute	TINYINT
				second	TINYINT
				microsecond	MEDIUN

Switch Hourly Performance for Port

fabric_dimens	sion 🖉		switch_performance_for Column	_port_nour	1		connecte	d_device_di	nension	
Column				BIGINT	[3]	3	Column			
k	INT 🛛		🦞 tk	2522020202	2	💡 t	ĸ	INT	1	
dentifier	VARCHAR(768)	7	timeTk	INT			dentifier	VARCHAR(	768) 📝	
	VARCHAR(255)		💡 dateTk	INT	V		name	VARCHAR		
	VARCHAR(255)		ortTk	INT	V		nanufactu			
	TINYINT(1)		<ul> <li>switchTk</li> </ul>	INT			nodel	VARCHAR		
	VARCHAR(255)		T 💡 fabricTk	INT	V	1000	ype	ENUM	2007	
oningEnabled			💡 connectedDeviceTk	INT		2.6	irmware	VARCHAR(		
39	INT		connectivityType	ENUM	V		d	INT	2357	
	TINYINT(1)		isl	TINYINT(1)		2.5	atest	TINYINT(1)		
	INT E		rxTraffic	DOUBLE			lateTk	INT		
	VARCHAR(255)		txTraffic	DOUBLE		18 - C	uto rit	0.84		
	Marcon an (200)		errorRateFlag	TINYINT(1)			11			_
			crcErrorRateFlag	TINYINT(1)				switch_din	nension	
			syncLossCount	BIGINT			j	Column		
			signalLossCount	BIGINT			1	💡 tk	INT	
			class3DiscardCount	BIGINT			10	wwn	VARCHA	RO
			frameTooShortCount	BIGINT				name	VARCHA	0.000
			frameTooLongCount	BIGINT				identifier	VARCHA	
<b>port</b> dime	watan		bbCreditErrorCount	BIGINT				ip	VARCHA	
	ension		rx	DOUBLE				model	VARCHA	2.2
Column			bx	DOUBLE				manufacture		
🦞 tk	INT		rxMax	DOUBLE				firmware	VARCHA	
wwn	VARCHAR(255)		txMax	DOUBLE		•		serialNumbe		
name	VARCHAR(255)		timestamp	BIGINT				npy	TINYINT	
gbicType	VARCHAR(255)		totalTraffic	DOUBLE				type	ENUM	07
type	VARCHAR(255)		<ul> <li>trafficUtilizationTotal</li> </ul>	DOUBLE				id	INT	
speed	VARCHAR(12)		trafficUtilizationTotalMax	DOUBLE				latest	TINYINT	(1)
id	INT		rxLinkResets	BIGINT				dataCenter	VARCHA	
latest	TINYINT(1)		txLinkResets	BIGINT				switchLevel	VARCHA	1.1
💡 dateTk	INT		portErrorsLinkFailure	BIGINT				dateTk	INT	u (12
isGenerated	TINYINT(1)		bbCreditZeroRx	BIGINT				isGenerated		(1)
url	VARCHAR(255)		bbCreditZeroTx	BIGINT				url	VARCHA	10.00
1			bbCreditZeroMsTx	DOUBLE			-	un .	WARCHA	ux(2
			bbCreditZeroTotal	BIGINT						
			trafficRateTx	DOUBLE						
			trafficRateRx	DOUBLE				e_dimension	į	2460
			trafficRateTotal	DOUBLE			Col			
			trafficFrameRateTx	DOUBLE			🦞 tk	le l	INT	V
			trafficFrameRateRx	DOUBLE			fullD	ate	DATETIME	V
	- 07.		trafficFrameRateTotal	DOUBLE		2	dayl	nMonth	TINYINT	V
itime_dimen	nsion 🔺		trafficFrameSizeAvgTx	BIGINT		•	🗢 dayl	nYear	SMALLINT	V
Column			trafficFrameSizeAvgRx	BIGINT			date	Year	SMALLINT	1
tk	INT 🔽	×	portErrorsTimeoutDiscardT	BIGINT			year	Label	CHAR(4)	V
hourDateTime		~	portErrorsCrc	BIGINT			mor	ithNum	TINYINT	V
hour	TINYINT V		portErrorsEncin	BIGINT			mor	ithLabel	CHAR(7)	V
minute	TINYINT 📝		portErrorsEncOut	BIGINT			dayl	nWeekNum	TINYINT	V
second	TINYINT	200					quar	ter	TINYINT	V
microsecond	MEDIUMINT	•					🗢 quai	terLabel	CHAR(7)	V
dateTk	INT V						dayl	nQuarter	SMALLINT	V
Gatoria	MAT M								TINYINT	1
							rept	1onth	TINYINT	V
									TINYINT	V
							repE		TINYINT	V
									TINYINT	1
					lates		TINYINT(1)	32		
										10
							futur		TINYINT(1)	


Switch Hourly Performance for Storage

bollax       DOUBLE         balanceindex       SMALLINT         portSpeed       INT         portCount       INT         portCount       INT         traffic/UtilizationTotal       DOUBLE         traffic/UtilizationTotalMax       DOUBLE         traffic/UtilizationTotalMax       DOUBLE         traffic/UtilizationTotalMax       DOUBLE         traffic/UtilizationTotalMax       DOUBLE         traffic/UtilizationTotalMax       DOUBLE         portErrorsLinkFailure       BIGINT         bbCreditZeroRx       BIGINT         bbCreditZeroTotal       BIGINT         bbCreditZeroTotal       BIGINT         bbCreditZeroTotal       BIGINT         trafficRateTx       DOUBLE         bbCreditZeroTotal       BIGINT         trafficRateTx       DOUBLE         trafficRateTati       DOUBLE         trafficRateTati       DOUBLE         trafficRateTati       DOUBLE         portErrorsTimeoutDiscardTx       BIGINT         portErrorsEncin       BIGINT         portErrorsEncin       BIGINT         portErrorsEncout       BIGINT         portErrorsEncout       BIGINT         portErrorsEncout	switch_performance_for_storage_hourly_fact 🔺 🔤			🗐 storage_dimension 🛛 🔺				
timeTk INT 2 datTk INT 2 datTk INT 2 storageTk INT 2 mare VARCHAR(255) model VARCHAR(255) family VARCHAR(255) family VARCHAR(255) to INT tataet TINYINT(1) dataCenter VARCHAR(255) model VARCHAR(255) model VARCHAR(255) model VARCHAR(255) model VARCHAR(255) family VARCHAR(255) family VARCHAR(255) family VARCHAR(255) model VARCHAR(255) family VARCHAR(255) model VARCHAR(255) family VARCHAR(255) model VARCHAR(255) family VARCHAR(255) family VARCHAR(255) model VARCHAR(255) family VARCHAR(255) family VARCHAR(255) model VARCHAR(255) family VARCHAR(255) family VARCHAR(255) family VARCHAR(255) model VARCHAR(255) family VARCHAR	Column				Column			
dateTk       INT       Ø         storageTk       INT       Ø         crTraffic       DOUBLE       model         vARCHAR(255)       serialNumber       VARCHAR(255)         remorRateFlag       TINVINT(1)       model       VARCHAR(255)         signalLossCount       BIGINT	💡 tk	BIGINT	<u>/</u>		💡 tk	INT	2	
dateTk       INT       Ø         storageTk       INT       Ø         crTraffic       DOUBLE       model         vARCHAR(255)       serialNumber       VARCHAR(255)         remorRateFlag       TINVINT(1)       model       VARCHAR(255)         signalLossCount       BIGINT	💡 timeTk	INT		-u -	name	VARCHAR(25	5) 🔽	
Image Tk         INT         Image Tk         Image Tk <thimage th="" tk<=""> <thimage th="" tk<=""> <thim< td=""><td>2000/06/15-08/</td><td></td><td></td><td></td><td>identifier</td><td>A STREET, STORES</td><td></td></thim<></thimage></thimage>	2000/06/15-08/				identifier	A STREET, STORES		
nYraffic       DOUBLE       model       VARCHAR(255)         hTraffic       DOUBLE       manufacturer       VARCHAR(255)         errorRateFlag       TINYINT(1)       minocodeVersion       VARCHAR(255)         signalLossCount       BIGINT       BIGINT <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
brTraffic DOUBLE manufacturer VARCHAR(255) errorRateFlag ThYINT(1) errErorRateFlag ThYINT(1) errErorRateFlag ThYINT(1) errErorRateFlag ThYINT(1) errErorRateFlag ThYINT(1) errErorRateFlag ThYINT(1) errErorRateFlag ThYINT(1) frameTooLogCount BIGINT tatest TINYINT(1) frameTooLongCount BIGINT bbCreditErrorCount BIGINT boCreditErrorCount BIGINT boCreditErrorSEncOut BIGINT bo	2 S 2 S 2 S 2 S 2 S		Second I.		GULLA GULLA	20200000000000000000000000000000000000		
errorRateFlag TINYINT(1) crcErorRateFlag TINYINT crcErorRateFlag TINYIN	txTraffic		N					
crcErrorRateFlag TINYINT(1)   microcodeVersion VARCHAR(255) syncLossCount BiGINT   iatest TINYINT(1) frameTooShortCount BiGINT   iatest TINYINT(1) frameTooShortCount BiGINT   iatest TINYINT(1) frameTooShortCount BiGINT   iatest TINYINT(1) bCreditErrorCount BiGINT   iatest TINYINT(1) bdanceIndex SMALLINT   iatest TINYINT   ist bdanceIndex SMALLINT   ist portSpeed INT   it InT   ist bdanceIndex SMALLINT   ist portCount INT   ist trafficUtilizationTotal DOUBLE   ist bcreditZeroTx BiGINT   ist bcreditZeroTx BiGINT   ist bcreditZeroTx BiGINT   ist bcreditZeroTx BiGINT   ist bcreditZeroTx BiGINT   ist trafficCtateTx DOUBLE   ist trafficCtateTx DOUBLE   ist bcreditZeroTx BiGINT   ist trafficCtateTx DOUBLE   ist bcreditZeroTx BiGINT   ist bcreditZeroTx BiGINT   ist trafficCtateTx DOUBLE   ist trafficCtateTx DOUBLE   ist bcreditZeroTx BiGINT   ist bcreditZeroTx BiGINT   ist trafficCtateTx DOUBLE   ist trafficCtateTx DOUBLE   ist trafficCtateTx DOUBLE   ist bcreditZeroTx BiGINT   ist bcreditZeroTx BiGINT   ist bcreditZeroTx BiGINT   ist trafficCtateTx DOUBLE   ist trafficCtateTx DOUBLE   ist trafficCtateTx DOUBLE   ist trafficCtateTx BiGINT   ist bcreditZeroTx BiGINT   ist trafficCtateTx DOUBLE   ist trafficCtateTx BiGINT   ist portErrorsEncin BiGINT   ist portErrorsEncin BiGINT   ist portErrorsEncin BiGINT   ist portErrorsEncin BiGINT   ist portErrorsEncin BiGINT   ist bcreditZeroTx BiGINT   ist portErrorsEncin BiGINT   ist portErrorsEncin BiGINT   ist bcreditZeroTx BiGINT   ist portErrorsEncin BiGINT   ist bcreditZeroTx BiGINT   ist portErrorsEncin BiGINT   ist bcreditZeroTx	errorRateFlag		A CONTRACT OF A	•~				
syncLossCount BIGINT □ signalLossCount BIGINT □ dass2DiscardCount BIGINT □ frameTooShortCount BIGINT □ frameTooShortCount BIGINT □ trameTooShortCount BIGINT □ trameTooLongCount INT Ø portSpeed INT Ø portCount INT Ø portCount INT Ø trameTooLizationTotalMax DOUBLE □ trameTooLizeroNx BIGINT □ bDcreditZeroNx BIGINT □ bDcreditZeroNx BIGINT □ trameRateRx DOUBLE □ trameRateRx BIGINT □ portErrorsEncout BIGINT □ portErrorsEncout BIGINT □ portErrorsEncout BIGINT □ portErrorsEncout BIGINT □ portErrorsEncout BIGINT □ trameRateRx DOUBLE □ trameRateRx DOUBLE □ trameCateRateRx BIGINT □ portErrorsEncout BIGINT □ portErrorsEncout BIGINT □ trameCateRateRx BIGINT □ portErrorsEncout BIGINT □ portErrorsEncout BIGINT □ trameCateRateRx BIGINT □ portErrorsEncout BIGINT □ trameCateRateRx BIGINT □ portErrorsEncout BIGINT □ portErrorsEncout BIGINT □ portErrorsEncout BIGINT □ trameCateRateRx BIGINT □ trameCateRateRx BIGINT □					microcodeVersion	2-2-2 PT (1-2) (2-2) (2-2) (2-2)	24.5 No.24	
signalLossCount BIGINT □ class2DiscardCount BIGINT □ frameTooLongCount BIGINT □ frameTooLongCount BIGINT □ bbCreditErorCount BIGINT □ bt DOUBLE □ bMax DOUBLE □ bCreditZeroRx BIGINT □ bCreditZeroMSTx DOUBLE □ trafficFrameRateRx DOUBLE □ traff								
class3DiscardCount BIGINT □ frameTooShortCount BIGINT □ frameTooLongCount BIGINT □ bbCreditErrorCount BIGINT □ wightedBalanceIndex SMALLINT □ portSpeed INT ∅ balanceIndex SMALLINT □ portSpeed INT ∅ btCreditZeroRX BIGINT □ btCreditZeroRX	signalLossCount	BIGINT			id			
frameTooShortCount BIGINT □ frameTooLongCount BIGINT □ bbCreditErorCount BIGINT □ m DOUBLE □ bk DOUBLE □ column □	1997년 1월 20일 - 1997년 1 1997년 1월 20일 - 1997년 1 1997년 1월 20일 - 1997년 1	BIGINT			latest	TINYINT(1)	1	
frameTooLongCount BIGINT □ bbCreditErorCount BIGINT □ w DOUBLE □ hd DOUBLE □ hdax DOUBLE □ bdaaceIndex SMALLINT □ weightedBalanceIndex SMALLINT □ portSpeed INT 0 btarTraffic DOUBLE □ traffic/traffic DOUBLE □ html:kresets BIGINT □ btCreditZeroTx BIGINT □ bbCreditZeroTx BIGINT □ bbCr	frameTooShortCount	BIGINT			💡 dateTk			
bbCreditErrorCount BIGINT □ url VARCHAR(255) rx DOUBLE □ bk DOUBLE □ bk DOUBLE □ bkax DOUBLE □ balanceindex SMALLINT □ balanceindex SMALLINT □ balanceindex SMALLINT □ balanceindex SMALLINT □ balanceindex SMALLINT □ column c	frameTooLongCount	BIGINT			dataCenter	VARCHAR(25	5)	
rx       DOUBLE         tk       DOUBLE         nMax       DOUBLE         balanceindex       SMALLINT         balanceindex       SMALLINT         portSpeed       INT         portGount       INT         traffic/UllizationTotal       DOUBLE         date_dimension       date_dimension         date_dimension       Column         intraffic       DOUBLE         portCount       INT         traffic/UllizationTotal       DOUBLE         intraffic       DOUBLE         intraf	179	BIGINT			url			
bk       DOUBLE       Image: Column         bdax       DOUBLE       Column         bdarceindex       SMALLINT       Column         weightedBalanceindex       SMALLINT       Column         portSpeed       INT       V         portCount       INT       V         totalTraffic       DOUBLE       Column         nutinkResets       BIGINT       Column         bbCreditZeroRx       BIGINT       Month         bbCreditZeroTx       BIGINT       Market         bbCredi	DX .	DOUBLE	Manager and Area and A				102 (MA	
bMax DOUBLE California Column		DOUBLE				I		
bilanceIndex SMALLINT □ portSpeed INT  portSpeed INT  portSpeed INT  portCount INT  portSpeed INT  portCount INT  portErrorsLinkFailure BIGINT □ bLinkResets BIGINT □ bbCreditZeroTx BIGINT □ bbCreditZeroTx BIGINT □ bbCreditZeroTx BIGINT □ trafficRateTx DOUBLE □ trafficCtable C CHAR(7) dayinQuarter SMALLINT trafficRateTx DOUBLE □ trafficFrameRateTx DOUBLE □ trafficFrameRateTx DOUBLE □ trafficFrameRateTotal DOUBLE □ trafficFrameRateTotal DOUBLE □ trafficFrameRateTotal BIGINT □ boTetrorsEincOut BIGINT □ trafficFrameRateTotal DOUBLE □ trafficFrameRateTotal BIGINT □ trafficFrameRateFotal BIGINT □ trafficFrameRateFota	rxMax	DOUBLE	And a second sec			0	_	
John Lint       John Lint       Int         weightedBalanceindex       SMALLINT       Int         portSpeed       INT       Int         portCount       INT       Int         portCount       INT       Int         trafficUllizationTotal       DOUBLE       Int         trafficUllizationTotal       DOUBLE       Int         trafficUllizationTotalMax       DOUBLE       Int         portErrorsLinkFailure       BIGINT       Int         bbCreditZeroRx       BIGINT       Int         bbCreditZeroTx       BIGINT       Int         bbCreditZeroTx       BIGINT       Int         bbCreditZeroTx       BIGINT       Int         bbCreditZeroTotal       BIGINT       Intrinit         trafficFrameRateTx       DOUBLE       Intrinit         trafficFrameRateTx       DOUBLE       Intrinit         portErrorsCine       BIGINT       Intrinit         portErrorsCine       BIGINT       Interfice         portErrorsCine       BIGINT       Intrinit         portErrorsEncln       BIGINT       Intrinit         portErrorsEncln       BIGINT       Intrinit         portErrorsEncln       BIGINT       In	txMax				date_dimens	ion		
weightedBalanceIndex       SMALLINT       INT       Int <t< td=""><td>balanceIndex</td><td>SMALLINT</td><td></td><td></td><td>Column</td><td></td><td></td></t<>	balanceIndex	SMALLINT			Column			
portSpeed       INT       ✓         portCount       INT       ✓         portCount       INT       ✓         trafficUtilizationTotal       DOUBLE       ✓         trafficUtilizationTotalMax       DOUBLE       ✓         ndLinkResets       BIGINT       ✓         bbCreditZeroRx       BIGINT       ✓         bbCreditZeroRx       BIGINT       ✓         bbCreditZeroTx       BIGINT       ✓         bbCreditZeroTal       BIGINT       ✓         trafficFrameRateTx       DOUBLE       ✓         conterrorsCrc       BIGINT       ✓         portErrorsEncln       BIGINT       ✓         portErrorsEncOut       BIGINT       ✓ <td>weightedBalanceIndex</td> <td></td> <td></td> <td></td> <td>💡 tk</td> <td>INT</td> <td></td>	weightedBalanceIndex				💡 tk	INT		
portCount       INT       ✓         totalTraffic       DOUBLE       ✓         trafficUtilizationTotal       DOUBLE       ✓         ntafficUtilizationTotalMax       DOUBLE       ✓         ntLinkResets       BIGINT       ✓         portErrorsLinkFailure       BIGINT       ✓         portErrorsLinkFailure       BIGINT       ✓         bbCreditZeroRx       BIGINT       ✓         bbCreditZeroTx       BIGINT       ✓         bbCreditZeroTal       BIGINT       ✓         bbCreditZeroTal       BIGINT       ✓         trafficRateTx       DOUBLE       ✓         DoUBLE       ✓       ✓       ✓         trafficRateTx       DOUBLE       ✓       ✓         trafficFrameRateTx       DOUBLE       ✓       ✓         trafficFrameRateTotal       DOUBLE       ✓       TINYINT         trafficFrameRateTotal       DOUBLE       ✓       TINYINT         portErrorsEncln       BIGINT       ✓       Interset       TINYINT         trafficFrameRateTotal       DOUBLE       ✓       TINYINT       SspFlag       TINYINT         portErrorsEncln       BIGINT       ✓       ✓       ✓					fullDate	DATETIME	V	
totalTraffic       DOUBLE       dayinYear       SMALLINT         trafficUtilizationTotal       DOUBLE       dateYear       SMALLINT         trafficUtilizationTotalMax       DOUBLE       dateYear       SMALLINT         nkLinkResets       BIGINT       dateYear       SMALLINT         bbCreditZeroTx       BIGINT       dayinYear       CHAR(4)         bbCreditZeroTx       BIGINT       dayinWeekNum       TINYINT         bbCreditZeroTat       BIGINT       dayinQuarter       SMALLINT         bbCreditZeroTat       BIGINT       dayinQuarter       SMALLINT         bbCreditZeroTat       BIGINT       quarter       TINYINT       quarter       SMALLINT         bbCreditZeroTat       BIGINT       dayinQuarter       SMALLINT       repQuarter       SMALLINT         trafficRateTx       DOUBLE       dayinQuarter       SMALLINT       repQuarter       TINYINT         trafficRateTatal       DOUBLE       repMonth       TINYINT       repMonthOrLatest       TINYINT         trafficFrameRateTata       DOUBLE       repMonthOrLatest       TINYINT       spFlag       TINYINT         trafficFrameSizeAvgTx       BIGINT       spFlag       TINYINT       spFlag       TINYINT         p		INT						
trafficUtilizationTotal DOUBLE ☐ trafficUtilizationTotalMax DOUBLE ☐ nLinkResets BIGINT ☐ btCreditZeroTx BIGINT ☐ bbCreditZeroTx BIGINT ☐ bbCreditZeroTx BIGINT ☐ bbCreditZeroTx BIGINT ☐ bbCreditZeroTx BIGINT ☐ bbCreditZeroTx DOUBLE ☐ trafficRateTx DOUBLE ☐ trafficRateTx DOUBLE ☐ trafficRateTx DOUBLE ☐ trafficRateTx DOUBLE ☐ trafficRateTx DOUBLE ☐ trafficFrameRateTx DOUBLE ☐ trafficFrameRateTx DOUBLE ☐ trafficFrameRateTx DOUBLE ☐ trafficFrameRateTx BIGINT ☐ trafficFrameRateTx BIGINT ☐ trafficFrameSizeAvgTx BIGINT ☐ portErrorsTimeoutDiscardTx BIGINT ☐ trafficFrameSizeAvgTx BIGINT ☐ portErrorsEncln BIGINT ☐ trafficFrameSizeAvgTx BIGINT ☐ portErrorsEncln BIGINT ☐	5. C C C C C C C C C C C C C C C C C C C	DOUBLE						
trafficUtilizationTotalMax DOUBLE ? nkLinkResets BIGINT ? buttinkResets BIGINT ? portErrorsLinkFailure BIGINT ? bbCreditZeroRx BIGINT ? bbCreditZeroRx BIGINT ? bbCreditZeroTx BIGINT ? bbCreditZeroTat BIGINT ? bbCreditZeroTat BIGINT ? bbCreditZeroTat BIGINT ? trafficRateTx DOUBLE ? trafficRateTx DOUBLE ? trafficRateTx DOUBLE ? trafficFrameRateTx DOUBLE ? trafficFrameRateTx DOUBLE ? trafficFrameRateTx DOUBLE ? trafficFrameRateTx BIGINT ? trafficFrameRateTx BIGINT ? trafficFrameRateTx BIGINT ? portErrorsTimeoutDiscardTx BIGINT ? portErrorsEncln BIGINT ? portErrorsEncln BIGINT ? portErrorsEncln BIGINT ? portErrorsEncOut BIGINT ? portErrorsEncln BIGINT ? portErrorsEncln BIGINT ? portErrorsEncln BIGINT ? portErrorsEncln BIGINT ? portErrorsEncln BIGINT ? portErrorsEncl BIGINT ? portErro	trafficUtilizationTotal				Mar 1998			
nkLinkResets BIGINT □ bkLinkResets BIGINT □ portErrorsLinkFailure BIGINT □ bbCreditZeroRx BIGINT □ bbCreditZeroRx BIGINT □ bbCreditZeroTx BIGINT □ bbCreditZeroTat BIGINT □ bbCreditZeroTotal BIGINT □ trafficRateTx DOUBLE □ trafficRateTx DOUBLE □ trafficRateTx DOUBLE □ trafficFrameRateTx DOUBLE □ trafficFrameRateTx DOUBLE □ trafficFrameRateTx DOUBLE □ trafficFrameRateTx BIGINT □ trafficFrameRateTx BIGINT □ trafficFrameRateTx BIGINT □ trafficFrameRateTx BIGINT □ trafficFrameRateTx BIGINT □ portErrorsTimeoutDiscarTx BIGINT □ portErrorsEncln BIGINT □ portErrorsEncOut BIGINT □ portErrorSENCO	trafficUtilizationTotalMax	DOUBLE	And and a local second s					
btLinkResets       BIGINT       ImonthLabel       CHAR(7)         portErrorsLinkFailure       BIGINT       ImonthLabel       CHAR(7)         bbCreditZeroRx       BIGINT       ImonthLabel       CHAR(7)         bbCreditZeroTx       BIGINT       ImonthLabel       CHAR(7)         bbCreditZeroTx       BIGINT       ImonthLabel       CHAR(7)         bbCreditZeroTx       BIGINT       ImonthLabel       CHAR(7)         bbCreditZeroTotal       BIGINT       ImonthLabel       CHAR(7)         trafficRateRx       DOUBLE       ImonthLabel       ImonthLabel       CHAR(7)         trafficFrameRateTx       DOUBLE       ImonthCrLatest       TINYINT       ImonthOrLatest       TINYINT(1)         trafficFrameSizeAvgTx       BIGINT       ImonthCrLatest       ImonthYINT(1)       ImonthOrLatest       ImonthYINT(1)       ImonthOrLatest       Im	rxLinkResets	BIGINT					1	
portErrorsLinkFailure       BIGINT       dayInWeekNum       TINYINT         bbCreditZeroRx       BIGINT       quarter       TINYINT         bbCreditZeroTx       BIGINT       quarter       TINYINT         bbCreditZeroTx       BIGINT       quarter       SMALLINT         bbCreditZeroTotal       BIGINT       quarter       SMALLINT         bbCreditZeroTotal       BIGINT       quarter       TINYINT         trafficRateTx       DOUBLE       repMonth       TINYINT         trafficRateTotal       DOUBLE       repMonth       TINYINT         trafficFrameRateTx       DOUBLE       repMonth       TINYINT         trafficFrameRateTx       DOUBLE       repMonth       TINYINT         trafficFrameRateTotal       DOUBLE       repMonth       TINYINT         trafficFrameRateTotal       DOUBLE       repMonth       TINYINT         trafficFrameSizeAvgTx       BIGINT       sspFlag       TINYINT         portErrorsEncin       BIGINT       sspFlag       TINYINT         portErrorsEncOut       BIGINT       time_dimension       column         vtk       INT       itme_dimension       column         vtk       INT       second       TINYINT       sec	txLinkResets	BIGINT						
bbCreditZeroRx BIGINT □ bbCreditZeroTx BIGINT □ bbCreditZeroTx BIGINT □ bbCreditZeroTotal BIGINT □ trafficRateTx DOUBLE □ trafficRateTx DOUBLE □ trafficRateTx DOUBLE □ trafficRateTotal DOUBLE □ trafficFameRateTx DOUBLE □ trafficFameRateTx DOUBLE □ trafficFameRateTx DOUBLE □ trafficFameRateTx DOUBLE □ trafficFameRateTx DOUBLE □ trafficFameRateTx BIGINT □ trafficFameSizeAvgTx BIGINT □ portErrorsEncln BIGINT □ portErrorsEncOut BIGINT □ trafficFameRateT = DOUBLE □ trafficFameRateTx BIGINT □ portErrorsEncln BIGINT □ portErrorsEncOut BIGINT □ trafficFameRateTx BIGINT □ portErrorsEncOut BIGINT □ portErrorsEncOut BIGINT □ trafficFameRateTx BIGINT □ portErrorsEncOut BIGI	portErrorsLinkFailure	BIGINT				TACKED CONTRACTOR		
bbCreditZeroTx BIGINT □ bbCreditZeroTx DOUBLE □ bbCreditZeroTotal BIGINT □ trafficRateTx DOUBLE □ trafficRateTx DOUBLE □ trafficRateTotal DOUBLE □ trafficFrameRateTx DOUBLE □ trafficFrameRateTx DOUBLE □ trafficFrameRateTx DOUBLE □ trafficFrameRateTotal DOUBLE □ trafficFrameSizeAvgTx BIGINT □ portErrorsTimeoutDiscardTx BIGINT □ portErrorsEncin BIGINT □ portErrorsEncout BIGINT □ p	bbCreditZeroRx	BIGINT		100 100 100 100				
bbCreditZeroMsTx       DOUBLE       IdayInQuarter       SMALLINT         bbCreditZeroTotal       BIGINT       IrepQuarter       TINYINT         trafficRateTx       DOUBLE       Innyint       repQuarter       TINYINT         trafficRateTx       DOUBLE       Innyint       repMonth       TINYINT         trafficRateTotal       DOUBLE       Innyint       repMonth       TINYINT         trafficFrameRateTx       DOUBLE       Innyint       repMonthOrLatest       TINYINT         trafficFrameRateTotal       DOUBLE       Itatest       TINYINT       tatest       TINYINT         trafficFrameRateTotal       DOUBLE       Innyint(1)       sspFlag       TINYINT         trafficFrameSizeAvgTx       BIGINT       sspFlag       TINYINT         portErrorsCrc       BIGINT       sspFlag       TINYINT         portErrorsEncOut       BIGINT       Itime_dimension       Innyint         portErrorsEncOut       BIGINT       Itime_dimension       Nour       Innyint         hourDateTime       DATETIME       hour       Innyint       Innyin	bbCreditZeroTx	BIGINT						
bbCreditZeroTotal       BIGINT       Image: constraint of the second of the sec	bbCreditZeroMsTx	DOUBLE				100 Y 10		
trafficRateTx DOUBLE C trafficRateRx DOUBLE T trafficRateTotal DOUBLE T trafficFrameRateTx DOUBLE T trafficFrameRateRx DOUBLE T trafficFrameRateTotal DOUBLE T trafficFrameRateTotal DOUBLE T trafficFrameSizeAvgTx BIGINT T trafficFrameSizeAvgRx BIGINT T portErrorsTimeoutDiscardTx BIGINT T portErrorsEncln BIGINT T portErrorsEncOut BIGINT T trafficFrameSizeAvgR BIGINT T trafficFrameSizeAvgR BIGINT T trafficFrameSizeAvgR BIGINT T trafficFrameSizeAvgR BIGINT T trafficFrameSizeAvgR BIGINT T portErrorsEncln BIGINT T portErrorsEncOut BIGINT T trafficFrameSizeAvgR BIGINT T trafficFrameSizeAvgR BIGINT T portErrorsEncOut BIGINT T trafficFrameSizeAvgR BIGINT T trafficFrameSizeAvgR BIGINT T portErrorsEncOut BIGINT T trafficFrameSizeAvgR BIGINT T trafficFrameSizeAvgR BIGINT T trafficFrameSizeAvgR BIGINT T portErrorsEncOut BIGINT T trafficFrameSizeAvgR BIGINT T trafficFrameSizeAvgR BIGINT T trafficFrameSizeAvgR BIGINT T portErrorsEncOut BIGINT T trafficFrameSizeAvgR BIGINT T trafficFrameSize	bbCreditZeroTotal	BIGINT			State of the state	TINYINT		
trafficRateRx DOUBLE   trafficRateTotal DOUBLE   trafficFrameRateTx DOUBLE   trafficFrameRateTx DOUBLE   trafficFrameRateTotal DOUBLE   trafficFrameSizeAvgTx BIGINT   trafficFrameSizeAvgRx BIGINT   portErrorsTimeoutDiscardTx BIGINT   portErrorsEncln BIGINT   portErrorsEncOut BIGINT   trafficFrameSizeAvgRx BIGINT   portErrorsEncOut BIGINT   portErrorsEncOut BIGINT   trafficFrameSizeAvgRx BIGINT   portErrorsEncOut BIGINT   trafficFrameSizeAvgRx BIGINT   portErrorsEncOut BIGINT   trafficFrameSizeAvgRX BIGINT   portErrorsEncOut BIGINT   portErrorsEncOut BIGINT   trafficFrameSizeAvgRX BIGINT   portErrorsEncOut BIGINT   trafficFrameSizeAvgRX BIGINT   portErrorsEncOut BIGINT   trafficFrameSizeAvgRX BIGINT   portErrorsEncOut BIGINT   trafficFrameSizeAvgRX BIGINT   trafficFrameSizeAvgRX BIGINT   trafficFrameSizeAvgRX BIGINT   portErrorsEncOut   trafficFrameSizeAvgRX   trafficF	trafficRateTx	DOUBLE				TINYINT		
trafficRateTotal DOUBLE IntrafficFrameRateTx DOUBLE IntrafficFrameRateTx DOUBLE IntrafficFrameRateTx DOUBLE IntrafficFrameRateTotal DOUBLE IntrafficFrameRateTotal DOUBLE IntrafficFrameSizeAvgTx BIGINT IntrafficFrameSizeAvgRx BIGINT IntrafficFrameSi	trafficRateRx	DOUBLE			800008038038	TINYINT	1	
trafficFrameRateTx DOUBLE   trafficFrameRateRx DOUBLE   trafficFrameRateTotal DOUBLE   trafficFrameSizeAvgTx BIGINT   trafficFrameSizeAvgRx BIGINT   portErrorsTimeoutDiscardTx BIGINT   portErrorsEncIn BIGINT   portErrorsEncOut BIGINT   trafficFrameSizeAvgRx BIGINT   portErrorsEncOut BIGINT   portErrorsEncOut BIGINT   trafficFrameSizeAvgRX BIGINT   portErrorsEncOut BIGINT   portErrorsEncOut BIGINT   portErrorsEncOut BIGINT   trafficFrameSizeAvgRX BIGINT   portErrorsEncOut BIGINT   portErrorsEncOut BIGINT   trafficFrameSizeAvgRX BIGINT   trafficFrameSizeAvgRX BIGINT   portErrorsEncOut BIGINT   trafficFrameSizeAvgRX BIGINT   trafficFrameSizeAvgRX BIGINT   portErrorsEncOut BIGINT   trafficFrameSizeAvgRX BIGINT   traf	trafficRateTotal	DOUBLE				TINYINT		
trafficFrameRateRx DOUBLE   trafficFrameRateTotal DOUBLE   trafficFrameSizeAvgTx BIGINT   trafficFrameSizeAvgRx BIGINT   portErrorsTimeoutDiscardTx BIGINT   portErrorsEncln BIGINT   portErrorsEncOut BIGINT   trafficFrameSizeAvgRx BIGINT   portErrorsEncOut BIGINT   biginT   bi	trafficFrameRateTx	DOUBLE				est TINYINT		
trafficFrameRateTotal DOUBLE   trafficFrameSizeAvgTx BIGINT   portErrorsTimeoutDiscardTx BIGINT   portErrorsEncln BIGINT   portErrorsEncOut BIGINT   trafficFrameSizeAvgRx BIGINT   portErrorsEncOut BIGINT   biGINT   biG	trafficFrameRateRx	DOUBLE			latest	TINYINT(1)		
trafficFrameSizeAvgTx BIGINT Second TINYINT Second	trafficFrameRateTotal	DOUBLE			future	TINYINT(1)	10.00	
trafficFrameSizeAvgRx BIGINT portErrorsTimeoutDiscardTx BIGINT portErrorsEncln BIGINT portErrorsEncOut BIGINT time_dimension Column tk INT hourDateTime DATETIME hour TINYINT second TINYINT	trafficFrameSizeAvgTx	BIGINT			sspFlag			
portErrorsCrc BIGINT DIGINT ConternorsEncon BIGINT ConternorsEncoNBINT ConternorsEncoNBINT	trafficFrameSizeAvgRx	BIGINT			-	σ		
portErrorsEncIn BIGINT DIGINT DIGINAL D	portErrorsTimeoutDiscard	TX BIGINT				Ť.		
portErrorsEncOut BIGINT	portErrorsCrc	BIGINT						
portErrorsEncOut BIGINT COlumn	portErrorsEncin	BIGINT		10	time dimen	sion		
tk INT hourDateTime DATETIME hour TINYINT minute TINYINT second TINYINT	portErrorsEncOut	BIGINT		•		SIGH		
hourDateTime DATETIME hour TINYINT minute TINYINT second TINYINT						100.000		
hour TINYINT minute TINYINT second TINYINT					<b>*</b> 1000	10(3593)	and the second se	
minute TINYINT Second TINYINT								
second TINYINT								
microsecond MEDIUMNIT								
					microsecond	MEDIUMINT		
🦞 dateTk INT 💽					💡 dateTk	INT		


Column		
k	BIGINT	1
imeTk 🛛	INT	
1ateTk	INT	
apeTk 🛛	INT	
xTraffic	DOUBLE	
xTraffic	DOUBLE	
errorRateFlag	TINYINT(1)	
crcErrorRateFlag	TINYINT(1)	
syncLossCount	BIGINT	
signalLossCount	BIGINT	
ass3DiscardCount	BIGINT	
rameTooShortCount	BIGINT	
rameTooLongCount	BIGINT	
obCreditErrorCount	BIGINT	
X	DOUBLE	
x	DOUBLE	
xMax	DOUBLE	
xMax	DOUBLE	
palanceIndex	SMALLINT	
veightedBalanceIndex	SMALLINT	
portSpeed	INT	
portCount	INT	
otalTraffic	DOUBLE	
rafficUtilizationTotal	DOUBLE	
rafficUtilizationTotalMax	DOUBLE	
xLinkResets	BIGINT	
xLinkResets	BIGINT	
portErrorsLinkFailure	BIGINT	
obCreditZeroRx	BIGINT	
obCreditZeroTx	BIGINT	
obCreditZeroMsTx	DOUBLE	
obCreditZeroTotal	BIGINT	
rafficRateTx	DOUBLE	
rafficRateRx	DOUBLE	
rafficRateTotal	DOUBLE	
rafficFrameRateTx	DOUBLE	
rafficFrameRateRx	DOUBLE	
rafficFrameRateTotal	DOUBLE	
rafficFrameSizeAvgTx	BIGINT	
rafficFrameSizeAvgRx	BIGINT	
portErrorsTimeoutDiscardTx		
portErrorsCrc	BIGINT	
portErrorsEncin	BIGINT	1
portErrorsEncOut	BIGINT	

Column		
tk 🛛	NT	
name 💦	VARCHAR(255)	8
identifier 💦	VARCHAR(768)	
ip <sup>v</sup>	VARCHAR(255)	
manufacturer	VARCHAR(255)	E
serialNumber 🏻	VARCHAR(255)	E
id I	INT	E
	TINYINT(1)	Γ
dateTk I	INT	
	•	
	0	52
date_dimens	ion	4
Column	15.17	12
tk	INT	R
fullDate	DATETIME	
dayInMonth	TINYINT	
dayInYear	SMALLINT	
dateYear	SMALLINT	
yearLabel	CHAR(4)	
monthNum	TINYINT	
monthLabel	CHAR(7)	1
dayInWeekNum		
quarter	TINYINT	
quarterLabel	CHAR(7)	
dayInQuarter	SMALLINT	
repQuarter	TINYINT	
repMonth	TINYINT	
repWeek	TINYINT	
repDay	TINYINT	
repMonthOrLate		
latest	TINYINT(1)	P L
future	TINYINT(1)	
sspFlag	TINYINT	
	8 <b>0</b> .	
	•	
ime_dir	nension	
Column	INT	
	INT	
hourDateT		
hour	TINYINT	
minute	TINYINT	
second microsecc	TINYINT and MEDIUMIN	
	Ind MEDULIMIN	1215


## VM Performance




VM Daily Performance for Host




**VM Hourly Performance for Host** 




VM Daily Performance for Host




**VM Hourly Performance for Host** 




VMDK Daily Performance




## **VMDK Hourly Performance**



#### **Volume Hourly Performance**



#### **Volume Daily Performance**



# **Data Infrastructure Insights Schemas for Reporting**

These schema tables and diagrams are provided here as a reference for Data Infrastructure Insights Reporting.

Schema Tables in .PDF format. Click the link to open, or right-click and choose Save as... to download.

## Schema Diagrams



The Reporting feature is available in Data Infrastructure Insights Premium Edition.

## **Copyright information**

Copyright © 2025 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

## **Trademark information**

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.