



Manage cluster mediators

REST API reference

NetApp

February 06, 2026

This PDF was generated from https://docs.netapp.com/us-en/ontap-restapi/cluster_mediators_endpoint_overview.html on February 06, 2026. Always check docs.netapp.com for the latest.

Table of Contents

Manage cluster mediators	1
Manage cluster mediators	1
Overview	1
Adding a mediator	1
Deleting a mediator	2
Modify a mediator	3
Examples	3
Retrieve ONTAP Mediators configured in the cluster	14
Related ONTAP commands	14
Parameters	14
Response	16
Error	17
Definitions	18
Create and connect an ONTAP Mediator	21
Parameters	22
Request Body	22
Response	26
Response	27
Error	27
Definitions	27
Delete an ONTAP Mediator	32
Parameters	32
Request Body	33
Response	37
Response	38
Error	38
Definitions	39
Retrieve the ONTAP Mediator state and configuration	44
Related ONTAP commands	44
Parameters	44
Response	44
Error	47
Definitions	47
Modify the mediator configuration	49
Parameters	49
Request Body	50
Response	52
Response	52
Error	53
Definitions	53
Retrieve historical performance metrics for the cluster	56
Parameters	56
Response	59

Error	60
Definitions	61

Manage cluster mediators

Manage cluster mediators

Overview

You can use this API to add, modify or remove a mediator in a MetroCluster IP configuration or a SnapMirror active sync configuration. You can also use this API to get the status and details of the existing mediator. The GET operation returns the status of the mediator along with the mediator details. The DELETE operation removes the mediator. The POST operation adds the mediator. The PATCH operation modifies the local and remote proxy options. SnapMirror active sync supports two types of mediators:

1. **ONTAP Mediator:** This is the traditional mediator used in SnapMirror active sync, and is hosted on-premises. It requires deployment at a third, neutral site.
2. **ONTAP cloud mediator:** This mediator is hosted in BlueXP SaaS and is primarily designed for SnapMirror active sync. It eliminates the need for a third site and provides enhanced scalability and availability.

Adding a mediator

A mediator can be added by issuing a POST request on `/cluster/mediators`. Parameters are provided in the body of the POST request. There are no optional parameters for adding a mediator to a MetroCluster IP configuration.

Required configuration fields (MetroCluster)

These fields are always required for any POST `/cluster/mediators` request.

- `ip_address` - Specifies the IP address of the mediator.
- `user` - Specifies a user name credential.
- `password` - Specifies a password credential.

Required configuration fields (SnapMirror active sync: ONTAP Mediator, ONTAP cloud mediator)

These fields are required for any POST `/cluster/mediators` request.

- `type` - (defaults to "on-prem" if omitted) Specifies the type of mediator. For the ONTAP Mediator, the value of type has to be "on-prem". For the ONTAP cloud mediator, the value of type has to be "cloud".
- `peer_cluster.name` - Specifies the name of the peer cluster.
- `ip_address` - (only applicable to the ONTAP Mediator) Specifies the IP address of the mediator.
- `user` - (only applicable to the ONTAP Mediator) Specifies the user name credential.
- `password` - (only applicable to the ONTAP Mediator) Specifies a password credential.
- `ca_certificate` - (optional if the certificate is already installed, only applicable to the ONTAP Mediator) Specifies the CA certificate for the ONTAP Mediator.
- `bluexp_org_id` - (only applicable to the ONTAP cloud mediator) Specifies the BlueXP organization ID.
- `service_account_client_id` - (only applicable to the ONTAP cloud mediator) Specifies the client ID of the service account.

- `service_account_client_secret` - (only applicable to the ONTAP cloud mediator) Specifies the client secret of the service account.
- `bluexp_account_token` - (only applicable to the ONTAP cloud mediator) Specifies the BlueXP service account token. This field is mutually exclusive with the `service_account_client_id` and `service_account_client_secret` pair, meaning either the token or the client-id and client-secret pair is allowed.
- `use_http_proxy_local` - (optional, defaults to false if omitted, only applicable for ONTAP cloud mediator) Specifies if a HTTP proxy should be used on the ONTAP cluster.
- `use_http_proxy_remote` - (optional, defaults to false if omitted, only applicable for ONTAP cloud mediator) Specifies if a HTTP proxy should be used on the peer ONTAP cluster.
- `strict_cert_validation` - (optional, defaults to false if omitted, only applicable for ONTAP cloud mediator) Specifies if strict validation of certificates is performed while making REST API calls to the ONTAP Cloud Mediator.

Polling the setup job

After a successful POST /cluster/mediators is issued, an HTTP status code of 202 (Accepted) is returned along with a job UUID and a link in the body of the response. The setup job continues asynchronously and can be monitored by using the job UUID and the /cluster/jobs API. The "message" field in the response of the GET /cluster/jobs/{uuid} request shows the current step in the job, and the "state" field shows the overall state of the job.

Deleting a mediator

A mediator can be deleted by issuing a DELETE to /cluster/mediators/{uuid}. Parameters are provided in the body of the DELETE request. There are no optional parameters for deleting a mediator in a MetroCluster IP configuration.

Required configuration fields (MetroCluster)

These fields are always required for any DELETE /cluster/mediators/{uuid} request.

- `user` - Specifies a user name credential.
- `password` - Specifies a password credential.

Required configuration fields (SnapMirror active sync: ONTAP Mediator, ONTAP cloud mediator)

No fields are required in the body of the DELETE /cluster/mediators/{uuid} request for a mediator in SnapMirror active sync configuration.

Polling the delete job

After a successful DELETE /cluster/mediators/{uuid} is issued, an HTTP status code of 202 (Accepted) is returned along with a job UUID and a link in the body of the response. The delete job continues asynchronously and can be monitored by using the job UUID and the /cluster/jobs API. The "message" field in the response of the GET /cluster/jobs/{uuid} request shows the current step in the job, and the "state" field shows the overall state of the job.

Modify a mediator

An ONTAP cloud mediator can be modified by issuing a PATCH to /cluster/mediators/{uuid}. Parameters are provided in the body of the PATCH request. Currently there are only 2 parameters which can be modified.

Fields which can be modified

These fields can be modified by any PATCH /cluster/mediators/{uuid} request.

- `use-http-proxy-local` - Specifies if the local cluster should use http-proxy server while making REST API calls to mediator.
- `use-http-proxy-remote` - Specifies if the remote cluster should use http-proxy while making REST API calls to mediator.

Polling the modify job

After a successful PATCH /cluster/mediators/{uuid} is issued, an HTTP status code of 202 (Accepted) is returned along with a link in the body of the response. The modify response can be monitored by using the /cluster/jobs API. The "message" field in the response of the GET /cluster/jobs/{uuid} request shows the current step in the job, and the "state" field shows the overall state of the job.

Examples

Setting up a mediator for a four-node MetroCluster and a SnapMirror active sync configuration

This example shows the POST body when setting up a mediator for a four-node MetroCluster IP configuration and a SnapMirror active sync configuration. For MetroCluster, the only prerequisite is that MetroCluster IP is configured.

```
# API
/api/cluster/mediators
```

POST body included from file (MetroCluster)

```
mediator_post_body.txt:
{
  "ip_address": "1.1.1.1",
  "user": "username",
  "password": "password"
}
curl -X POST https://<mgmt-ip>/api/cluster/mediators -d
"@mediator_post_body.txt"
```

POST body included from file (SnapMirror active sync: ONTAP Mediator)

```

mediator_post_body.txt:
{
"peer_cluster.name": "C2_sti230-vsimg-sr092w_cluster",
"ip_address": "172.18.48.61",
"user": "username",
"password": "password"
}
curl -X POST https://<mgmt-ip>/api/cluster/mediators -d
"@mediator_post_body.txt"

```

POST body included from file (SnapMirror active sync: ONTAP cloud mediator)

```

mediator_post_body.txt:
{
"peer_cluster.name": "C2_sti230-vsimg-sr092w_cluster",
"type": "cloud",
"bluexp_org_id": "your-bluexp-org-id",
"service_account_client_id": "your-account-client-id",
"service_account_client_secret": "your-account-client-secret",
"use_http_proxy_local": "true",
"use_http_proxy_remote": "true",
"strict_cert_validation": "true"
}
curl -X POST https://<mgmt-ip>/api/cluster/mediators -d
"@mediator_post_body.txt"

```

Inline POST body (MetroCluster)

```

curl -X POST https://<mgmt-ip>/api/cluster/mediators -H "Content-Type: application/hal+json" -d '{"ip_address": "1.1.1.1", "user": "username", "password": "password"}'

```

Inline POST body (SnapMirror active sync: ONTAP Mediator)

```

curl -X POST https://<mgmt-ip>/api/cluster/mediators -H "Content-Type: application/hal+json" -d '{"peer_cluster.name": "C2_sti230-vsimg-sr092w_cluster", "ip_address": "172.18.48.61", "user": "username", "password": "password"}'

```

Inline POST body (SnapMirror active sync: ONTAP cloud mediator)

```
curl -X POST https://<mgmt-ip>/api/cluster/mediators -H "Content-Type: application/hal+json" -d '{"peer_cluster.name": "C2_sti230-vsimsr092w_cluster", "type": "cloud", "bluexp_org_id": "your-bluexp-org-id", "service_account_client_id": "your-account-client-id", "service_account_client_secret": "your-account-client-secret", "use_http_proxy_local": "true", "use_http_proxy_remote": "true", "strict_cert_validation": "true"}'
```

POST Response

```
HTTP/1.1 202 Accepted
Date: Tue, 22 Sep 2020 07:40:59 GMT
Server: libzapid-httpd
X-Content-Type-Options: nosniff
Cache-Control: no-cache,no-store,must-revalidate
Location: /api/cluster/metrocluster
Content-Length: 189
Content-Type: application/hal+json
{
"job": {
  "uuid": "f567b48b-fca6-11ea-acaf-005056bb47c1",
  "_links": {
    "self": {
      "href": "/api/cluster/jobs/f567b48b-fca6-11ea-acaf-005056bb47c1"
    }
  }
}
```

Monitoring the job progress

Use the link provided in the response to the POST request to fetch information for the mediator setup job.

Request

```
curl -X GET https://<mgmt-ip>/api/cluster/jobs/f567b48b-fca6-11ea-acaf-005056bb47c1
```

Job status response

```
HTTP/1.1 202 Accepted
Date: Tue, 22 Sep 2020 07:41:29 GMT
Server: libzapid-httpd
X-Content-Type-Options: nosniff
Cache-Control: no-cache,no-store,must-revalidate
Location: /api/cluster/metrocluster
Content-Length: 189
Content-Type: application/hal+json
{
  "uuid": "f567b48b-fca6-11ea-acaf-005056bb47c1",
  "description": "POST /api/cluster/mediators/",
  "state": "running",
  "start_time": "2020-09-22T03:41:00-04:00",
  "_links": {
    "self": {
      "href": "/api/cluster/jobs/f567b48b-fca6-11ea-acaf-005056bb47c1"
    }
  }
}
```

Final status of a successful Mediator add

```
HTTP/1.1 202 Accepted
Date: Tue, 22 Sep 2020 07:43:38 GMT
Server: libzapid-httpd
X-Content-Type-Options: nosniff
Cache-Control: no-cache,no-store,must-revalidate
Location: /api/cluster/metrocluster
Content-Length: 358
Content-Type: application/hal+json
{
  "uuid": "f567b48b-fca6-11ea-acaf-005056bb47c1",
  "description": "POST /api/cluster/mediators/",
  "state": "success",
  "message": "success",
  "code": 0,
  "start_time": "2020-09-22T03:41:00-04:00",
  "end_time": "2020-09-22T03:42:10-04:00",
  "_links": {
    "self": {
      "href": "/api/cluster/jobs/f567b48b-fca6-11ea-acaf-005056bb47c1"
    }
  }
}
```

Retrieving the existing mediator configurations

Request

```
curl -X GET https://<mgmt-ip>/api/cluster/mediators
```

Response

```
HTTP/1.1 202 Accepted
Date: Tue, 22 Sep 2020 08:53:18 GMT
Server: libzapid-httdp
X-Content-Type-Options: nosniff
Cache-Control: no-cache,no-store,must-revalidate
Location: /api/cluster/metrocluster
Content-Length: 320
Content-Type: application/hal+json
{
  "records": [
    {
      "uuid": "f89e8906-fca6-11ea-acaf-005056bb47c1",
      "_links": {
        "self": {
          "href": "/api/cluster/mediators/f89e8906-fca6-11ea-acaf-005056bb47c1"
        }
      }
    },
    "num_records": 1,
    "_links": {
      "self": {
        "href": "/api/cluster/mediators"
      }
    }
  }
}
```

Retrieving a specific mediator using the UUID

Request

```
curl -X GET https://<mgmt-ip>/api/cluster/mediators/f89e8906-fca6-11ea-acaf-005056bb47c1
```

Response (MetroCluster)

```
HTTP/1.1 202 Accepted
Date: Tue, 22 Sep 2020 08:59:40 GMT
Server: libzapid-httdp
X-Content-Type-Options: nosniff
Cache-Control: no-cache,no-store,must-revalidate
Location: /api/cluster/metrocluster
Content-Length: 347
Content-Type: application/hal+json
{
  "uuid": "f89e8906-fca6-11ea-acaf-005056bb47c1",
  "ip_address": "10.234.173.40",
  "port": 31784,
  "reachable": true,
  "peer_cluster": {
    "name": "mcc_siteB",
    "uuid": "38779fd1-fc6b-11ea-9421-005056bb21d8"
  },
  "peer_mediator_connectivity": "connected",
  "strict_cert_validation": "true",
  "_links": {
    "self": {
      "href": "/api/cluster/mediators/f89e8906-fca6-11ea-acaf-005056bb47c1"
    }
  }
}
```

Response (SnapMirror active sync: ONTAP Mediator)

```
{
  "uuid": "cc44f61f-ffd5-11ef-aaa6-005056ae32ff",
  "ip_address": "172.18.48.61",
  "port": 31784,
  "reachable": true,
  "peer_cluster": {
    "name": "C2_sti232-vsim-sr089o_cluster",
    "uuid": "ece8d7c6-fd8f-11ef-b8b3-005056aec21e"
  },
  "peer_mediator_connectivity": "connected",
  "local_mediator_connectivity": "connected",
  "type": "on_prem",
  "_links": {
    "self": {
      "href": "/api/cluster/mediators/cc44f61f-ffd5-11ef-aaa6-005056ae32ff"
    }
  }
}
```

Response (SnapMirror active sync: ONTAP cloud mediator)

```
{
  "uuid": "b9ba4e5b-ff14-11ef-82a4-005056ae1bc8",
  "ip_address": "0.0.0.0",
  "reachable": true,
  "peer_cluster": {
    "name": "C2_sti232-vsim-sr089o_cluster",
    "uuid": "ece8d7c6-fd8f-11ef-b8b3-005056aec21e"
  },
  "peer_mediator_connectivity": "connected",
  "local_mediator_connectivity": "connected",
  "use_http_proxy_local": true,
  "use_http_proxy_remote": true,
  "type": "cloud",
  "_links": {
    "self": {
      "href": "/api/cluster/mediators/b9ba4e5b-ff14-11ef-82a4-005056ae1bc8"
    }
  }
}
```

Deleting a configured mediator using the UUID (MetroCluster)

Request

```
curl -X DELETE https://<mgmt-ip>/api/cluster/mediators/{uuid} -H "Content-Type: application+hal/json" -d '{"user": "username", "password": "password"}'
```

Response

```
HTTP/1.1 202 Accepted
Date: Tue, 22 Sep 2020 09:13:52 GMT
Server: libzapid-httdp
X-Content-Type-Options: nosniff
Cache-Control: no-cache,no-store,must-revalidate
Location: /api/cluster/metrocluster
Content-Length: 189
Content-Type: application/hal+json
{
"job": {
  "uuid": "eeb71ccd-fcb3-11ea-acaf-005056bb47c1",
  "_links": {
    "self": {
      "href": "/api/cluster/jobs/eeb71ccd-fcb3-11ea-acaf-005056bb47c1"
    }
  }
}
```

Deleting a configured mediator using the UUID (SnapMirror active sync: ONTAP Mediator, ONTAP cloud mediator)

Request

```
curl -X DELETE https://<mgmt-ip>/api/cluster/mediators/{uuid} -H "Content-Type: application+hal/json"
```

Response

```
{  
  "job": {  
    "uuid": "0661a77a-ff16-11ef-82a4-005056ae1bc8",  
    "_links": {  
      "self": {  
        "href": "/api/cluster/jobs/0661a77a-ff16-11ef-82a4-005056ae1bc8"  
      }  
    }  
  }  
}
```

Monitoring the job progress

Use the link provided in the response to the DELETE request to fetch information for the delete job.

Request

```
curl -X GET https://<mgmt-ip>/api/cluster/jobs/eeb71ccd-fcb3-11ea-acaf-005056bb47c1
```

Job status response

```
HTTP/1.1 202 Accepted  
Date: Tue, 22 Sep 2020 09:14:20 GMT  
Server: libzapid-httpd  
X-Content-Type-Options: nosniff  
Cache-Control: no-cache,no-store,must-revalidate  
Location: /api/cluster/metrocluster  
Content-Length: 316  
Content-Type: application/hal+json  
{  
  "uuid": "eeb71ccd-fcb3-11ea-acaf-005056bb47c1",  
  "description": "DELETE /api/cluster/mediators/f89e8906-fca6-11ea-acaf-005056bb47c1",  
  "state": "running",  
  "start_time": "2020-09-22T05:13:52-04:00",  
  "_links": {  
    "self": {  
      "href": "/api/cluster/jobs/eeb71ccd-fcb3-11ea-acaf-005056bb47c1"  
    }  
  }  
}
```

Final status of the Mediator DELETE job

```
HTTP/1.1 202 Accepted
Date: Tue, 22 Sep 2020 09:21:46 GMT
Server: libzapid-httppd
X-Content-Type-Options: nosniff
Cache-Control: no-cache,no-store,must-revalidate
Location: /api/cluster/metrocluster
Content-Length: 396
Content-Type: application/hal+json
{
  "uuid": "eeb71ccd-fcb3-11ea-acaf-005056bb47c1",
  "description": "DELETE /api/cluster/mediators/f89e8906-fca6-11ea-acaf-005056bb47c1",
  "state": "success",
  "message": "success",
  "code": 0,
  "start_time": "2020-09-22T05:13:52-04:00",
  "end_time": "2020-09-22T05:14:24-04:00",
  "_links": {
    "self": {
      "href": "/api/cluster/jobs/eeb71ccd-fcb3-11ea-acaf-005056bb47c1"
    }
  }
}
```

Modifying a configured Mediator using the uuid

Request

```
curl -X PATCH https://<mgmt-ip>/api/cluster/mediators/{uuid} -H "Content-Type: application+hal/json" -d '{"use_http_proxy_local": "true", "use_http_proxy_remote": "true", "strict_cert_validation": "true"}'
```

Response

```
HTTP/1.1 202 Accepted
Date: Thu, 06 Mar 2025 10:10:10 GMT
Server: libzapid-httpd
X-Content-Type-Options: nosniff
Cache-Control: no-cache,no-store,must-revalidate
Location: /api/cluster/metrocluster
Content-Length: 189
Content-Type: application/hal+json
{
"job": {
  "uuid": "3016e8e9-fa73-11ef-9d41-005056ae10ae",
  "_links": {
    "self": {
      "href": "/api/cluster/jobs/3016e8e9-fa73-11ef-9d41-005056ae10ae"
    }
  }
}
}
```

Monitoring the job progress

Use the link provided in the response to the PATCH request to fetch information for the modify job.

Request

```
curl -X GET https://<mgmt-ip>/api/cluster/jobs/3016e8e9-fa73-11ef-9d41-005056ae10ae
```

Job status response

```

HTTP/1.1 202 Accepted
Date: Thu, 06 Mar 2025 10:10:22 GMT
Server: libzapid-httdp
X-Content-Type-Options: nosniff
Cache-Control: no-cache,no-store,must-revalidate
Location: /api/cluster/metrocluster
Content-Length: 395
Content-Type: application/hal+json
{
  "uuid": "3016e8e9-fa73-11ef-9d41-005056ae10ae",
  "description": "PATCH /api/cluster/mediators/a9a812bf-f7f8-11ef-a923-005056ae10ae",
  "state": "success",
  "message": "success",
  "code": 0,
  "start_time": "2025-03-06T05:10:10-05:00",
  "end_time": "2025-03-06T05:10:10-05:00",
  "_links": {
    "self": {
      "href": "/api/cluster/jobs/3016e8e9-fa73-11ef-9d41-005056ae10ae"
    }
  }
}

```

Retrieve ONTAP Mediators configured in the cluster

GET /cluster/mediators

Introduced In: 9.8

"Retrieves a Mediator configured in the cluster."

Related ONTAP commands

- storage iscsi-initiator show

Parameters

Name	Type	In	Required	Description
peer_mediator_conn ectivity	string	query	False	<p>Filter by peer_mediator_conn ectivity</p> <ul style="list-style-type: none"> Introduced in: 9.10

Name	Type	In	Required	Description
use_http_proxy_loc al	boolean	query	False	Filter by use_http_proxy_loc al <ul style="list-style-type: none"> • Introduced in: 9.17
type	string	query	False	Filter by type <ul style="list-style-type: none"> • Introduced in: 9.17
port	integer	query	False	Filter by port
uuid	string	query	False	Filter by uuid
strict_cert_validation	boolean	query	False	Filter by strict_cert_validation <ul style="list-style-type: none"> • Introduced in: 9.17
peer_cluster.name	string	query	False	Filter by peer_cluster.name
peer_cluster.uuid	string	query	False	Filter by peer_cluster.uuid
ip_address	string	query	False	Filter by ip_address
local_mediator_conn ectivity	string	query	False	Filter by local_mediator_conn ectivity <ul style="list-style-type: none"> • Introduced in: 9.17
reachable	boolean	query	False	Filter by reachable
fields	array[string]	query	False	Specify the fields to return.
max_records	integer	query	False	Limit the number of records returned.

Name	Type	In	Required	Description
return_records	boolean	query	False	<p>The default is true for GET calls. When set to false, only the number of records is returned.</p> <ul style="list-style-type: none"> • Default value: 1
return_timeout	integer	query	False	<p>The number of seconds to allow the call to execute before returning. When iterating over a collection, the default is 15 seconds. ONTAP returns earlier if either max records or the end of the collection is reached.</p> <ul style="list-style-type: none"> • Default value: 15 • Max value: 120 • Min value: 0
order_by	array[string]	query	False	Order results by specified fields and optional [asc]

Response

Status: 200, Ok

Name	Type	Description
_links	_links	
num_records	integer	Number of records
records	array[records]	

Example response

```
{  
  "_links": {  
    "next": {  
      "href": "/api/resourcelink"  
    },  
    "self": {  
      "href": "/api/resourcelink"  
    }  
  },  
  "num_records": 1,  
  "records": [  
    {  
      "dr_group": {  
        "id": 0  
      },  
      "ip_address": "10.10.10.7",  
      "local_mediator_connectivity": "connected",  
      "peer_cluster": {  
        "_links": {  
          "self": {  
            "href": "/api/resourcelink"  
          }  
        },  
        "name": "cluster2",  
        "uuid": "ebe27c49-1adf-4496-8335-ab862aebef2"  
      },  
      "peer_mediator_connectivity": "connected",  
      "port": 31784,  
      "reachable": 1,  
      "strict_cert_validation": 1,  
      "type": "string",  
      "use_http_proxy_local": 1,  
      "use_http_proxy_remote": 1,  
      "uuid": "string"  
    }  
  ]  
}
```

Error

Status: Default

ONTAP Error Response codes

Error code	Description
2430739	Unable to access Mediator. Reason: Invalid Mediator IP or Mediator does not exist.

Name	Type	Description
error	returned_error	

Example error

```
{  
  "error": {  
    "arguments": [  
      {  
        "code": "string",  
        "message": "string"  
      }  
    ],  
    "code": "4",  
    "message": "entry doesn't exist",  
    "target": "uuid"  
  }  
}
```

Definitions

See Definitions

href

Name	Type	Description
href	string	

_links

Name	Type	Description
next	href	
self	href	

dr_group

DR group reference.

Name	Type	Description
id	integer	DR Group ID

_links

Name	Type	Description
self	href	

peer_cluster

The peer cluster that the mediator service is used for.

Name	Type	Description
_links	_links	
name	string	
uuid	string	

records

Mediator information

Name	Type	Description
dr_group	dr_group	DR group reference.
ip_address	string	The IP address of the mediator.

Name	Type	Description
local_mediator_connectivity	string	Indicates the mediator connectivity status of the local cluster. Possible values are connected, unreachable, unusable and down-high-latency. This field is only applicable to the mediators in SnapMirror active sync configuration.
peer_cluster	peer_cluster	The peer cluster that the mediator service is used for.
peer_mediator_connectivity	string	Indicates the mediator connectivity status of the peer cluster. Possible values are connected, unreachable, unknown and down-high-latency.
port	integer	The REST server's port number on the mediator.
reachable	boolean	Indicates the connectivity status of the mediator.
strict_cert_validation	boolean	<p>Indicates if strict validation of certificates is performed while making REST API calls to the mediator. This field is only applicable to the ONTAP Cloud Mediator.</p> <ul style="list-style-type: none"> • Default value: true • example: true • Introduced in: 9.17 • x-nullable: true
type	string	Mediator type. This field is only applicable to the mediators in SnapMirror active sync configuration.

Name	Type	Description
use_http_proxy_local	boolean	<p>Indicates if the local cluster should use an http-proxy server while making REST API calls to the mediator. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • Default value: true • example: true • Introduced in: 9.17 • x-nullable: true
uuid	string	The unique identifier for the mediator service.

error_arguments

Name	Type	Description
code	string	Argument code
message	string	Message argument

returned_error

Name	Type	Description
arguments	array[error_arguments]	Message arguments
code	string	Error code
message	string	Error message
target	string	The target parameter that caused the error.

Create and connect an ONTAP Mediator

POST /cluster/mediators

Introduced In: 9.8

Creates and connect a mediator.

Parameters

Name	Type	In	Required	Description
return_timeout	integer	query	False	<p>The number of seconds to allow the call to execute before returning. When doing a POST, PATCH, or DELETE operation on a single record, the default is 0 seconds. This means that if an asynchronous operation is started, the server immediately returns HTTP code 202 (Accepted) along with a link to the job. If a non-zero value is specified for POST, PATCH, or DELETE operations, ONTAP waits that length of time to see if the job completes so it can return something other than 202.</p> <ul style="list-style-type: none">• Default value: 0• Max value: 120• Min value: 0
return_records	boolean	query	False	<p>The default is false. If set to true, the records are returned.</p> <ul style="list-style-type: none">• Default value:

Request Body

Name	Type	Description
bluexp_account_token	string	<p>BlueXP account token. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • x-ntap-createOnly: true • Introduced in: 9.17 • x-nullable: true
bluexp_org_id	string	<p>BlueXP organization ID. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • x-ntap-createOnly: true • Introduced in: 9.17 • x-nullable: true
ca_certificate	string	<p>CA certificate for ONTAP Mediator. This is optional if the certificate is already installed.</p> <ul style="list-style-type: none"> • x-ntap-createOnly: true • Introduced in: 9.8 • x-nullable: true
dr_group	dr_group	DR group reference.
ip_address	string	The IP address of the mediator.
local_mediator_connectivity	string	Indicates the mediator connectivity status of the local cluster. Possible values are connected, unreachable, unusable and down-high-latency. This field is only applicable to the mediators in SnapMirror active sync configuration.
password	string	The password used to connect to the REST server on the mediator.
peer_cluster	peer_cluster	The peer cluster that the mediator service is used for.

Name	Type	Description
peer_mediator_connectivity	string	Indicates the mediator connectivity status of the peer cluster. Possible values are connected, unreachable, unknown and down-high-latency.
port	integer	The REST server's port number on the mediator.
reachable	boolean	Indicates the connectivity status of the mediator.
service_account_client_id	string	<p>Client ID of the BlueXP service account. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • x-ntap-createOnly: true • Introduced in: 9.17 • x-nullable: true
service_account_client_secret	string	<p>Client secret token of the BlueXP service account. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • x-ntap-createOnly: true • Introduced in: 9.17 • x-nullable: true
strict_cert_validation	boolean	<p>Indicates if strict validation of certificates is performed while making REST API calls to the mediator. This field is only applicable to the ONTAP Cloud Mediator.</p> <ul style="list-style-type: none"> • Default value: 1 • example: true • Introduced in: 9.17 • x-nullable: true
type	string	Mediator type. This field is only applicable to the mediators in SnapMirror active sync configuration.

Name	Type	Description
use_http_proxy_local	boolean	<p>Indicates if the local cluster should use an http-proxy server while making REST API calls to the mediator. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • Default value: 1 • example: true • Introduced in: 9.17 • x-nullable: true
use_http_proxy_remote	boolean	<p>Indicates if the remote cluster should use an http-proxy server while making REST API calls to the mediator. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • Default value: 1 • example: true • Introduced in: 9.17 • writeOnly: 1 • x-nullable: true
user	string	The username used to connect to the REST server on the mediator.
uuid	string	The unique identifier for the mediator service.

Example request

```
{  
  "bluexp_account_token": "string",  
  "bluexp_org_id": "string",  
  "ca_certificate": "string",  
  "dr_group": {  
    "id": 0  
  },  
  "ip_address": "10.10.10.7",  
  "local_mediator_connectivity": "connected",  
  "password": "mypassword",  
  "peer_cluster": {  
    "name": "cluster2",  
    "uuid": "ebe27c49-1adf-4496-8335-ab862aebef2"  
  },  
  "peer_mediator_connectivity": "connected",  
  "port": 31784,  
  "reachable": 1,  
  "service_account_client_id": "string",  
  "service_account_client_secret": "string",  
  "strict_cert_validation": 1,  
  "type": "string",  
  "use_http_proxy_local": 1,  
  "use_http_proxy_remote": 1,  
  "user": "myusername",  
  "uuid": "string"  
}
```

Response

Status: 202, Accepted

Name	Type	Description
job	job_link	

Example response

```
{  
  "job": {  
    "uuid": "string"  
  }  
}
```

Headers

Name	Description	Type
Location	Useful for tracking the resource location	string

Response

```
Status: 201, Created
```

Error

```
Status: Default
```

ONTAP Error Response codes

Error code	Description
13369351	Update to mediator failed. Reason: does not authorized for that command. Check that the peer cluster and mediator are reachable.
2430758	Mediator cannot be added. Reason: Some of the nodes in the cluster have incorrect MetroCluster IP configuration.
2430734	Unable to add Mediator. Reason : Authentication failed.
2430774	Failed to add Mediator. Reason : Node is not reachable or does not exist.
2432871	Failed to add Mediator. Reason : Some of the parameters in the request is invalid.

Definitions

See Definitions

dr_group

DR group reference.

Name	Type	Description
id	integer	DR Group ID

href

Name	Type	Description
href	string	

_links

peer_cluster

The peer cluster that the mediator service is used for.

Name	Type	Description
name	string	
uuid	string	

mediator

Mediator information

Name	Type	Description
bluexp_account_token	string	BlueXP account token. This field is only applicable to the ONTAP cloud mediator. <ul style="list-style-type: none">• x-ntap-createOnly: true• Introduced in: 9.17• x-nullable: true
bluexp_org_id	string	BlueXP organization ID. This field is only applicable to the ONTAP cloud mediator. <ul style="list-style-type: none">• x-ntap-createOnly: true• Introduced in: 9.17• x-nullable: true

Name	Type	Description
ca_certificate	string	<p>CA certificate for ONTAP Mediator. This is optional if the certificate is already installed.</p> <ul style="list-style-type: none"> • x-ntap-createOnly: true • Introduced in: 9.8 • x-nullable: true
dr_group	dr_group	DR group reference.
ip_address	string	The IP address of the mediator.
local_mediator_connectivity	string	Indicates the mediator connectivity status of the local cluster. Possible values are connected, unreachable, unusable and down-high-latency. This field is only applicable to the mediators in SnapMirror active sync configuration.
password	string	The password used to connect to the REST server on the mediator.
peer_cluster	peer_cluster	The peer cluster that the mediator service is used for.
peer_mediator_connectivity	string	Indicates the mediator connectivity status of the peer cluster. Possible values are connected, unreachable, unknown and down-high-latency.
port	integer	The REST server's port number on the mediator.
reachable	boolean	Indicates the connectivity status of the mediator.

Name	Type	Description
service_account_client_id	string	<p>Client ID of the BlueXP service account. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • x-ntap-createOnly: true • Introduced in: 9.17 • x-nullable: true
service_account_client_secret	string	<p>Client secret token of the BlueXP service account. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • x-ntap-createOnly: true • Introduced in: 9.17 • x-nullable: true
strict_cert_validation	boolean	<p>Indicates if strict validation of certificates is performed while making REST API calls to the mediator. This field is only applicable to the ONTAP Cloud Mediator.</p> <ul style="list-style-type: none"> • Default value: • example: true • Introduced in: 9.17 • x-nullable: true
type	string	Mediator type. This field is only applicable to the mediators in SnapMirror active sync configuration.

Name	Type	Description
use_http_proxy_local	boolean	<p>Indicates if the local cluster should use an http-proxy server while making REST API calls to the mediator. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • Default value: true • example: true • Introduced in: 9.17 • x-nullable: true
use_http_proxy_remote	boolean	<p>Indicates if the remote cluster should use an http-proxy server while making REST API calls to the mediator. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • Default value: true • example: true • Introduced in: 9.17 • writeOnly: 1 • x-nullable: true
user	string	The username used to connect to the REST server on the mediator.
uuid	string	The unique identifier for the mediator service.

job_link

Name	Type	Description
uuid	string	The UUID of the asynchronous job that is triggered by a POST, PATCH, or DELETE operation.

error_arguments

Name	Type	Description
code	string	Argument code

Name	Type	Description
message	string	Message argument

returned_error

Name	Type	Description
arguments	array[error_arguments]	Message arguments
code	string	Error code
message	string	Error message
target	string	The target parameter that caused the error.

Delete an ONTAP Mediator

DELETE /cluster/mediators/{uuid}

Introduced In: 9.8

Deletes the mediator.

Parameters

Name	Type	In	Required	Description
uuid	string	path	True	<ul style="list-style-type: none"> format: uuid

Name	Type	In	Required	Description
return_timeout	integer	query	False	<p>The number of seconds to allow the call to execute before returning. When doing a POST, PATCH, or DELETE operation on a single record, the default is 0 seconds. This means that if an asynchronous operation is started, the server immediately returns HTTP code 202 (Accepted) along with a link to the job. If a non-zero value is specified for POST, PATCH, or DELETE operations, ONTAP waits that length of time to see if the job completes so it can return something other than 202.</p> <ul style="list-style-type: none"> • Default value: 0 • Max value: 120 • Min value: 0

Request Body

Name	Type	Description
bluexp_account_token	string	<p>BlueXP account token. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • x-ntap-createOnly: true • Introduced in: 9.17 • x-nullable: true

Name	Type	Description
bluexp_org_id	string	<p>BlueXP organization ID. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • x-ntap-createOnly: true • Introduced in: 9.17 • x-nullable: true
ca_certificate	string	<p>CA certificate for ONTAP Mediator. This is optional if the certificate is already installed.</p> <ul style="list-style-type: none"> • x-ntap-createOnly: true • Introduced in: 9.8 • x-nullable: true
dr_group	dr_group	DR group reference.
ip_address	string	The IP address of the mediator.
local_mediator_connectivity	string	Indicates the mediator connectivity status of the local cluster. Possible values are connected, unreachable, unusable and down-high-latency. This field is only applicable to the mediators in SnapMirror active sync configuration.
password	string	The password used to connect to the REST server on the mediator.
peer_cluster	peer_cluster	The peer cluster that the mediator service is used for.
peer_mediator_connectivity	string	Indicates the mediator connectivity status of the peer cluster. Possible values are connected, unreachable, unknown and down-high-latency.
port	integer	The REST server's port number on the mediator.
reachable	boolean	Indicates the connectivity status of the mediator.

Name	Type	Description
service_account_client_id	string	<p>Client ID of the BlueXP service account. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • x-ntap-createOnly: true • Introduced in: 9.17 • x-nullable: true
service_account_client_secret	string	<p>Client secret token of the BlueXP service account. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • x-ntap-createOnly: true • Introduced in: 9.17 • x-nullable: true
strict_cert_validation	boolean	<p>Indicates if strict validation of certificates is performed while making REST API calls to the mediator. This field is only applicable to the ONTAP Cloud Mediator.</p> <ul style="list-style-type: none"> • Default value: 1 • example: true • Introduced in: 9.17 • x-nullable: true
type	string	Mediator type. This field is only applicable to the mediators in SnapMirror active sync configuration.

Name	Type	Description
use_http_proxy_local	boolean	<p>Indicates if the local cluster should use an http-proxy server while making REST API calls to the mediator. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • Default value: 1 • example: true • Introduced in: 9.17 • x-nullable: true
use_http_proxy_remote	boolean	<p>Indicates if the remote cluster should use an http-proxy server while making REST API calls to the mediator. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • Default value: 1 • example: true • Introduced in: 9.17 • writeOnly: 1 • x-nullable: true
user	string	The username used to connect to the REST server on the mediator.
uuid	string	The unique identifier for the mediator service.

Example request

```
{  
  "bluexp_account_token": "string",  
  "bluexp_org_id": "string",  
  "ca_certificate": "string",  
  "dr_group": {  
    "id": 0  
  },  
  "ip_address": "10.10.10.7",  
  "local_mediator_connectivity": "connected",  
  "password": "mypassword",  
  "peer_cluster": {  
    "_links": {  
      "self": {  
        "href": "/api/resourcelink"  
      }  
    },  
    "name": "cluster2",  
    "uuid": "ebe27c49-1adf-4496-8335-ab862aebebf2"  
  },  
  "peer_mediator_connectivity": "connected",  
  "port": 31784,  
  "reachable": 1,  
  "service_account_client_id": "string",  
  "service_account_client_secret": "string",  
  "strict_cert_validation": 1,  
  "type": "string",  
  "use_http_proxy_local": 1,  
  "use_http_proxy_remote": 1,  
  "user": "myusername",  
  "uuid": "string"  
}
```

Response

Status: 200, Ok

Name	Type	Description
job	job_link	

Example response

```
{  
  "job": {  
    "_links": {  
      "self": {  
        "href": "/api/resourcelink"  
      }  
    },  
    "uuid": "string"  
  }  
}
```

Response

Status: 202, Accepted

Error

Status: Default

ONTAP Error Response codes

Error code	Description
13369377	Mediator field "mediator.id" does not exist.

Name	Type	Description
error	returned_error	

Example error

```
{  
  "error": {  
    "arguments": [  
      {  
        "code": "string",  
        "message": "string"  
      }  
    ],  
    "code": "4",  
    "message": "entry doesn't exist",  
    "target": "uuid"  
  }  
}
```

Definitions

See Definitions

dr_group

DR group reference.

Name	Type	Description
id	integer	DR Group ID

href

Name	Type	Description
href	string	

_links

Name	Type	Description
self	href	

peer_cluster

The peer cluster that the mediator service is used for.

Name	Type	Description
_links	_links	
name	string	
uuid	string	

mediator

Mediator information

Name	Type	Description
bluexp_account_token	string	<p>BlueXP account token. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none">• x-ntap-createOnly: true• Introduced in: 9.17• x-nullable: true

Name	Type	Description
bluexp_org_id	string	<p>BlueXP organization ID. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • x-ntap-createOnly: true • Introduced in: 9.17 • x-nullable: true
ca_certificate	string	<p>CA certificate for ONTAP Mediator. This is optional if the certificate is already installed.</p> <ul style="list-style-type: none"> • x-ntap-createOnly: true • Introduced in: 9.8 • x-nullable: true
dr_group	dr_group	DR group reference.
ip_address	string	The IP address of the mediator.
local_mediator_connectivity	string	Indicates the mediator connectivity status of the local cluster. Possible values are connected, unreachable, unusable and down-high-latency. This field is only applicable to the mediators in SnapMirror active sync configuration.
password	string	The password used to connect to the REST server on the mediator.
peer_cluster	peer_cluster	The peer cluster that the mediator service is used for.
peer_mediator_connectivity	string	Indicates the mediator connectivity status of the peer cluster. Possible values are connected, unreachable, unknown and down-high-latency.
port	integer	The REST server's port number on the mediator.
reachable	boolean	Indicates the connectivity status of the mediator.

Name	Type	Description
service_account_client_id	string	<p>Client ID of the BlueXP service account. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • x-ntap-createOnly: true • Introduced in: 9.17 • x-nullable: true
service_account_client_secret	string	<p>Client secret token of the BlueXP service account. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • x-ntap-createOnly: true • Introduced in: 9.17 • x-nullable: true
strict_cert_validation	boolean	<p>Indicates if strict validation of certificates is performed while making REST API calls to the mediator. This field is only applicable to the ONTAP Cloud Mediator.</p> <ul style="list-style-type: none"> • Default value: 1 • example: true • Introduced in: 9.17 • x-nullable: true
type	string	Mediator type. This field is only applicable to the mediators in SnapMirror active sync configuration.

Name	Type	Description
use_http_proxy_local	boolean	<p>Indicates if the local cluster should use an http-proxy server while making REST API calls to the mediator. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • Default value: 1 • example: true • Introduced in: 9.17 • x-nullable: true
use_http_proxy_remote	boolean	<p>Indicates if the remote cluster should use an http-proxy server while making REST API calls to the mediator. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • Default value: 1 • example: true • Introduced in: 9.17 • writeOnly: 1 • x-nullable: true
user	string	The username used to connect to the REST server on the mediator.
uuid	string	The unique identifier for the mediator service.

job_link

Name	Type	Description
_links	_links	
uuid	string	The UUID of the asynchronous job that is triggered by a POST, PATCH, or DELETE operation.

error_arguments

Name	Type	Description
code	string	Argument code

Name	Type	Description
message	string	Message argument
returned_error		
Name	Type	Description
arguments	array[error_arguments]	Message arguments
code	string	Error code
message	string	Error message
target	string	The target parameter that caused the error.

Retrieve the ONTAP Mediator state and configuration

GET /cluster/mediators/{uuid}

Introduced In: 9.8

"Retrieves the Mediator state and configuration."

Related ONTAP commands

- storage iscsi-initiator show

Parameters

Name	Type	In	Required	Description
uuid	string	path	True	<ul style="list-style-type: none"> format: uuid
fields	array[string]	query	False	Specify the fields to return.

Response

Status: 200, Ok

Name	Type	Description
dr_group	dr_group	DR group reference.

Name	Type	Description
ip_address	string	The IP address of the mediator.
local_mediator_connectivity	string	Indicates the mediator connectivity status of the local cluster. Possible values are connected, unreachable, unusable and down-high-latency. This field is only applicable to the mediators in SnapMirror active sync configuration.
peer_cluster	peer_cluster	The peer cluster that the mediator service is used for.
peer_mediator_connectivity	string	Indicates the mediator connectivity status of the peer cluster. Possible values are connected, unreachable, unknown and down-high-latency.
port	integer	The REST server's port number on the mediator.
reachable	boolean	Indicates the connectivity status of the mediator.
strict_cert_validation	boolean	<p>Indicates if strict validation of certificates is performed while making REST API calls to the mediator. This field is only applicable to the ONTAP Cloud Mediator.</p> <ul style="list-style-type: none"> • Default value: 1 • example: true • Introduced in: 9.17 • x-nullable: true
type	string	Mediator type. This field is only applicable to the mediators in SnapMirror active sync configuration.

Name	Type	Description
use_http_proxy_local	boolean	<p>Indicates if the local cluster should use an http-proxy server while making REST API calls to the mediator. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • Default value: 1 • example: true • Introduced in: 9.17 • x-nullable: true
uuid	string	The unique identifier for the mediator service.

Example response

```
{
  "dr_group": {
    "id": 0
  },
  "ip_address": "10.10.10.7",
  "local_mediator_connectivity": "connected",
  "peer_cluster": {
    "_links": {
      "self": {
        "href": "/api/resourcelink"
      }
    },
    "name": "cluster2",
    "uuid": "ebe27c49-1adf-4496-8335-ab862aebef2"
  },
  "peer_mediator_connectivity": "connected",
  "port": 31784,
  "reachable": 1,
  "strict_cert_validation": 1,
  "type": "string",
  "use_http_proxy_local": 1,
  "use_http_proxy_remote": 1,
  "uuid": "string"
}
```

Error

Status: Default, Error

Name	Type	Description
error	returned_error	

Example error

```
{
  "error": {
    "arguments": [
      {
        "code": "string",
        "message": "string"
      }
    ],
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```

Definitions

See Definitions

dr_group

DR group reference.

Name	Type	Description
id	integer	DR Group ID

href

Name	Type	Description
href	string	

_links

Name	Type	Description
self	href	

peer_cluster

The peer cluster that the mediator service is used for.

Name	Type	Description
_links	_links	
name	string	
uuid	string	

error_arguments

Name	Type	Description
code	string	Argument code
message	string	Message argument

returned_error

Name	Type	Description
arguments	array[error_arguments]	Message arguments
code	string	Error code
message	string	Error message

Name	Type	Description
target	string	The target parameter that caused the error.

Modify the mediator configuration

PATCH /cluster/mediators/{uuid}

Introduced In: 9.17

Modifies the mediator configuration.

Parameters

Name	Type	In	Required	Description
uuid	string	path	True	<ul style="list-style-type: none">• format: uuid

Name	Type	In	Required	Description
return_timeout	integer	query	False	<p>The number of seconds to allow the call to execute before returning. When doing a POST, PATCH, or DELETE operation on a single record, the default is 0 seconds. This means that if an asynchronous operation is started, the server immediately returns HTTP code 202 (Accepted) along with a link to the job. If a non-zero value is specified for POST, PATCH, or DELETE operations, ONTAP waits that length of time to see if the job completes so it can return something other than 202.</p> <ul style="list-style-type: none"> • Default value: 0 • Max value: 120 • Min value: 0

Request Body

Name	Type	Description
dr_group	dr_group	DR group reference.
local_mediator_connectivity	string	Indicates the mediator connectivity status of the local cluster. Possible values are connected, unreachable, unusable and down-high-latency. This field is only applicable to the mediators in SnapMirror active sync configuration.

Name	Type	Description
peer_mediator_connectivity	string	Indicates the mediator connectivity status of the peer cluster. Possible values are connected, unreachable, unknown and down-high-latency.
reachable	boolean	Indicates the connectivity status of the mediator.
strict_cert_validation	boolean	<p>Indicates if strict validation of certificates is performed while making REST API calls to the mediator. This field is only applicable to the ONTAP Cloud Mediator.</p> <ul style="list-style-type: none"> • Default value: 1 • example: true • Introduced in: 9.17 • x-nullable: true
use_http_proxy_local	boolean	<p>Indicates if the local cluster should use an http-proxy server while making REST API calls to the mediator. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • Default value: 1 • example: true • Introduced in: 9.17 • x-nullable: true
use_http_proxy_remote	boolean	<p>Indicates if the remote cluster should use an http-proxy server while making REST API calls to the mediator. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • Default value: 1 • example: true • Introduced in: 9.17 • writeOnly: 1 • x-nullable: true

Name	Type	Description
uuid	string	The unique identifier for the mediator service.

Example request

```
{
  "dr_group": {
    "id": 0
  },
  "local_mediator_connectivity": "connected",
  "peer_mediator_connectivity": "connected",
  "reachable": 1,
  "strict_cert_validation": 1,
  "use_http_proxy_local": 1,
  "use_http_proxy_remote": 1,
  "uuid": "string"
}
```

Response

Status: 200, Ok

Name	Type	Description
job	job_link	

Example response

```
{
  "job": {
    "uuid": "string"
  }
}
```

Response

Status: 202, Accepted

Error

Status: Default

ONTAP Error Response codes

Error code	Description
13369377	Mediator field "mediator.id" does not exist.
13369412	Modification of the mediator configuration succeeded on the peer cluster but failed on the local cluster. Reason : {Reason of failure}. Wait a few minutes, then try the operation again.
13369421	Failed to modify mediator configuration on the cluster. Reason : {Reason of failure}. Wait a few minutes, then try the operation again.

Definitions

See Definitions

dr_group

DR group reference.

Name	Type	Description
id	integer	DR Group ID

href

Name	Type	Description
href	string	

_links

peer_cluster

The peer cluster that the mediator service is used for.

Name	Type	Description
name	string	
uuid	string	

mediator

Mediator information

Name	Type	Description
dr_group	dr_group	DR group reference.
local_mediator_connectivity	string	Indicates the mediator connectivity status of the local cluster. Possible values are connected, unreachable, unusable and down-high-latency. This field is only applicable to the mediators in SnapMirror active sync configuration.
peer_mediator_connectivity	string	Indicates the mediator connectivity status of the peer cluster. Possible values are connected, unreachable, unknown and down-high-latency.

Name	Type	Description
reachable	boolean	Indicates the connectivity status of the mediator.
strict_cert_validation	boolean	<p>Indicates if strict validation of certificates is performed while making REST API calls to the mediator. This field is only applicable to the ONTAP Cloud Mediator.</p> <ul style="list-style-type: none"> • Default value: 1 • example: true • Introduced in: 9.17 • x-nullable: true
use_http_proxy_local	boolean	<p>Indicates if the local cluster should use an http-proxy server while making REST API calls to the mediator. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • Default value: 1 • example: true • Introduced in: 9.17 • x-nullable: true
use_http_proxy_remote	boolean	<p>Indicates if the remote cluster should use an http-proxy server while making REST API calls to the mediator. This field is only applicable to the ONTAP cloud mediator.</p> <ul style="list-style-type: none"> • Default value: 1 • example: true • Introduced in: 9.17 • writeOnly: 1 • x-nullable: true
uuid	string	The unique identifier for the mediator service.

job_link

Name	Type	Description
uuid	string	The UUID of the asynchronous job that is triggered by a POST, PATCH, or DELETE operation.

error_arguments

Name	Type	Description
code	string	Argument code
message	string	Message argument

returned_error

Name	Type	Description
arguments	array[error_arguments]	Message arguments
code	string	Error code
message	string	Error message
target	string	The target parameter that caused the error.

Retrieve historical performance metrics for the cluster

GET /cluster/metrics

Introduced In: 9.6

Retrieves historical performance metrics for the cluster.

Parameters

Name	Type	In	Required	Description
latency.other	integer	query	False	Filter by latency.other
latency.total	integer	query	False	Filter by latency.total
latency.write	integer	query	False	Filter by latency.write

Name	Type	In	Required	Description
latency.read	integer	query	False	Filter by latency.read
iops.other	integer	query	False	Filter by iops.other
iops.total	integer	query	False	Filter by iops.total
iops.write	integer	query	False	Filter by iops.write
iops.read	integer	query	False	Filter by iops.read
throughput.other	integer	query	False	Filter by throughput.other
throughput.total	integer	query	False	Filter by throughput.total
throughput.write	integer	query	False	Filter by throughput.write
throughput.read	integer	query	False	Filter by throughput.read
timestamp	string	query	False	Filter by timestamp
status	string	query	False	Filter by status
duration	string	query	False	Filter by duration

Name	Type	In	Required	Description
interval	string	query	False	<p>The time range for the data. Examples can be 1h, 1d, 1m, 1w, or 1y. The period for each time range is specified as follows:</p> <ul style="list-style-type: none"> • 1h: Metrics over the most recent hour sampled over 15 seconds. • 1d: Metrics over the most recent day sampled over 5 minutes. • 1w: Metrics over the most recent week sampled over 30 minutes. • 1m: Metrics over the most recent month sampled over 2 hours. • 1y: Metrics over the most recent year sampled over a day. • Default value: 1 • enum: ["1h", "1d", "1w", "1m", "1y"]

Name	Type	In	Required	Description
return_timeout	integer	query	False	<p>The number of seconds to allow the call to execute before returning. When iterating over a collection, the default is 15 seconds. ONTAP returns earlier if either max records or the end of the collection is reached.</p> <ul style="list-style-type: none"> • Default value: 15 • Max value: 120 • Min value: 0
fields	array[string]	query	False	Specify the fields to return.
max_records	integer	query	False	Limit the number of records returned.
order_by	array[string]	query	False	Order results by specified fields and optional [asc]
desc] direction. Default direction is 'asc' for ascending.	return_records	boolean	query	False

Response

Status: 200, Ok

Name	Type	Description
_links	_links	
num_records	integer	Number of records
records	array[records]	

Example response

```
{  
  "_links": {  
    "next": {  
      "href": "/api/resourcelink"  
    },  
    "self": {  
      "href": "/api/resourcelink"  
    }  
  },  
  "num_records": 1,  
  "records": [  
    {  
      "_links": {  
        "self": {  
          "href": "/api/resourcelink"  
        }  
      },  
      "duration": "PT15S",  
      "iops": {  
        "read": 200,  
        "total": 1000,  
        "write": 100  
      },  
      "latency": {  
        "read": 200,  
        "total": 1000,  
        "write": 100  
      },  
      "status": "ok",  
      "throughput": {  
        "read": 200,  
        "total": 1000,  
        "write": 100  
      },  
      "timestamp": "2017-01-25 11:20:13 +0000"  
    }  
  ]  
}
```

Error

Status: Default, Error

Name	Type	Description
error	returned_error	

Example error

```
{  
  "error": {  
    "arguments": [  
      {  
        "code": "string",  
        "message": "string"  
      }  
    ],  
    "code": "4",  
    "message": "entry doesn't exist",  
    "target": "uuid"  
  }  
}
```

Definitions

See Definitions

href

Name	Type	Description
href	string	

_links

Name	Type	Description
next	href	
self	href	

_links

Name	Type	Description
self	href	

iops

The rate of I/O operations observed at the storage object.

Name	Type	Description
other	integer	Performance metric for other I/O operations. Other I/O operations can be metadata operations, such as directory lookups and so on.
read	integer	Performance metric for read I/O operations.
total	integer	Performance metric aggregated over all types of I/O operations.
write	integer	Performance metric for write I/O operations.

latency

The round trip latency in microseconds observed at the storage object.

Name	Type	Description
other	integer	Performance metric for other I/O operations. Other I/O operations can be metadata operations, such as directory lookups and so on.
read	integer	Performance metric for read I/O operations.
total	integer	Performance metric aggregated over all types of I/O operations.
write	integer	Performance metric for write I/O operations.

throughput

The rate of throughput bytes per second observed at the storage object.

Name	Type	Description
other	integer	Performance metric for other I/O operations. Other I/O operations can be metadata operations, such as directory lookups and so on.
read	integer	Performance metric for read I/O operations.
total	integer	Performance metric aggregated over all types of I/O operations.
write	integer	Performance metric for write I/O operations.

records

Performance numbers, such as IOPS latency and throughput.

Name	Type	Description
_links	_links	

Name	Type	Description
duration	string	The duration over which this sample is calculated. The time durations are represented in the ISO-8601 standard format. Samples can be calculated over the following durations:
iops	iops	The rate of I/O operations observed at the storage object.
latency	latency	The round trip latency in microseconds observed at the storage object.
status	string	Errors associated with the sample. For example, if the aggregation of data over multiple nodes fails, then any partial errors might return "ok" on success or "error" on an internal uncategorized failure. Whenever a sample collection is missed but done at a later time, it is back filled to the previous 15 second timestamp and tagged with "backfilled_data". "Inconsistent_delta_time" is encountered when the time between two collections is not the same for all nodes. Therefore, the aggregated value might be over or under inflated. "Negative_delta" is returned when an expected monotonically increasing value has decreased in value. "Inconsistent_old_data" is returned when one or more nodes do not have the latest data.
throughput	throughput	The rate of throughput bytes per second observed at the storage object.
timestamp	string	The timestamp of the performance data.

error_arguments

Name	Type	Description
code	string	Argument code
message	string	Message argument

returned_error

Name	Type	Description
arguments	array[error_arguments]	Message arguments
code	string	Error code
message	string	Error message
target	string	The target parameter that caused the error.

Copyright information

Copyright © 2026 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.