



Dell EMC XtremIO データコレクタ Cloud Insights

Tony Lavoie
August 26, 2021

目次

Dell EMC XtremIO データコレクタ	1
要件	1
用語集	1
要件	1
設定	1
高度な設定	2
トラブルシューティング	2

Dell EMC XtremIO データコレクタ

EMC XtremIO データコレクタは、EMC XtremIO ストレージシステムからインベントリとパフォーマンスのデータを取得します。

要件

EMC XtremIO (HTTP) データコレクタを設定するには、次のものがが必要です。

- XtremIO Management Server (XMS) ホストのアドレス
- 管理者権限を持つアカウント
- ポート 443 へのアクセス (HTTPS)

用語集

Cloud Insights は、EMC XtremIO データコレクタから次のインベントリ情報を取得します。Cloud Insights では、取得したアセットのタイプごとに、そのアセットに使用される最も一般的な用語が表示されます。このデータソースを表示またはトラブルシューティングするときは、次の用語に注意してください。

ベンダー / モデルの用語	Cloud Insights の用語
ディスク (SSD)	ディスク
クラスタ	ストレージ
コントローラ	ストレージノード
ボリューム	ボリューム
LUN マップ	ボリュームマップ
ターゲット FC イニシエータ	ボリュームマスク

注：これらは一般的な用語の対応のみを示したものであり、このデータソースのすべてのケースを表しているとは限りません。

要件

- XtremIO Management Server (XMS) ホストの IP アドレス
- XtremIO の管理者のユーザ名とパスワード

設定

フィールド	説明
XMS ホスト	XtremIO Management Server の IP アドレスまたは完全修飾ドメイン名
ユーザ名	XtremIO Management Server のユーザ名

フィールド	説明
パスワード	XtremIO Management Server のパスワード

高度な設定

フィールド	説明
TCP ポート	XtremIO Management Server への接続に使用する TCP ポート。デフォルトは 443. です。
インベントリのポーリング間隔（分）	インベントリのポーリング間隔。デフォルトは 60 分です。
パフォーマンスのポーリング間隔（秒）	パフォーマンスのポーリング間隔デフォルトは 300 秒です。

トラブルシューティング

この Data Collector の追加情報は、から入手できます ["サポート"](#) ページまたはを参照してください ["Data Collector サポートマトリックス"](#)。

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.