



Snap Creator コマンドラインインターフェイスの使用に関するガイドライン

Snap Creator Framework

Zachary Wambold
August 04, 2021

目次

Snap Creator コマンドラインインターフェイスの使用に関するガイドライン	1
---	---

Snap Creator コマンドラインインターフェイスの使用に関するガイドライン

Snap Creator のコマンドライン機能を使用すると、グラフィカルユーザインターフェイス（GUI）を使用せずにさまざまな操作を実行できます。たとえば、コマンドラインインターフェイス（CLI）から、バックアップ、クローンボリュームまたは LUN を作成し、構成ファイルをインポートできます。

すべてのコマンドおよび関連するパラメータの包括的なリストを表示するには、コマンドプロンプトで Snap Creator を実行し、引数を指定しないでください。/path/to/scServer_v<#>/install_path /path/to/scServer_v<#>/snapcreator

```
[root@lyon scServer4.3.0]# ./snapcreator
Usage: ./snapcreator --server <IP> --port <Port> --user <User> --passwd
<Passwd> --profile <Profile> --config <Config> --action <Action> --policy
<Policy> <Optional Arguments>

Connection Information
  --server <IP|Hostname>      The IP address or hostname of the Snap
Creator server
  --port <number>             The port number of the Snap Creator server
  --user <user>               The username used for Snap Creator server
authentication
  --passwd <password>        The password used for Snap Creator server
authentication

Configuration Information
  --profile <Profile>         The profile you want to run
                              Profiles are dir's located under configs dir
                              Uses default config, unless --config is
specified
  list                         Displays all configurations known to Snap
Creator

Workflow Actions
  --action <Action>          The action you want Snap Creator to perform
  backup                      Takes a backup using NetApp storage
  technology
  ossv                         Uses OSSV to perform the backup, no primary
backup is taken
  cloneLun                    In addition to backup will clones lun(s)
                              using lun clone
  cloneVol                    In addition to backup will clones volume
                              using vol clone
  cloneDel                    Deletes vol clones outside of normal workflow
```

clone	Performs a plug-in driven clone operation
restore given volume restore	Enters an interactive restore menu for a Snap Creator policy, you can choose a file or
backupDel a given	Enters an interactive backup delete menu for Snap Creator policy
backupList	Lists all backups under Snap Creator control
volumeList	Lists all volumes under Snap Creator control
cloneList	Lists all volume clones under Snap Creator
control	
dpstatus	Shows the snapvault/snapmirror status
pmsetup given config	Creates a Protection Manager DataSet for
arch	Does not take backup, only performs archive log management
quiesce	Does not take backup, only performs quiesce for given application defined in
APP_NAME unquiesce	Does not take backup, only performs unquiesce for given application defined in
APP_NAME discover	Does not take backup, only performs discover for given application defined in
APP_NAME mount	Clone an existing backup and provide optional
mount commands	
umount	Clone an existing backup and provide optional
umount commands	
scdump	Dumps logs, configs, and support information
for a given profile	
Snap Creator root directory	in a zip file called scdump located under
custom	A plug-in may define a custom action
dispatch	Executes any Snap Creator workflow that
exists	
...	

Snap Creator の CLI 使用時に誤ったユーザ名またはパスワードを入力すると、次のエラーメッセージが表示されます。 403 Forbidden ----- ユーザ名とパスワードが正しくありません

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.