



SnapManager リポジトリの設定

SnapManager Oracle

NetApp
August 06, 2021

目次

SnapManager リポジトリの設定	1
----------------------------	---

SnapManager リポジトリの設定

リポジトリデータベースインスタンスに SnapManager リポジトリを設定する必要があります。リポジトリデータベースには、SnapManager で管理されているデータベースのメタデータが格納されます。

- リポジトリデータベースのインスタンスを作成しておく必要があります。
- 必要な権限を持つリポジトリデータベースインスタンスの Oracle ユーザを作成しておく必要があります。
- リポジトリデータベースインスタンスの詳細を tnsnames.ora ファイルに含める必要があります。

SnapManager リポジトリの設定は、SnapManager のユーザインターフェイス（UI）またはコマンドラインインターフェイス（CLI）で行うことができます。以下の手順では、SnapManager UI を使用してリポジトリを作成する方法を示します。必要に応じて、CLI を使用することもできます。

CLI を使用してリポジトリを作成する方法については、『SnapManager for Oracle アドミニストレーションガイド UNIX_』を参照してください。

1. SnapManager UI の左ペインで、* リポジトリ * を右クリックします。
2. [新しいリポジトリの作成] を選択し、[次へ] をクリックします。
3. [Repository Database Configuration Information] ウィンドウで、次の情報を入力します。

フィールド	手順
• ユーザー名 *	リポジトリデータベースインスタンス用に作成したユーザの名前を入力します。
• パスワード *	パスワードを入力します。
• ホスト *	リポジトリデータベースインスタンスを作成するホストの IP アドレスを入力します。
• ポート *	リポジトリデータベースインスタンスへの接続に使用するポートを入力します。デフォルトのポートは 1521 です。
• サービス名 *	SnapManager がリポジトリデータベースインスタンスへの接続に使用する名前を入力します。tnsnames.ora ファイルに含まれている詳細に応じて、これは短いサービス名または完全修飾サービス名になります。 [+]

4. Perform Repository Add Operation（リポジトリ追加操作の実行）ウィンドウで、設定の概要を確認し、* Add *（追加）をクリックします。

処理が失敗した場合は、 * Operation Details * タブをクリックして、処理が失敗した原因を確認します。エラーの詳細は、 /var/log/smo にある処理ログにも記録されます。

5. [完了] をクリックします。

リポジトリは左側のペインの **Repositories** ツリーの下に一覧表示されます。リポジトリが表示されない場合は **[Repositories]** を右クリックし **[Refresh]** をクリックします。

◦ 関連情報 *

" 『 SnapManager 3.4 for Oracle Administration Guide for UNIX 』 "

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.