



Customizing NFS share reports

Active IQ Unified Manager

NetApp
December 23, 2021

This PDF was generated from https://docs.netapp.com/us-en/active-iq-unified-manager/reporting/task_create_report_to_view_volumes_with_an_inaccessible_junction_path.html on December 23, 2021. Always check docs.netapp.com for the latest.

Table of Contents

- Customizing NFS share reports 1
 - Creating a report to view volumes that have an inaccessible mount path 1
 - Creating a report to view volumes that are using the default export policy 1

Customizing NFS share reports

You can customize NFS share reports to analyze information about NFS export policies and rules for volumes on your storage systems. For example, you can customize reports to display volumes with inaccessible mount paths and volumes with the default export policy.

Creating a report to view volumes that have an inaccessible mount path

You can create a report to find volumes that have an inaccessible mount path.

What you'll need

- You must have the Application Administrator or Storage Administrator role.

Use the following steps to create a custom view for volumes that have an inaccessible mount path, and then schedule a report to be generated for that view.

Steps

1. In the left navigation pane, click **Storage > NFS Shares**.
2. Select **Show/Hide** to remove any columns that you do not want in the report.
3. Click the filter icon, add the following filter, and then click **Apply Filter**:
 - Mount Path Active is No
4. Save the view with a specific name that reflects what the view is showing, for example “Volumes with an inaccessible mount path” and click the check mark (✓).
5. Click the **Scheduled Reports** button on the inventory page.
6. Click **Add Schedule** to add a new row to the Report Schedules page so you can define the schedule characteristics for the new report.
7. Enter a name for the report schedule and complete the other report fields, then click the check mark (✓) at the end of the row.

The report is sent immediately as a test. After that, the report generates and is sent by email to the recipients listed using the specified frequency.

Based on the results shown in the report, you might want to correct the inaccessible mount paths.

Creating a report to view volumes that are using the default export policy

You can create a report to find volumes that are using the default export policy.

What you'll need

- You must have the Application Administrator or Storage Administrator role.

Use the following steps to create a custom view for volumes that are using the default export policy, and then

schedule a report to be generated for that view.

Steps

1. In the left navigation pane, click **Storage > NFS Shares**.
2. Select **Show/Hide** to remove any columns that you do not want in the report.
3. Drag the “Export Policy” column near the “Volume” column.
4. Click the filter icon, add the following filter, and then click **Apply Filter**:
 - Export Policy contains default
5. Save the view with a specific name that reflects what the view is showing, for example “Volumes with a default export policy” and click the check mark (✓).
6. Click the **Scheduled Reports** button on the inventory page.
7. Click **Add Schedule** to add a new row to the Report Schedules page so you can define the schedule characteristics for the new report.
8. Enter a name for the report schedule and complete the other report fields, then click the check mark (✓) at the end of the row.

The report is sent immediately as a test. After that, the report generates and is sent by email to the recipients listed using the specified frequency.

Based on the results shown in the report, you might want to configure a custom export policy.

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.