



StorageGRID documentation

StorageGRID

NetApp
November 17, 2022

Table of Contents

- StorageGRID documentation 1
- What's new with StorageGRID management 2
 - 18 September 2022 2
- Get started 3
 - Discover StorageGRID systems 3
- Manage StorageGRID systems 6
 - View your StorageGRID systems 6
 - Use NetApp data services with StorageGRID 7
 - Remove an StorageGRID working environment 7
- Knowledge and support 9
 - Register for support 9
 - Get help 12
- Legal notices 16
 - Copyright 16
 - Trademarks 16
 - Patents 16
 - Privacy policy 16
 - Open source 16

StorageGRID documentation

What's new with StorageGRID management

Learn what's new with managing StorageGRID systems in BlueXP (formerly Cloud Manager).

18 September 2022

Support for StorageGRID

You can now discover your StorageGRID systems directly from BlueXP. Discovering StorageGRID provides you with a complete view of data across your hybrid multicloud.

Get started

Discover StorageGRID systems

BlueXP can discover the StorageGRID systems in your on-premises environment. Adding StorageGRID systems to BlueXP enables you to get a complete view of the data across your hybrid multicloud.

What you'll need

- A Connector installed in a cloud provider or on your premises, with network connectivity to the StorageGRID system.

[Learn more about Connectors and how to create one](#)

- The domain name or IP address of the admin node.
- Admin credentials for the admin node.

Steps

1. From the navigation menu, select **Storage > Canvas**.
2. Click **Add Working Environment** and select **On-Premises**.
3. Select **StorageGRID** and click **Next**.
4. If you're prompted, create a Connector.

Refer to the link above for more details.

5. On the *StorageGRID Cluster Details* page, enter the domain name or IP address of the admin node, the credentials for the node, and then click **Add**.

StorageGRID Cluster Details

Provide a few details about your StorageGRID cluster so Cloud Manager can discover it.

Admin Node Domain Name or IP Address

User Name

Password


Result

BlueXP discovers the StorageGRID system and adds it as a working environment on the Canvas.



+ Add Working Environment



Enable Services 

StorageGRID Beta
StorageGRID

170.3 GiB
Capacity




Manage StorageGRID systems

View your StorageGRID systems

After you discover your StorageGRID systems, you can view details about capacity distribution and the associated alerts, nodes, and tenants.

Steps

1. From the Canvas, double-click the name of the StorageGRID working environment that you want to view.
2. Select any of the tabs to view more details about your StorageGRID system:
 - **Overview:** A detailed view of the system's capacity distribution (used and free capacity), the number of system alerts, nodes, and tenants, and more.



- **Alerts:** A summary of system alerts, which includes active alerts, resolved alerts, and silenced alerts.
- **Nodes:** Details about the admin node, API gateway node, and storage nodes. This includes percentages for object data used, object metadata used, and CPU usage.

The screenshot shows the 'Nodes' tab of the StorageGRID Beta interface. It displays a table with the following columns: 'Node Name', 'Node Type', 'Object Data Used', 'Object Metadata Used', and 'CPU Usage'. The table lists nodes for a single site, 'DC1'. The nodes include an Admin Node, an Api Gateway Node, and three Storage Nodes.

Node Name	Node Type	Object Data Used	Object Metadata Used	CPU Usage
DC1	Site	--	--	--
DC1-A1	Admin Node	--	--	7%
DC1-GW1	Api Gateway Node	--	--	3%
DC1-S1	Storage Node	1%	0%	9%
DC1-S2	Storage Node	1%	0%	13%
DC1-S3	Storage Node	1%	0%	11%

- **Tenants:** Key details about tenants, which includes logical space used, quota utilization, quota, and object count.

Tenant Name	Logical Space Used	Quota Utilization	Quota	Object Count
123	0 B	--	--	0
AronK	15 B	--	--	1
Commvault- Object lock testing	2.53 GiB	5%	46.57 GiB	1.03K
Entisys360	47.6 GiB	102%	46.57 GiB	67.86K
IBM FileNet	94.79 MiB	0%	93.13 GiB	120
Komprise	10.61 KiB	0%	93.13 GiB	1

Use NetApp data services with StorageGRID

After you discover a StorageGRID system in BlueXP, you can use NetApp's data services for backups and data synchronization.

- Use **Cloud Backup** to back up data from your on-premises ONTAP systems to object storage in your NetApp StorageGRID systems.

To get started, go to the Canvas and drag and drop an on-premises ONTAP working environment on your StorageGRID working environment.

[Learn more about backing up on-premises ONTAP data to StorageGRID](#)

- Use **Cloud Sync** to synchronize data to or from a StorageGRID system.

To get started, go to the Canvas and drag and drop the source working environment on the target working environment. StorageGRID can be either the source or target.

[Learn more about Cloud Sync](#)


Remove an StorageGRID working environment

Remove a StorageGRID working environment if you no longer want to manage it from BlueXP.

Removing the working environment doesn't affect the StorageGRID system. You can rediscover it from BlueXP at any time.

Steps

1. From the Canvas, double-click the name of the StorageGRID working environment.
2. Click the menu icon and select **Remove from Workspace**.



3. Click **Remove** to confirm.

Knowledge and support

Register for support

Before you can open a support case with NetApp technical support, you need to add a NetApp Support Site (NSS) account to BlueXP and then register for support.

Support registration overview

There are two forms of registration to activate support entitlement:

- Registering your BlueXP account ID support subscription (your 20 digit 960xxxxxxx serial number located on the Support Resources page in BlueXP).

This serves as your single support subscription ID for any service within BlueXP. Each BlueXP account-level support subscription must be registered.

- Registering the Cloud Volumes ONTAP serial numbers associated with a subscription in your cloud provider's marketplace (these are 20 digit 909201xxxxxxx serial numbers).

These serial numbers are commonly referred to as *PAYGO serial numbers* and get generated by BlueXP at the time of Cloud Volumes ONTAP deployment.

Registering both types of serial numbers enables capabilities like opening support tickets and automatic case generation.

How you register depends on whether you're a new or existing customer or partner.

- Existing customer or partner

As an existing NetApp customer or partner, you can use your NetApp Support Site (NSS) SSO account to perform these registrations above. In the Support Dashboard, BlueXP provides an **NSS Management** page where you can add your NSS account. Once you add your NSS account, BlueXP automatically registers these serial numbers for you.

[Learn how to add your NSS account.](#)

- New to NetApp

If you're brand new to NetApp, you must complete a one-time registration of your BlueXP account ID serial number on NetApp's support registration site. Once you complete this registration and create a new NSS account, you can use this account in BlueXP to auto register going forward.

[Learn how to register with NetApp.](#)

Add an NSS account to BlueXP


The Support Dashboard enables you to add and manage your NetApp Support Site accounts for use with Cloud Manager.

- If you have a customer-level account, you can add one or more NSS accounts.
- If you have a partner or reseller account, you can add one or more NSS accounts, but they can't be added

alongside customer-level accounts.

Steps

1. In the upper right of the BlueXP console, click the Help icon, and select **Support**.



2. Click **NSS Management > Add NSS Account**.
3. When you're prompted, click **Continue** to be redirected to a Microsoft login page.

NetApp uses Microsoft Azure Active Directory as the identity provider for authentication services specific to support and licensing.

4. At the login page, provide your NetApp Support Site registered email address and password to perform the authentication process.

These actions enable BlueXP to use your NSS account for things like license downloads, software upgrade verification, and future support registrations.

Note the following:

- The account must be a customer-level account (not a guest or temp account).
- Upon successful login, NetApp will store the NSS user name. This is a system generated ID that maps to your email. On the **NSS Management** page, you can display your email from the **...** menu.
- If you ever need to refresh your login credential tokens, there is also an **Update Credentials** option in the **...** menu. Using this option prompts you to log in again.

Register with NetApp


How you register for NetApp support depends on whether you already have a NetApp Support Site (NSS) account.

Existing customer with an NSS account


If you're a NetApp customer with an NSS account, you simply need to register for support through BlueXP.

Steps

1. In the upper right of the BlueXP console, click the Help icon, and select **Support**.



2. If you haven't already done so, add your NSS account to BlueXP.
3. On the **Resources** page, click **Register for Support**.



Existing customer but no NSS account

If you're an existing NetApp customer with existing licenses and serial numbers but *no* NSS account, you just need to create an NSS account.

Steps


1. Create a NetApp Support Site account by completing the [NetApp Support Site User Registration form](#)
 - a. Be sure to select the appropriate User Level, which is typically **NetApp Customer/End User**.
 - b. Be sure to copy the BlueXP account serial number (960xxxx) used above for the serial number field. This will speed up the account processing.

Brand new to NetApp

If you are brand new to NetApp and you don't have an NSS account, follow each step below.

Steps

1. In the upper right of the BlueXP console, click the Help icon, and select **Support**.



2. Locate your Cloud Manager account ID serial number from the Support Registration page.



3. Navigate to [NetApp's support registration site](#) and select **I am not a registered NetApp Customer**.
4. Fill out the mandatory fields (those with red asterisks).
5. In the **Product Line** field, select **Cloud Manager** and then select your applicable billing provider.
6. Copy your Cloud Manager account serial number from step 2 above, complete the security check, and then confirm that you read NetApp's Global Data Privacy Policy.

An email is immediately sent to the mailbox provided to finalize this secure transaction. Be sure to check your spam folders if the validation email doesn't arrive in few minutes.

7. Confirm the action from within the email.

Confirming submits your request to NetApp and recommends that you create a NetApp Support Site account.

8. Create a NetApp Support Site account by completing the [NetApp Support Site User Registration form](#)
 - a. Be sure to select the appropriate User Level, which is typically **NetApp Customer/End User**.
 - b. Be sure to copy the Cloud Manager Account Serial number (960xxxx) used above for the serial number field. This will speed up the account processing.

After you finish

NetApp should reach out to you during this process. This is a one-time onboarding exercise for new users.

Once you have your NetApp Support Site account, you can navigate to BlueXP to add this NSS account for future registrations.

Get help

NetApp provides support for BlueXP and its cloud services in a variety of ways. Extensive free self-support

options are available 24x7, such as knowledgebase (KB) articles and a community forum. Your support registration includes remote technical support via web ticketing.

Self support

These options are available for free, 24 hours a day, 7 days a week:

- [Knowledge base](#)

Search through the BlueXP knowledge base to find helpful articles to troubleshoot issues.

- [Communities](#)

Join the BlueXP community to follow ongoing discussions or create new ones.

- Documentation

The BlueXP documentation that you're currently viewing.

- [Feedback email](#)

We value your input. Submit feedback to help us improve BlueXP.

NetApp support

In addition to the self-support options above, you can work with a NetApp Support specialist to resolve any issues after you activate support.

Before you get started

To use the **Create a Case** capability, you must first perform a one-time registration of your BlueXP Account ID serial number (ie. 960xxxx) with NetApp. [Learn how to register for support.](#)

Steps

1. In BlueXP, click **Help > Support**.
2. Choose one of the available options under Technical Support:
 - a. Click **Call Us** if you'd like to speak with someone on the phone. You'll be directed to a page on netapp.com that lists the phone numbers that you can call.
 - b. Click **Create a Case** to open a ticket with a NetApp Support specialists:
 - **NetApp Support Site Account:** Select the applicable NSS account associated with the person opening the support case. This person will be the primary contact for NetApp to reach out to, in addition to the additional emails provided below.

If you don't see your NSS account, you can navigate to the **NSS Management** tab within Support section of BlueXP to add it there.
 - **Service:** Select the service that the issue is associated with. For example, BlueXP when specific to a technical support issue with workflows or functionality within the service.
 - **Working Environment:** If applicable to storage, select **Cloud Volumes ONTAP** or **On-Prem** and then the associated working environment.

The list of working environments are within scope of the BlueXP account, workspace, and Connector you have selected in the top banner of the service.

- **Case Priority:** Choose the priority for the case, which can be Low, Medium, High, or Critical.

To learn more details about these priorities, hover your mouse over the information icon next to the field name.

- **Issue Description:** Provide a detailed description of your problem, including any applicable error messages or troubleshooting steps that you performed.
- **Additional Email Addresses:** Enter additional email addresses if you'd like to make someone else aware of this issue.

The screenshot shows a 'Create a Case' form within a 'NetApp Support Site Account' for user 'TESTCLOUD2NTAP'. The form includes several fields: 'Service' (set to 'Cloud Manager'), 'Working Environment' (set to 'Select...'), 'Case Priority' (set to 'Low- General Guidance' with an information icon), 'Issue Description' (a text area with placeholder text), 'Additional Email Addresses (Optional)' (an empty text field with an information icon), and 'Attachment (Optional)' (a file selection area with a 'Coming Soon' badge and an upload icon).

After you finish

A pop-up will appear with your support case number. A NetApp Support specialist will review your case and get back to you soon.

For a history of your support cases, you can click **Settings > Timeline** and look for actions named "create support case." A button to the far right lets you expand the action to see details.

It's possible that you might encounter the following error message when trying to create a case:

"You are not authorized to Create a Case against the selected service"

This error could mean that the NSS account and the company of record it's associated with is not the same company of record for the BlueXP account serial number (ie. 960xxxx) or the working environment serial number. You can check your list of NSS accounts at the top of the **Create a Case** form to find the right match, or you can seek assistance using one of the following options:

- Use the in-product chat
- Submit a non-technical case at <https://mysupport.netapp.com/site/help>

Legal notices

Legal notices provide access to copyright statements, trademarks, patents, and more.

Copyright

<http://www.netapp.com/us/legal/copyright.aspx>

Trademarks

NETAPP, the NETAPP logo, and the marks listed on the NetApp Trademarks page are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.

<http://www.netapp.com/us/legal/netapptmlist.aspx>

Patents

A current list of NetApp owned patents can be found at:

<https://www.netapp.com/us/media/patents-page.pdf>

Privacy policy

<https://www.netapp.com/us/legal/privacypolicy/index.aspx>

Open source

Notice files provide information about third-party copyright and licenses used in NetApp software.

- [Notice for BlueXP 3.9](#)

Copyright information

Copyright © 2022 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.