



Get started

StorageGRID

NetApp

November 26, 2025

This PDF was generated from <https://docs.netapp.com/us-en/storage-management-storagegrid/task-discover-storagegrid.html> on November 26, 2025. Always check docs.netapp.com for the latest.

Table of Contents

Get started	1
Add StorageGRID systems to NetApp Console	1

Get started

Add StorageGRID systems to NetApp Console

Manage your StorageGrid systems directly from the NetApp Console using Grid Manager.

Required NetApp Console role:

Storage admin or System health specialist. [Learn about NetApp Console access roles.](#)

Before you begin

You need the following:

- A NetApp Console Agent using version 3.9.43 or later. You must have the Organization admin role to install a Console Agent. If you don't know if your organization has a Console Agent, or if you need one created, contact your NetApp Console administrator. [Contact your Organization admin.](#)
- The domain name or IP address of the admin node.
- Admin credentials for the admin node.
- A management interface certificate installed on your StorageGRID system.

[Learn more about installing a management interface certificate on StorageGRID](#)

Steps

1. From the navigation menu, select **Storage > Management**.
2. Select **Systems**.
3. Select **Add system** and select **On-Premises**.
4. Next to **StorageGRID**, select **Discover**.
5. On the *StorageGRID Cluster Details* page in the Console, enter the domain name or IP address of the admin node, the credentials for the node, and then select **Add**.
6. The Console automatically retrieves the StorageGRID management interface certificate. On the *Approve certificate* page, review the certificate details.
7. To use a different certificate, first set it up on your StorageGRID system.
 - a. In your on-premises StorageGRID system, follow the instructions: [Installing a management interface certificate on StorageGRID](#).
 - b. After configuring the certificate in the StorageGRID system, select **Cancel** on the *Approve certificate* page in the Console.
 - c. On the *StorageGRID Cluster Details* page, select **Add**.
8. Optionally, select **Copy Certificate** to copy the details of the certificate. You can use the certificate details to perform additional validation if desired.
9. Do one of the following:
 - a. Select **Approve Certificate** to use the certificate.

The NetApp Console displays a success message and secures all communication between the StorageGRID server and the Console Agent by verifying the approved certificate.

- b. Select **Cancel** to end the discovery process without verifying the certificate.

For example, you can select **Cancel** if you receive an error message notifying you that the StorageGRID management certificate needs to be updated.

To update a certificate, go to your StorageGRID system, update the certificate, and then restart the discovery process from the NetApp Console.

Copyright information

Copyright © 2025 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.