



ONTAP alerts documentation

ONTAP alerts

NetApp

November 11, 2025

Table of Contents

ONTAP alerts documentation	1
Release notes	2
What's new with ONTAP alerts	2
06 October 2025	2
07 October 2024	2
Get started	3
Learn about ONTAP alerts	3
NetApp Console	3
What you can do with ONTAP alerts	3
Benefits of monitoring ONTAP alerts	3
Cost	3
Licensing	4
How ONTAP alerts work	4
Supported systems and data sources	4
ONTAP alerts prerequisites	4
Quick start for ONTAP alerts	5
Set up ONTAP alerts	5
Access to cluster resources	5
Create the Console agent	5
Access ONTAP alerts	6
Use ONTAP alerts	7
View ONTAP alerts overview	7
View potential risks in ONTAP storage using the Alerts list page	7
Alerts you might see	7
View ONTAP storage issues	10
View alert details in your ONTAP storage system	11
View alert details	11
View details about the cluster in ONTAP System Manager	11
Frequently asked questions for NetApp alerts	12
Access to NetApp alerts	12
View alerts	12
Display of information	13
Legal notices	14
Copyright	14
Trademarks	14
Patents	14
Privacy policy	14
Open source	14

ONTAP alerts documentation

Release notes

What's new with ONTAP alerts

Learn what's new in ONTAP alerts.

06 October 2025

BlueXP alerts is now ONTAP alerts

BlueXP alerts has been renamed to ONTAP alerts.

You can access it from the NetApp Console left navigation bar by selecting **Storage > Alerts**.

BlueXP is now NetApp Console

The NetApp Console, built on the enhanced and restructured BlueXP foundation, provides centralized management of NetApp storage and NetApp Data Services across on-premises and cloud environments at enterprise grade—delivering real-time insights, faster workflows, and simplified administration, that is highly secure and compliant.

For details on what's changed, see the [NetApp Console release notes](#).

07 October 2024

BlueXP alerts list page

You can quickly identify ONTAP clusters that have low capacity or low performance, gauge the extent of availability, and identify security risks. You can view alerts related to capacity, performance, protection, availability, security, and configuration.

Alerts details

You can drill into alert details and find recommendations.

View cluster details linked to ONTAP System Manager

With BlueXP alerts, you can view alerts associated with your ONTAP storage environment and drill into the details that are linked to ONTAP System Manager.

[Learn about BlueXP alerts.](#)

Get started

Learn about ONTAP alerts

View issues or potential risks in your NetApp on-premises ONTAP systems using the NetApp Console. You can drill into details using ONTAP System Manager.

NetApp Console

View ONTAP alerts in the NetApp Console.

The NetApp Console provides centralized management of NetApp storage and data services across on-premises and cloud environments at enterprise grade. The Console is required to access and use NetApp data services. As a management interface, it enables you to manage many storage resources from one interface. Console administrators can control access to storage and services for all systems within the enterprise.

You don't need a license or subscription to start using the NetApp Console and you only incur charges when you need to deploy Console agents in your cloud to ensure connectivity to your storage systems or NetApp data services. However, some NetApp data services accessible from the Console are licensed or subscription-based.

Learn more about the [NetApp Console](#).

What you can do with ONTAP alerts

View ONTAP alerts to stay informed about risks or potential risk in your ONTAP storage system. You can see some non-EMS alerts and some EMS alerts. You can see information about these severities and impact areas:

- **Severities:** Critical, Warning, Informational
- **Impact areas:** Capacity, Performance, Protection, Availability, Security, Configuration

 The Notifications option in the upper right of the NetApp Console UI monitors the status of operations that NetApp Console is performing to help you identify issues that you need to address. You can have these notifications sent to your email. The Notifications option does not include the alerts from ONTAP alerts.

Benefits of monitoring ONTAP alerts

Monitoring ONTAP alerts provides the following benefits:

- Get alerts about your ONTAP storage across clusters.
- View alerts in the same NetApp Console UI that you use for other services.
- Drill into alerts on ONTAP clusters — start from the NetApp Console and see details in ONTAP System Manager.

Cost

You can view ONTAP alerts with a NetApp ONTAP license.

Licensing

Viewing ONTAP alerts requires a NetApp ONTAP 9.10 or greater license.

You do not need to have a trial license.

ONTAP alerts can be viewed in the NetApp Console standard (public) mode only.

How ONTAP alerts work

ONTAP alerts is a core component of NetApp Console. ONTAP alerts monitors ONTAP clusters and receives alert data from ONTAP.

ONTAP alerts is available only in the NetApp Console SaaS environment. It is not available in a local Console agent UI.

Supported systems and data sources

Use ONTAP alerts to check on issues in the following systems and data sources.

Systems supported

An on-premises ONTAP NAS or SAN system is supported.

Cloud Volumes ONTAP systems are not supported at this time.

Data sources supported

View alerts regarding certain events that occur in ONTAP. They are a combination of EMS and metric-based alerts.

ONTAP alerts prerequisites

Get started with ONTAP alerts by verifying the readiness of your operational environment.

To view ONTAP alerts, you'll need these prerequisites:

- ONTAP 9.10 and later. The on-premises system must be discovered in the NetApp Console Systems page.
 - Cluster admin ONTAP permissions

The license does not need to be entered in NetApp Console digital wallet.

- In NetApp Console:
 - A NetApp Console system with NetApp on-premises NAS or SAN storage
 - A Console agent for an on-premises region must be set up in NetApp Console. Refer to [NetApp Console documentation to configure the Console agent](#).

If a cluster is removed from the Console agent, the alerts related to that cluster remain for 90 days. Also, if you change the Console agent, the alerts remain associated with the original cluster and agent for 90 days. If you return to the original agent, you will again see those alerts.

- A NetApp Console organization with at least one active Console agent connecting to on-premises ONTAP clusters. All source and systems must be in the same NetApp Console organization.

- A NetApp Console user in that organization with Organization Admin privileges for discovering resources
- [Standard NetApp Console requirements](#)

Quick start for ONTAP alerts

Here's an overview of the steps needed to get started with ONTAP alerts. The links within each step take you to a page that provides more details.

1

Review prerequisites

Ensure your environment meets these requirements.

2

Set up ONTAP alerts

Configure a [Console agent](#) in NetApp Console.

3

What's next?

After you set up ONTAP alerts, here's what you might do next.

- [View storage issues and potential risks on the Alerts list page.](#)
- [View alert details in ONTAP System Manager.](#)

Set up ONTAP alerts

To use ONTAP alerts, perform a few steps to set it up.

Before you begin, review [prerequisites](#) to ensure that your environment is ready.

Review [standard NetApp Console requirements](#).

Access to cluster resources

To view the alerts, the logged-in user must be part of the NetApp Console organization and should have the required access to the cluster resource.

Create the Console agent

You should reach out to your NetApp Sales Rep to try out or use ONTAP alerts. Then, when you use the Console agent, it will include the appropriate capabilities for ONTAP alerts.

To create the Console agent in the NetApp Console, refer to the BlueXP documentation that describes [how to create a Console agent](#).

After you set up the Console agent and add the system, wait about 15 minutes for the initial discovery.

Access ONTAP alerts

You use the NetApp Console to view ONTAP alerts.

To log in to the NetApp Console, you can use your NetApp Support Site credentials or you can sign up for a NetApp cloud login using your email and a password. [Learn more about logging in.](#)

Steps

1. Open a web browser and go to the [NetApp Console](#).
- The Console login page appears.
2. Log in to the Console.
3. From the Console left navigation bar, select **Storage > Alerts**.

The Alerts list page appears.

Alerts								
This feature currently supports on-premises ONTAP alerts.								
Alerts (210) Filters applied (1) Reset								
Triggered time	Severity	Status (I)	Name	Source type	Source name	Impact Area		
September 10, 2025, 12:58 PM	☒ Critical	Active	Volume state offline	Volume	R1	Availability		
September 10, 2025, 12:58 PM	☒ Critical	Active	Volume state offline	Volume	R1	Availability		
September 10, 2025, 12:58 PM	☒ Critical	Active	Volume state offline	Volume	R1	Availability		
September 10, 2025, 12:58 PM	☒ Critical	Active	Volume state offline	Volume	R1	Availability		
September 10, 2025, 12:58 PM	☒ Critical	Active	Volume state offline	Volume	R1	Availability		
September 10, 2025, 12:58 PM	☒ Critical	Active	Volume state offline	Volume	db	Availability		
September 10, 2025, 12:58 PM	☒ Critical	Active	Volume Used Percentage Breach	Volume	R9	Capacity		

Use ONTAP alerts

View ONTAP alerts overview

View storage issues and see details with links directly to ONTAP System Manager.

- [View storage issues or potential risks from the Alerts list page.](#)
- [View alert details that are linked in ONTAP System Manager.](#)

View potential risks in ONTAP storage using the Alerts list page

View at-a-glance information about the potential risks in your ONTAP system. You can quickly identify ONTAP clusters that have low capacity or low performance, gauge the extent of availability, determine availability, and identify security risks.

You can see information about these severities and impact areas:

- **Severities:** Critical, Warning, Informational
- **Impact areas:** Capacity, Performance, Availability, Protection, Security, Configuration

Alerts you might see

Here are some of the alerts that display.

The EMS severity maps to the ONTAP alerts severity in the following ways:

EMS alert severity:	NetApp Console alert severity:
alert or emergency	critical
error	None
Low	warning
notice	informational
informational	informational

List of alerts

Critical severity alerts:

- Aggregate state is not online
- Disk failure
- SnapMirror lag time is high
- Volume state offline
- Volume used percentage breach

EMS alerts:

- Antivirus server busy
- AWS credentials not initialized
- Cloud tier unreachable
- Disk out of service
- Disk shelf power supply discovered
- Disk shelves power supply removed
- FabricPool mirror replication resync completed
- FabricPool space usage limit nearly reached
- FabricPool space usage limit reached
- FC target port commands exceeded
- Giveback of storage pool failed
- HA interconnect down
- LUN destroyed
- LUN offline
- Main unit fan failed
- Main unit fan in warning state
- Max sessions per user exceeded
- Max times open per file exceeded
- MetroCluster automatic unplanned switchover disabled
- MetroCluster monitoring
- NetBIOS name conflict
- NFSv4 share pool exhausted
- Node panic
- Node root volume space low
- Nonexistent admin share
- Non-responsive antivirus server
- No registered scan engine
- No Vscan connection

- NVMe namespace destroyed
- NVMe namespace offline
- NVMe namespace online
- NVMe-oF license grace period active
- NVMe-oF license grace period expired
- NVMe-oF license grace period start
- NVRAM battery low
- Object store host unresolvable
- Object store Intercluster LIF down
- Object store signature mismatch
- QoS monitor memory maxed out
- Ransomware activity detected
- Relocation of storage pool failed
- ONTAP Mediator added
- ONTAP Mediator not accessible
- ONTAP Mediator unreachable
- ONTAP Mediator removed
- REaddir timeout
- SAN "active-active" state changed
- Service processor heartbeat missed
- Service processor heartbeat stopped
- Service processor offline
- Service processor not configured
- Shadow copy failed
- SFP in FC target adapter receiving low power
- SFP in FC target adapter transmitting low power
- Shelf fan failed
- SMBC CA certificate expired
- SMBC CA certificate expiring
- SMBC client certificate expired
- SMBC client certificate expiring
- SMBC relationship out of sync
- SMBC server certificate expired
- SMBC server certificate expiring
- SnapMirror relationship out of sync
- Storage switch power supplies failed
- Storage VM anti-ransomware monitoring

- Storage VM stop succeeded
- System cannot operate due to main unit fan failure
- Too many CIFS authentications
- Unassigned disks
- Unauthorized user access to admin share
- Virus detected
- Volume anti-ransomware monitoring
- Volume automatic resizing succeeded
- Volume offline
- Volume restricted

For details on ONTAP alerts, refer to the ONTAP documentation and ONTAP System Manager insights at [ONTAP System Manager insights into capacity, security, and configuration issues](#).

View ONTAP storage issues

Steps

1. [Log in to the NetApp Console](#).
2. From the Console left navigation bar, select **Storage > Alerts**.

After discovery, the Alerts list page shows a list of alerts in your ONTAP system.

There might be a delay between an event happening and ONTAP alerts showing it.

3. From the Alerts list page, you can view and do any of the following:
 - Change the sort order by selecting the up or down arrow for a column.
 - Change the filter in the columns to show only the information you want.



For example, you might want to see only those alerts related to capacity. To do so, select the filter icon on the Impact area column, select **Capacity**, and select **Apply**.

Alerts								
This feature currently supports on-premises ONTAP alerts.								
Alerts (210) Filters applied (1) Reset	Triggered time	Severity	Status	Name	Source type	Source name	Impact Area	Corrective actions
September 10, 2025, 12:58 PM	Critical	Active	Volume state offline	Volume				
September 10, 2025, 12:58 PM	Critical	Active	Volume state offline	Volume	R9i			
September 10, 2025, 12:58 PM	Critical	Active	Volume state offline	Volume	Clu			
September 10, 2025, 12:58 PM	Critical	Active	Volume state offline	Volume	Clu			
September 10, 2025, 12:58 PM	Critical	Active	Volume state offline	Volume	vol_1		Availability	Yes

- Download a CSV file containing the alerts information.

You can download up to 1000 alerts. The file includes data based on the filters that were set.


- Select an alert and drill into the alert details on that cluster. See [View alert details](#).

View alert details in your ONTAP storage system

View alerts associated with your ONTAP storage system and drill into the details.

View alert details

1. [Log in to the NetApp Console](#).
2. From the Console left navigation bar, select **Storage > Alerts**.
3. From the Alerts list page, select an alert.



Alerts > Volume Used Percentage Breach

Volume Used Percentage Breach

Volume: RS | Cluster: FY22

Critical Severity	Active Status	Capacity Impact Area	September 10, 2025, 12:58 PM Triggered time	
Description This message occurs when one or more file systems are full, typically indicating at least 90% full. The space usage is computed based on the active file system size and is computed by subtracting the value of the "Snapshot Reserve" field from the value of the "Used" field of the "volume show-space" command.				
Details Volume [F] is [92%] used				
Corrective actions to fix the issue Create space by increasing the volume or aggregate size, or by deleting data or deleting Snapshot copies. To increase a volume's size, use the "volume size" command. To delete a volume's Snapshot copies, use the "volume snapshot delete" command. To increase an aggregate's size, add disks by using the "storage aggregate add-disks" command. Aggregate Snapshot copies are deleted automatically when the aggregate is full.				
Alerts related to R91027BFAD9VI_SAN_DB_DB1_LOG (0)				
Triggered time	Severity	Status (I)	Name	Impact Area
September 10, 2025, 12:58 PM	High	Info	R91027BFAD9VI_SAN_DB_DB1_LOG (0)	<div style="width: 100px; height: 10px; background-color: #3366CC; border: 1px solid #3366CC; display: inline-block;"></div>

4. Scroll down to find suggested corrective actions.
5. Scroll down to find additional alerts that are related to the object on which the alert was raised.

View details about the cluster in ONTAP System Manager

1. From the Alerts list page, select an alert.
2. From the alert, select the cluster name at the top of the page.

ONTAP System Manager now shows you information about the cluster.

Frequently asked questions for NetApp alerts

This FAQ can help if you're just looking for a quick answer to a question about NetApp alerts.

Access to NetApp alerts

What's the NetApp alerts URL?

For the URL, in a browser, enter: <https://console.netapp.com/> to access the NetApp Console.

Do you need a license to use NetApp alerts?

Using NetApp alerts requires a NetApp ONTAP 9.10 or greater license. The license does not need to be entered in NetApp Console digital wallet.

You do not need to have a trial license for NetApp alerts.

How do you enable NetApp alerts?

NetApp alerts does not require any enablement. The alerts option is automatically enabled on the NetApp Console left navigation.

To get going, when you use the Console agent, it will include the appropriate capabilities for NetApp alerts.

Does NetApp alerts available in standard, restricted, and private modes?

NetApp alerts can be deployed in the NetApp Console standard (public) only.

For an explanation about these modes across all NetApp Console services, refer to [NetApp Console deployment modes](#).

How are access permissions handled?

Only NetApp Console organization admins have the ability to initiate NetApp alerts and discover workloads (because this involves committing to usage of a resource).

Alerts are shown to logged in users depending on their access to the cluster's resource in that NetApp Console organization.

View alerts

How long do I need to wait before I start getting alerts?

Wait a maximum of 15 minutes for initial discovery and after that a maximum of 5 minutes for alerts to appear. This varies from alert to alert.

*Why can't I see the alerts for ONTAP using direct mode without the Console agent?

NetApp alerts is available only using the on-premises standard Console agent. Using the direct mode does not monitor the clusters and does not display the alerts.

Why are some alerts disappearing from the Alerts list page?

The alerting feature keeps some alerts in an Active state and closes them after either the counter condition is met or a time period is reached. This varies from alert to alert.

To see all the alerts, select the Status column filter and select the Closed option.

Display of information

What device resolution is best?

The recommended device resolution for NetApp alerts is 1920x1080 or better.

Which browser should I use?

Any modern browser will work.

Legal notices

Legal notices provide access to copyright statements, trademarks, patents, and more.

Copyright

<https://www.netapp.com/company/legal/copyright/>

Trademarks

NETAPP, the NETAPP logo, and the marks listed on the NetApp Trademarks page are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.

<https://www.netapp.com/company/legal/trademarks/>

Patents

A current list of NetApp owned patents can be found at:

<https://www.netapp.com/pdf.html?item=/media/11887-patentspage.pdf>

Privacy policy

<https://www.netapp.com/company/legal/privacy-policy/>

Open source

Notice files provide information about third-party copyright and licenses used in NetApp software.

Copyright information

Copyright © 2025 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.