



Schedule a snapshot

Element Software

NetApp
June 10, 2024

Table of Contents

- Schedule a snapshot 1
 - Find more information 1
 - Snapshot schedule details 1
 - Create a snapshot schedule 2
 - Edit a snapshot schedule 2
 - Copy a snapshot schedule 3
 - Delete a snapshot schedule 3

Schedule a snapshot

You can protect data on a volume or a group of volumes by scheduling volume snapshots to occur at specified intervals. You can schedule either single volume snapshots or group snapshots to run automatically.

When you configure a snapshot schedule, you can choose from time intervals based on days of the week or days of the month. You can also specify the days, hours, and minutes before the next snapshot occurs. You can store the resulting snapshots on a remote storage system if the volume is being replicated.

Find more information

- [Create a snapshot schedule](#)
- [Edit a snapshot schedule](#)
- [Delete a snapshot schedule](#)
- [Copy a snapshot schedule](#)

Snapshot schedule details

On the Data Protection > Schedules page, you can view the following information in the list of snapshot schedules.

- **ID**

The system-generated ID for the snapshot.

- **Type**

The type of schedule. Snapshot is currently the only type supported.

- **Name**

The name given to the schedule when it was created. Snapshot schedule names can be up to 223 characters in length and contain a-z, 0-9, and dash (-) characters.

- **Frequency**

The frequency at which the schedule is run. The frequency can be set in hours and minutes, weeks, or months.

- **Recurring**

Indication of whether the schedule is to run only once or at regular intervals.

- **Manually Paused**

Indication of whether or not the schedule has been manually paused.

- **Volume IDs**

The ID of the volume the schedule will use when the schedule is run.

- **Last Run**

The last time the schedule was run.

- **Last Run Status**

The outcome of the last schedule execution. Possible values:

- Success
- Failure

Create a snapshot schedule

You can schedule a snapshot of a volume or volumes to automatically occur at specified intervals.

When you configure a snapshot schedule, you can choose from time intervals based on days of the week or days of the month. You can also create a recurring schedule and specify the days, hours, and minutes before the next snapshot occurs.

If you schedule a snapshot to run at a time period that is not divisible by 5 minutes, the snapshot will run at the next time period that is divisible by 5 minutes. For example, if you schedule a snapshot to run at 12:42:00 UTC, it will run at 12:45:00 UTC. You cannot schedule a snapshot to run at intervals of less than 5 minutes.

Steps

1. Click **Data Protection > Schedules**.
2. Click **Create Schedule**.
3. In the **Volume IDs CSV** field, enter a single volume ID or a comma-separated list of volume IDs to include in the snapshot operation.
4. Enter a new schedule name.
5. Select a schedule type and set the schedule from the options provided.
6. **Optional:** Select **Recurring Schedule** to repeat the snapshot schedule indefinitely.
7. **Optional:** Enter a name for the new snapshot in the **New Snapshot Name** field.

If you leave the field blank, the system uses the time and date of the snapshot's creation as the name.

8. **Optional:** Select the **Include Snapshots in Replication When Paired** check box to ensure that the snapshots are captured in replication when the parent volume is paired.
9. To set the retention for the snapshot, select from the following options:
 - Click **Keep Forever** to retain the snapshot on the system indefinitely.
 - Click **Set Retention Period** and use the date spin boxes to choose a length of time for the system to retain the snapshot.
10. Click **Create Schedule**.

Edit a snapshot schedule

You can modify existing snapshot schedules. After modification, the next time the

schedule runs it uses the updated attributes. Any snapshots created by the original schedule remain on the storage system.

Steps

1. Click **Data Protection > Schedules**.
2. Click the **Actions** icon for the schedule you want to change.
3. In the resulting menu, click **Edit**.
4. In the **Volume IDs CSV** field, modify the single volume ID or comma-separated list of volume IDs currently included in the snapshot operation.
5. To pause or resume the schedule, select from the following options:
 - To pause an active schedule, select **Yes** from the **Manually Pause Schedule** list.
 - To resume a paused schedule, select **No** from the **Manually Pause Schedule** list.
6. Enter a different name for the schedule in the **New Schedule Name** field if desired.
7. To change the schedule to run on different days of the week or month, select **Schedule Type** and change the schedule from the options provided.
8. **Optional:** Select **Recurring Schedule** to repeat the snapshot schedule indefinitely.
9. **Optional:** Enter or modify the name for the new snapshot in the **New Snapshot Name** field.

If you leave the field blank, the system uses the time and date of the snapshot's creation as the name.
10. **Optional:** Select the **Include Snapshots in Replication When Paired** check box to ensure that the snapshots are captured in replication when the parent volume is paired.
11. To change the retention setting, select from the following options:
 - Click **Keep Forever** to retain the snapshot on the system indefinitely.
 - Click **Set Retention Period** and use the date spin boxes to select a length of time for the system to retain the snapshot.
12. Click **Save Changes**.

Copy a snapshot schedule

You can copy a schedule and maintain its current attributes.

1. Click **Data Protection > Schedules**.
2. Click the Actions icon for the schedule you want to copy.
3. In the resulting menu, click **Make a Copy**.

The **Create Schedule** dialog box appears, populated with the current attributes of the schedule.

4. **Optional:** Enter a name and updated attributes for the new schedule.
5. Click **Create Schedule**.

Delete a snapshot schedule

You can delete a snapshot schedule. After you delete the schedule, it does not run any

future scheduled snapshots. Any snapshots that were created by the schedule remain on the storage system.

1. Click **Data Protection > Schedules**.
2. Click the **Actions** icon for the schedule you want to delete.
3. In the resulting menu, click **Delete**.
4. Confirm the action.

Copyright information

Copyright © 2024 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.