



DeleteVolumeAccessGroup

Element Software

Michael Wallis, Megan Bock
April 19, 2021

Table of Contents

- DeleteVolumeAccessGroup 1
 - Parameters 1
 - Return values 2
 - Request example 2
 - Response example 2
 - New since version 3

DeleteVolumeAccessGroup

You can use `DeleteVolumeAccessGroup` to delete a volume access group.

Parameters

This method has the following input parameters:

Name	Description	Type	Default value	Required
volumeAccessGroupID	The ID of the volume access group to be deleted.	integer	None	Yes
deleteOrphanInitiators	Specifies whether to delete initiator objects or not. Possible values: <ul style="list-style-type: none">• true: Delete initiator objects after they are removed from a volume access group.• false: Do not delete initiator objects after they are removed from a volume access group. This is the default.	boolean	false	No

Name	Description	Type	Default value	Required
force	<p>Adding this flag will force the volume access group to be deleted even though it has a Virtual Network ID or Tag. Possible values:</p> <ul style="list-style-type: none"> • true: Volume access group will be deleted. • false: Default. Do not delete the volume access group if it has a Virtual Network ID or Tag. 	boolean	false	No

Return values

This method does not have return values.

Request example

Requests for this method are similar to the following example:

```
{
  "method": "DeleteVolumeAccessGroup",
  "params": {
    "force": true,
    "volumeAccessGroupID" : 3
  },
  "id" : 1
}
```

Response example

This method returns a response similar to the following example:

```
{
  "id" : 1,
  "result": {}
}
```

New since version

9.6

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.