



Cluster creation API Methods

Element Software

NetApp
June 11, 2021

Table of Contents

- Cluster creation API Methods 1
 - Find more information 1
 - CheckProposedCluster 1
 - CreateCluster 3
 - GetBootstrapConfig 5

Cluster creation API Methods

You can use these API methods to create a storage cluster. All of these methods need to be used against the API endpoint on a single node.

- [CheckProposedCluster](#)
- [CreateCluster](#)
- [GetBootstrapConfig](#)

Find more information

- [NetApp SolidFire Resources Page](#)
- [Documentation for earlier versions of NetApp SolidFire and Element products](#)

CheckProposedCluster

You can use the `CheckProposedCluster` method to test a set of storage nodes before creating a storage cluster with them to identify possible errors or faults that would occur from the attempt, such as unbalanced mixed node capabilities or node types that are not supported for two-node storage clusters.

Parameters

This method has the following input parameter:

Name	Description	Type	Default value	Required
nodes	A list of storage IP addresses of the initial set of storage nodes making up the storage cluster.	string array	None	Yes
force	Set to true to run on all storage nodes in the storage cluster.	boolean	None	No

Return values

This method has the following return values:

Name	Description	Type
------	-------------	------

proposedClusterValid	Indicates whether or not the proposed storage nodes would make up a valid storage cluster. Possible values: <ul style="list-style-type: none"> • true • false 	boolean
proposedClusterErrors	Errors that would occur if a storage cluster was created using the proposed storage nodes.	string array

Request example

Requests for this method are similar to the following example:

```
{
  "method": "CheckProposedCluster",
  "params": {
    "nodes": [
      "192.168.1.11",
      "192.168.1.12",
      "192.168.1.13",
      "192.168.1.14"
    ]
  },
  "id": 1
}
```

Response example

This method returns a response similar to the following example:

```
{
  "id": 1,
  "result": {
    "proposedClusterValid": true,
    "proposedClusterErrors": [ ]
  }
}
```

New since version

11.0

CreateCluster

You can use the `CreateCluster` method to initialize the node in a cluster that has ownership of the "mvip" and "svip" addresses. Each new cluster is initialized using the management IP (MIP) of the first node in the cluster. This method also automatically adds all the nodes being configured into the cluster. You only need to use this method once each time a new cluster is initialized.



After you log in to the master node for the cluster and run the `GetBootStrapConfig` method to get the IP addresses for the rest of the nodes that you want to include in the cluster, you can run the `CreateCluster` method against the master node for the cluster.

Parameters

This method has the following input parameters:

Name	Description	Type	Default value	Required
acceptEula	Indicate your acceptance of the End User License Agreement when creating this cluster. To accept the EULA, set this parameter to true.	boolean	None	Yes
attributes	List of name-value pairs in JSON object format.	JSON object	None	No
enableSoftwareEncryptionAtRest	Enable this parameter to use software-based encryption at rest. Defaults to true on SolidFire Enterprise SDS clusters. Defaults to false on all other clusters. After software encryption at rest is enabled, it cannot be disabled on the cluster.	boolean	true	No

Name	Description	Type	Default value	Required
mvip	Floating (virtual) IP address for the cluster on the management network.	string	None	Yes
nodes	CIP/SIP addresses of the initial set of nodes making up the cluster. This node's IP must be in the list.	string array	None	Yes
orderNumber	Alphanumeric sales order number. Required on software-based platforms.	string	None	No (hardware-based platforms) Yes (software-based platforms)
password	Initial password for the cluster admin account.	string	None	Yes
serialNumber	Nine-digit alphanumeric Serial Number. May be required on software-based platforms.	string	None	No (hardware-based platforms) Yes (software-based platforms)
svip	Floating (virtual) IP address for the cluster on the storage (iSCSI) network.	string	None	Yes
username	User name for the cluster admin.	string	None	Yes

Return values

This method has no return values.

Request example

Requests for this method are similar to the following example:

```
{
  "method": "CreateCluster",
  "params": {
    "acceptEula": true,
    "mvip": "10.0.3.1",
    "svip": "10.0.4.1",
    "username": "Admin1",
    "password": "9R7ka4rEPa2uREtE",
    "attributes": {
      "clusteraccountnumber": "axdf323456"
    },
    "nodes": [
      "10.0.2.1",
      "10.0.2.2",
      "10.0.2.3",
      "10.0.2.4"
    ]
  },
  "id": 1
}
```

Response example

This method returns a response similar to the following example:

```
{
  "id" : 1,
  "result" : {}
}
```

New since version

9.6

Find more information

- [GetBootstrapConfig](#)
- [NetApp SolidFire Resources Page](#)
- [Documentation for earlier versions of NetApp SolidFire and Element products](#)

GetBootstrapConfig

You can use the `GetBootstrapConfig` method to get cluster and node information from the bootstrap configuration file. Use this API method on an individual node before it

has been joined with a cluster. The information this method returns is used in the cluster configuration interface when you create a cluster.

Parameters

This method has no input parameters.

Return values

This method has the following return values:

Name	Description	Type
clusterName	Name of the cluster.	string
mvip	Cluster MVIP address. Empty if the node is not part of a cluster.	string
nodeName	Name of the node.	string
nodes	List of information about each node that is actively waiting to join the cluster. Possible values: <ul style="list-style-type: none">• chassisType: (string) Hardware platform of the node.• cip: (string) Cluster IP address of the node.• compatible: (boolean) Indicates if the node is compatible with the node the API call was executed against.• hostname: (string) Host name of the node.• mip: (string) The IPv4 management IP address of the node.• mipV6: (string) The IPv6 management IP address of the node.• nodeType: (string) Model name of the node.• version: (string) Version of software currently installed on the node.	JSON object array
svip	Cluster SVIP address. Null if the node is not part of a cluster.	string

Name	Description	Type
version	Version of Element software currently installed on the node that was called by this API method.	string

Request example

Requests for this method are similar to the following example:

```
{
  "method": "GetBootstrapConfig",
  "params": {},
  "id" : 1
}
```

Response example

This method returns a response similar to the following example:

```

{
  "id":1,
  "result":{
    "clusterName":"testname",
    "nodeName":"testnode",
    "svip": "10.117.1.5",
    "mvip": "10.117.1.6",
    "nodes":[
      {
        "chassisType":"R630",
        "cip":"10.117.115.16",
        "compatible":true,
        "hostname":"NLABP1132",
        "mip":"10.117.114.16",
        "mipV6":"fd20:8b1e:b256:45a::16",
        "nodeType":"SF2405",
        "role":"Storage",
        "version":"11.0"
      },
      {
        "chassisType":"R630",
        "cip":"10.117.115.17",
        "compatible":true,
        "hostname":"NLABP1133",
        "mip":"10.117.114.17",
        "mipV6":"fd20:8b1e:b256:45a::17",
        "nodeType":"SF2405",
        "role":"Storage",
        "version":"11.0"
      },
      {
        "chassisType":"R630",
        "cip":"10.117.115.18",
        "compatible":true,
        "hostname":"NLABP1134",
        "mip":"10.117.114.18",
        "mipV6":"fd20:8b1e:b256:45a::18",
        "nodeType":"SF2405",
        "role":"Storage",
        "version":"11.0"
      }
    ],
    "version":"11.0"
  }
}

```

New since version

9.6

Find more information

[CreateCluster](#)

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.