



# **SAP HANA software installation**

## **NetApp Solutions SAP**

NetApp  
August 25, 2021

This PDF was generated from [https://docs.netapp.com/us-en/netapp-solutions-sap/bp/saphana\\_fas\\_fc\\_sap\\_hana\\_software\\_installation.html](https://docs.netapp.com/us-en/netapp-solutions-sap/bp/saphana_fas_fc_sap_hana_software_installation.html) on October 14, 2021. Always check docs.netapp.com for the latest.

# Table of Contents

- SAP HANA software installation ..... 1
  - Install on single-host system ..... 1
  - Install on multiple-host system ..... 1

# SAP HANA software installation

[Previous: I/O stack configuration for SAP HANA.](#)

## Install on single-host system

SAP HANA software installation does not require any additional preparation for a single-host system.

## Install on multiple-host system



The following installation procedure is based on SAP HANA 1.0 SPS12 or later.

Before beginning the installation, create a `global.ini` file to enable use of the SAP storage connector during the installation process. The SAP storage connector mounts the required file systems at the worker hosts during the installation process. The `global.ini` file must be available in a file system that is accessible from all hosts, such as the `/hana/shared/SID` file system.

Before installing SAP HANA software on a multiple-host system, the following steps must be completed:

1. Add the following mount options for the data LUNs and the log LUNs to the `global.ini` file:
  - `relatime` and `inode64` for the data and log file system
2. Add the WWIDs of the data and log partitions. The WWIDs must match the alias names configured in the `/etc/multipath.conf` file.

The following output shows an example of a 2+1 multiple-host setup in which the system identifier (SID) is SS3.

```

stlrx300s8-6:~ # cat /hana/shared/global.ini
[communication]
listeninterface = .global
[persistence]
basepath_datavolumes = /hana/data/SS3
basepath_logvolumes = /hana/log/SS3
[storage]
ha_provider = hdb_ha.fcClient
partition_*_*_prtype = 5
partition_*_data__mountoptions = -o relatime,inode64
partition_*_log__mountoptions = -o relatime,inode64,nobarrier
partition_1_data__wwid = hana-SS3_data_mnt00001
partition_1_log__wwid = hana-SS3_log_mnt00001
partition_2_data__wwid = hana-SS3_data_mnt00002
partition_2_log__wwid = hana-SS3_log_mnt00002
[system_information]
usage = custom
[trace]
ha_fcclient = info
stlrx300s8-6:~ #

```

If LVM is used, the needed configuration is different. The example below shows a 2+1 multiple-host setup with SID=FC5.

```

sapcc-hana-tst-03:/hana/shared # cat global.ini
[communication]
listeninterface = .global
[persistence]
basepath_datavolumes = /hana/data/FC5
basepath_logvolumes = /hana/log/FC5
[storage]
ha_provider = hdb_ha.fcClientLVM
partition_*_*_prtype = 5
partition_*_data__mountOptions = -o relatime,inode64
partition_*_log__mountOptions = -o relatime,inode64
partition_1_data__lvmname = FC5_data_mnt00001-vol
partition_1_log__lvmname = FC5_log_mnt00001-vol
partition_2_data__lvmname = FC5_data_mnt00002-vol
partition_2_log__lvmname = FC5_log_mnt00002-vol
sapcc-hana-tst-03:/hana/shared #

```

Using the SAP `hdb1cm` installation tool, start the installation by running the following command at one of the worker hosts. Use the `addhosts` option to add the second worker (`sapcc-hana-tst-04`) and the standby host (`sapcc-hana-tst-05`).

The directory where the prepared the `global.ini` file has been stored is included with the `storage_cfg`

CLI option (--storage\_cfg=/hana/shared).

Depending on the OS version being used, it might be necessary to install python 2.7 before installing the SAP HANA database.

```
sapcc-hana-tst-03:/mnt/sapcc-share/software/SAP/HANA2SP5-52/DATA_UNITS/HDB_LCM_LINUX_X86_64 # ./hdblcm --action=install --addhosts=sapcc-hana-tst-04:role=worker:storage_partition=2,sapcc-hana-tst-05:role:=standby --storage_cfg=/hana(shared/shared
```

```
SAP HANA Lifecycle Management - SAP HANA Database 2.00.052.00.1599235305  
*****
```

Scanning software locations...

Detected components:

```
    SAP HANA AFL (incl.PAL,BFL,OFL) (2.00.052.0000.1599259237) in  
/mnt/sapcc-share/software/SAP/HANA2SP5-52/DATA_UNITS/HDB_AFL_LINUX_X86_64/packages  
    SAP HANA Database (2.00.052.00.1599235305) in /mnt/sapcc-  
share/software/SAP/HANA2SP5-52/DATA_UNITS/HDB_SERVER_LINUX_X86_64/server  
    SAP HANA Database Client (2.5.109.1598303414) in /mnt/sapcc-  
share/software/SAP/HANA2SP5-52/DATA_UNITS/HDB_CLIENT_LINUX_X86_64/client  
    SAP HANA Smart Data Access (2.00.5.000.0) in /mnt/sapcc-  
share/software/SAP/HANA2SP5-52/DATA_UNITS/SAP_HANA_SDA_20_LINUX_X86_64/packages  
    SAP HANA Studio (2.3.54.000000) in /mnt/sapcc-  
share/software/SAP/HANA2SP5-52/DATA_UNITS/HDB_STUDIO_LINUX_X86_64/studio  
    SAP HANA Local Secure Store (2.4.24.0) in /mnt/sapcc-  
share/software/SAP/HANA2SP5-52/DATA_UNITS/HANA_LSS_24_LINUX_X86_64/packages  
    SAP HANA XS Advanced Runtime (1.0.130.519) in /mnt/sapcc-  
share/software/SAP/HANA2SP5-52/DATA_UNITS/XSA_RT_10_LINUX_X86_64/packages  
    SAP HANA EML AFL (2.00.052.0000.1599259237) in /mnt/sapcc-  
share/software/SAP/HANA2SP5-52/DATA_UNITS/HDB_EML_AFL_10_LINUX_X86_64/packages  
    SAP HANA EPM-MDS (2.00.052.0000.1599259237) in /mnt/sapcc-  
share/software/SAP/HANA2SP5-52/DATA_UNITS/SAP_HANA_EPM-MDS_10/packages  
    GUI for HALM for XSA (including product installer) Version 1 (1.014.1)  
in /mnt/sapcc-share/software/SAP/HANA2SP5-52/DATA_UNITS/XSA_CONTENT_10/XSACALMPIUI14_1.zip  
    XSAC FILEPROCESSOR 1.0 (1.000.85) in /mnt/sapcc-  
share/software/SAP/HANA2SP5-52/DATA_UNITS/XSA_CONTENT_10/XSACFILEPROC00_85.zip  
    SAP HANA tools for accessing catalog content, data preview, SQL  
console, etc. (2.012.20341) in /mnt/sapcc-share/software/SAP/HANA2SP5-
```

```

52/DATA_UNITS/XSAC_HRTT_20/XSACHRTT12_20341.zip
    XS Messaging Service 1 (1.004.10) in /mnt/sapcc-
share/software/SAP/HANA2SP5-
52/DATA_UNITS/XSA_CONTENT_10/XSACMESSSRV04_10.zip
    Develop and run portal services for customer apps on XSA (1.005.1) in
/mnt/sapcc-share/software/SAP/HANA2SP5-
52/DATA_UNITS/XSA_CONTENT_10/XSACPORTALSERV05_1.zip
    SAP Web IDE Web Client (4.005.1) in /mnt/sapcc-
share/software/SAP/HANA2SP5-
52/DATA_UNITS/XSAC_SAP_WEB_IDE_20/XSACSAPWEBIDE05_1.zip
    XS JOB SCHEDULER 1.0 (1.007.12) in /mnt/sapcc-
share/software/SAP/HANA2SP5-
52/DATA_UNITS/XSA_CONTENT_10/XSACSERVICES07_12.zip
    SAPUI5 FESV6 XSA 1 - SAPUI5 1.71 (1.071.25) in /mnt/sapcc-
share/software/SAP/HANA2SP5-
52/DATA_UNITS/XSA_CONTENT_10/XSACUI5FESV671_25.zip
    SAPUI5 SERVICE BROKER XSA 1 - SAPUI5 Service Broker 1.0 (1.000.3) in
/mnt/sapcc-share/software/SAP/HANA2SP5-
52/DATA_UNITS/XSA_CONTENT_10/XSACUI5SB00_3.zip
    XSA Cockpit 1 (1.001.17) in /mnt/sapcc-share/software/SAP/HANA2SP5-
52/DATA_UNITS/XSA_CONTENT_10/XSACXSACOCKPIT01_17.zip

```

SAP HANA Database version '2.00.052.00.1599235305' will be installed.

Select additional components for installation:

Index	Components	Description
-------	------------	-------------

```

-----
-----
1      | all          | All components
2      | server       | No additional components
3      | client       | Install SAP HANA Database Client version
2.5.109.1598303414
4      | lss          | Install SAP HANA Local Secure Store version
2.4.24.0
5      | studio       | Install SAP HANA Studio version 2.3.54.000000
6      | smartda      | Install SAP HANA Smart Data Access version
2.00.5.000.0
7      | xs           | Install SAP HANA XS Advanced Runtime version
1.0.130.519
8      | afl          | Install SAP HANA AFL (incl.PAL,BFL,OFL) version
2.00.052.0000.1599259237
9      | eml          | Install SAP HANA EML AFL version
2.00.052.0000.1599259237
10     | epmmds      | Install SAP HANA EPM-MDS version

```

```
2.00.052.0000.1599259237
```

```
Enter comma-separated list of the selected indices [3]: 2,3
```

```
Enter Installation Path [/hana/shared]:
```

```
Enter Local Host Name [sapcc-hana-tst-03]:
```

Verify that the installation tool installed all selected components at all worker and standby hosts.

[Next: Adding additional data volume partitions for SAP HANA single-host systems.](#)

## Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

## Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.