



# **Best Practices for Dashboards and Widgets**

## OnCommand Insight

NetApp  
October 24, 2024

# Table of Contents

- Best Practices for Dashboards and Widgets ..... 1
  - Best Practice: finding the right metric ..... 1
  - Best Practice: finding the right assets ..... 2
  - Scatterplot Example: knowing your axis ..... 3

# Best Practices for Dashboards and Widgets

Tips and tricks to help you get the most out of the powerful features of dashboards and widgets.

## Best Practice: finding the right metric

OnCommand Insight acquires counters and metrics using names that sometimes differ from data source to data source.

When searching for the right metric or counter for your dashboard widget, keep in mind that the metric you want could be under a different name from the one you are thinking of. While drop-down lists in OnCommand Insight are usually alphabetical, sometimes a term may not show up in the list where you think it should. For example, terms like "raw capacity" and "used capacity" do not appear together in most lists.

Best practice: Use the search feature in fields such as **Filter by** or places like the column selector  to find what you are looking for. For example, searching for "cap" will show all metrics with "capacity" in their names, no matter where it occurs. You can then easily select the metrics you want from that short list.

Here are a few alternative phrases you can try when searching for metrics:

When you want to find:	Try also searching for:
CPU	Processor
Capacity	Used capacity Raw capacity  Provisioned capacity  Storage pools capacity  <other asset type> capacity  Written capacity
Disk Speed	Lowest disk speed Least performing disk type
Host	Hypervisor Hosts
Hypervisor	Host's hypervisor
Microcode	Firmware

Name	AliasHypervisor name Storage name <other asset type> name Simple name Resource name Fabric Alias
Read / Write	Partial R/WPending writes IOPS - Write Written capacity Latency - Read Cache utilization - read
Virtual Machine	VMIs virtual

This is not a comprehensive list. These are examples of possible search terms only.

## Best Practice: finding the right assets

The Insight assets you can reference in widget filters and searches vary from asset type to asset type.

In dashboards, the asset type around which you are building your widget determines the other asset type counters for which you can filter or add a column. Keep the following in mind when building your widget:

This asset type / counter:	Can be filtered for under these assets:
Virtual Machine	VMDK
Datastore(s)	Internal VolumeVMDK Virtual Machine Volume
Hypervisor	Virtual Machine
Is hypervisor	Host
Host(s)	Internal VolumeVolume

Cluster	HostVirtual Machine
Fabric	Port

This is not a comprehensive list.

Best practice: If you are filtering for a particular asset type that does not appear in the list, try building your query around an alternate asset type.

## Scatterplot Example: knowing your axis

Changing the order of counters in a scatterplot widget changes the axes on which the data is displayed.

### About this task

This example will create a scatter plot that will allow you to see under-performing VMs that have high latency compared to low IOPS.


### Steps

1. Create or open a dashboard in edit mode and add a **Scatter Plot Chart** widget.
2. Select an asset type, for example, **Virtual Machine**.
3. Select the first counter you wish to plot. For this example, select **Latency - Total**.

*Latency - Total* is charted along the X-axis of the chart.

4. Select the second counter you wish to plot. For this example, select **IOPS - Total**.


*IOPS - Total* is charted along the Y-axis in the chart. VMs with higher latency display on the right side of the chart. Only the top 100 highest-latency VMs are displayed, because the **Top by X-axis** setting is current.



- Now reverse the order of the counters by setting the first counter to **IOPS - Total** and the second to **Latency - Total**.

*latency- Total* is now charted along the Y-axis in the chart, and *IOPS - Total* along the X-axis. VMs with higher IOPS now display on the right side of the chart.

Note that because we haven't changed the **Top by X-Axis** setting, the widget now displays the top 100 highest-IOPS VMs, since this is what is currently plotted along the X-axis.



- You can choose for the chart to display the Top N by X-axis, Top N by Y-axis, Bottom N by X-axis, or Bottom N by Y-axis. In our final example, the chart is displaying the Top 100 VMs that have the highest *total IOPS*. If we change it to Top by Y-axis, the chart will once again display the top 100 VMs that have the

highest *total latency*.

Note that in a scatterplot chart, you can click on a point to open the asset page for that resource.

## Copyright information

Copyright © 2024 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

## Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.