



# **Description of backup windows and dialog boxes**

## **OnCommand Unified Manager 9.5**

NetApp  
October 23, 2024

This PDF was generated from <https://docs.netapp.com/us-en/oncommand-unified-manager-95/online-help/reference-database-backup-page.html> on October 23, 2024. Always check docs.netapp.com for the latest.

# Table of Contents

- Description of backup windows and dialog boxes ..... 1
  - Management/Database Backup page ..... 1
  - Database Backup Settings dialog box ..... 1

# Description of backup windows and dialog boxes

You can view the list of backups from the backup page in Unified Manager. You can view the backup name, size, and creation time for the backups listed in this page. You can modify the database backup settings from the Database Backup Settings page.

## Management/Database Backup page

The Management/Database Backup page displays a list of backups created by Unified Manager and provides information about the backup name, size, creation time, and schedule.

You must have the OnCommand Administrator or Storage Administrator role.

### Command buttons

- **Actions**

Displays the Database Backup Settings dialog box, which enables you to specify a backup path, retention count, and backup schedule.

### List View

The list view displays, in tabular format, information about the backups created by Unified Manager. You can use the column filters to customize the data that is displayed.

- **Name**

Displays the name of the selected backup.

- **Size**

Displays the size of the selected backup.

- **Creation Time**

Displays the creation date and time of the selected backup.

- **Schedule**

Displays the status of the backup operation. Also indicates whether it is a scheduled backup or not.

## Database Backup Settings dialog box

You can use the Database Backup Settings dialog box to specify a backup path and retention count and to enable a backup schedule for a selected backup instance.

You can change the following database backup settings:

- **Path**

Specifies the path to the location where you store the backup files. The following table specifies the backup path format, and default locations, for different operating systems:

Host operating system	Backup path format
Virtual appliance	/opt/netapp/data/ocum-backup
Red Hat Enterprise Linux or CentOS	/data/ocum-backup
Microsoft Windows	C:\ProgramData\NetApp\OnCommandAppData\ocum\backup\

- **Retention Count**

Specifies the maximum number of backups to be retained by Unified Manager. The default value is ten.

- **Schedule Frequency Enable**

This option enables you to specify when to schedule a backup; you can choose daily or weekly.

- **Daily**

Specifies the daily backup schedule with the time.

- **Weekly**

Specifies the weekly backup schedule with the day and time.

## Command buttons

- **Save and Close**

Saves the backup file and closes the dialog box. Unified Manager saves the backup file in the following format: um\_um\_version\_backup\_os\_timestamp.7z.

- **Cancel**

Closes the Database Backup Settings dialog box without saving your changes.

## Copyright information

Copyright © 2024 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

## Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.