



# Transitioning volumes

## ONTAP 7-Mode Transition

NetApp  
May 31, 2021

# Table of Contents

- Transitioning volumes. . . . . 1
  - Transitioning a stand-alone volume . . . . . 1
  - Transitioning a volume SnapMirror relationship in a staggered configuration . . . . . 8
  - Transitioning a volume SnapMirror relationship in parallel . . . . . 22

# Transitioning volumes

You can transition a stand-alone volume or volumes that are in data protection relationships (in volume SnapMirror relationships) by using SnapMirror technology.

If an ongoing scheduled update is aborted due to an NDO operation (takeover or aggregate relocation), then the update will automatically resume after the NDO operation is complete.

If you transition a stand-alone volume or a volume SnapMirror relationship with LUNs, you must create igroups and map LUNs. You must then perform the required post-transition tasks on the hosts before configuring access to the transitioned clustered Data ONTAP volumes.

[SAN host transition and remediation](#)

## Related information

[Transitioning 7-Mode volumes using SnapMirror](#)

## Transitioning a stand-alone volume

Transitioning a stand-alone volume involves creating a SnapMirror relationship, performing a baseline transfer, performing incremental updates, monitoring the data copy operation, breaking the SnapMirror relationship, and moving client access from the 7-Mode volume to the clustered Data ONTAP volume.

- The cluster and SVM must already be set up.
- You must have reviewed the information about preparing for transition.

[Preparing for transition](#)

## Steps

1. Copy data from the 7-Mode volume to the clustered Data ONTAP volume:
  - a. If you want to configure the TCP window size for the SnapMirror relationship between the 7-Mode system and the SVM, create a SnapMirror policy of type `async-mirror` with the `window-size-for-tdp-mirror` option.

You must then apply this policy to the TDP SnapMirror relationship between the 7-Mode system and the SVM.

You can configure the TCP window size in the range of 256 KB to 7 MB for improving the SnapMirror transfer throughput so that the transition copy operations get completed faster. The default value of TCP window size is 2 MB.

```
cluster1::> snapmirror policy create -vserver vs1 -policy tdp_policy
-window-size-for-tdp-mirror 5MB -type async-mirror
```

- b. Use the `snapmirror create` command with the relationship type as TDP to create a SnapMirror relationship between the 7-Mode system and the SVM.

If you have created a SnapMirror policy to configure the TCP window size, you must apply the policy to this SnapMirror relationship.

```
cluster1::> snapmirror create -source-path system7mode:dataVol20
-destination-path vs1:dst_vol -type TDP -policy tdp_policy
Operation succeeded: snapmirror create the relationship with
destination vs1:dst_vol.
```

c. Use the `snapmirror initialize` command to start the baseline transfer.

```
cluster1::> snapmirror initialize -destination-path vs1:dst_vol
Operation is queued: snapmirror initialize of destination
vs1:dst_vol.
```

d. Use the `snapmirror show` command to monitor the status.

```
cluster1::> snapmirror show -destination-path vs1:dst_vol

                Source Path: system7mode:dataVol20
                Destination Path: vs1:dst_vol
                Relationship Type: TDP
Relationship Group Type: none
                SnapMirror Schedule: -
                SnapMirror Policy Type: async-mirror
                SnapMirror Policy: DPDefault
                Tries Limit: -
                Throttle (KB/sec): unlimited
                **Mirror State: Snapmirrored**
                Relationship Status: Idle
File Restore File Count: -
                File Restore File List: -
                Transfer Snapshot: -
                Snapshot Progress: -
                Total Progress: -
Network Compression Ratio: -
                Snapshot Checkpoint: -
                Newest Snapshot: vs1(4080431166)_dst_vol.1
Newest Snapshot Timestamp: 10/16 02:49:03
                Exported Snapshot: vs1(4080431166)_dst_vol.1
Exported Snapshot Timestamp: 10/16 02:49:03
                Healthy: true
                Unhealthy Reason: -
Constituent Relationship: false
                Destination Volume Node: cluster1-01
```

```
Relationship ID: 97b205a1-54ff-11e4-9f30-
005056a68289
    Current Operation ID: -
        Transfer Type: -
        Transfer Error: -
        Current Throttle: -
    Current Transfer Priority: -
        Last Transfer Type: initialize
        Last Transfer Error: -
        Last Transfer Size: 152KB
Last Transfer Network Compression Ratio: 1:1
    Last Transfer Duration: 0:0:6
        Last Transfer From: system7mode:dataVol20
Last Transfer End Timestamp: 10/16 02:43:53
    Progress Last Updated: -
    Relationship Capability: 8.2 and above
        Lag Time: -
    Number of Successful Updates: 0
        Number of Failed Updates: 0
    Number of Successful Resyncs: 0
        Number of Failed Resyncs: 0
    Number of Successful Breaks: 0
        Number of Failed Breaks: 0
        Total Transfer Bytes: 155648
    Total Transfer Time in Seconds: 6
```

- e. Depending on whether you want to update the clustered Data ONTAP volume manually or by setting up a SnapMirror schedule, perform the appropriate action:



**If you want to...**

Update transfers manually

**Then...**

i. Use the `snapmirror update` command.

```
cluster1::> snapmirror update
-destination-path vs1:dst_vol
```

ii. Use the `snapmirror show` command to monitor the data copy status.

```
cluster1::> snapmirror show
-destination-path vs1:dst_vol
```

```
Source Path:
system7mode:dataVol20
```

```
Destination Path: vs1:dst_vol
```

```
Relationship Type: TDP
                    Relationship
```

```
Group Type: none
```

```
SnapMirror Schedule: -
                    SnapMirror
```

```
Policy Type: async-mirror
```

```
SnapMirror Policy: DPDefault
```

```
Tries Limit: -
```

```
Throttle (KB/sec): unlimited
```

```
Mirror State: Snapmirrored
```

```
...
```

```
Number of
Failed Updates: 0
```

```
Number of
Successful Resyncs: 0
```

```
Number of
Failed Resyncs: 0
```

```
Number of
Successful Breaks: 0
```

```
Number of
Failed Breaks: 0
```

```
Total
Transfer Bytes: 278528
```

```
Total Transfer Time
in Seconds: 11
```

If you want to...	Then...
Perform scheduled update transfers	<p data-bbox="883 163 1487 260">i. Use the <code>job schedule cron create</code> command to create a schedule for update transfers.</p> <pre data-bbox="915 296 1487 474">cluster1::&gt; job schedule cron create -name 15_minute_sched -minute 15</pre> <p data-bbox="883 510 1487 609">ii. Use the <code>snapmirror modify</code> command to apply the schedule to the SnapMirror relationship.</p> <pre data-bbox="915 644 1487 823">cluster1::&gt; snapmirror modify -destination-path vs1:dst_vol -schedule 15_minute_sched</pre> <p data-bbox="883 858 1487 926">iii. Use the <code>snapmirror show</code> command to monitor the data copy status.</p>



2. If you have a schedule for incremental transfers, perform the following steps when you are ready to perform cutover:

a. Use the `snapmirror quiesce` command to disable all future update transfers.

```
cluster1::> snapmirror show
-destination-path vs1:dst_vol
cluster1::> snapmirror quiesce -destination-path vs1:dst_vol
```

b. Use the `snapmirror modify` command to delete the SnapMirror schedule.

```
system7mode:dataVol20
Destination Path: vs1:dst_vol
cluster1::> snapmirror modify -destination-path vs1:dst_vol -schedule
""
```

c. If you quiesced the SnapMirror transfers earlier, use the `snapmirror resume` command to enable SnapMirror transfers.

```
Group Type: none
SnapMirror Schedule:
15:00:00-16:00:00
cluster1::> snapmirror resume -destination-path vs1:dst_vol
```

3. Wait for any ongoing transfers between the 7-Mode volumes and the clustered Data ONTAP volumes to finish, and then disconnect client access from the 7-Mode volumes to start cutover.

4. Use the `snapmirror update` command to perform a final data update to the clustered Data ONTAP volume.

```
cluster1::> snapmirror update -destination-path vs1:dst_vol
Operation is queued: snapmirror update of destination vs1:dst_vol.
```

5. Use the `snapmirror show` command to verify that the last transfer was successful.

6. Use the `snapmirror break` command to break the SnapMirror relationship between the 7-Mode volume and the clustered Data ONTAP volume.

```
Number of
Failed Updates: 0
cluster1::> snapmirror break -destination-path vs1:dst_vol
[Job 60] Job succeeded: SnapMirror Break Succeeded
```

7. If your volumes have LUNs configured, at the advanced privilege level, use the `lun transition 7-mode show` command to verify that the LUNs were transitioned.

You can also use the `lun show` command on the clustered Data ONTAP volume to view all of the LUNs that were successfully transitioned.

8. Use the `snapmirror delete` command to delete the SnapMirror relationship between the 7-Mode volume and the clustered Data ONTAP volume.

```
Number of
Failed Breaks: 0
Total
Transfer Bytes: 278528
Total Transfer Time
in Seconds: 11
cluster1::> snapmirror delete -destination-path vs1:dst_vol
```

9. Use the `snapmirror release` command to remove the SnapMirror relationship information from the 7-Mode system.

```
system7mode> snapmirror release dataVol20 vs1:dst_vol
```

You must delete the SVM peer relationship between the 7-Mode system and the SVM when all of the required volumes in the 7-Mode system are transitioned to the SVM.

### Related information

[Resuming a failed SnapMirror baseline transfer](#)

[Recovering from a failed LUN transition](#)

[Configuring a TCP window size for SnapMirror relationships](#)

## Transitioning a volume SnapMirror relationship in a staggered configuration

You can transition a 7-Mode volume SnapMirror relationship and retain the data protection relationship by transitioning the secondary volume before the primary volume. In this method, you set up a staggered SnapMirror DR relationship between the 7-Mode primary volumes and clustered Data ONTAP secondary volumes.

- The primary and secondary clusters and SVMs must already be set up.
- For establishing an SVM peer relationship when transitioning a volume SnapMirror relationship, the following conditions must be met:
  - The secondary cluster should not have an SVM with the same name as that of the primary SVM.
  - The primary cluster should not have an SVM with the same name as that of the secondary SVM.
  - You must have reviewed the information about preparing for transition.

[Preparing for transition](#)

### Related information

[Resuming a failed SnapMirror baseline transfer](#)

## Transitioning a secondary volume

Transitioning a secondary volume involves creating a SnapMirror relationship, performing a baseline transfer, performing incremental updates, and setting up a SnapMirror relationship between the 7-Mode primary volume and the clustered Data ONTAP secondary volume.

The secondary cluster and storage virtual machine (SVM) must already be set up.

### Steps

1. Copy data from the 7-Mode volume to the clustered Data ONTAP volume:

- a. Use the `snapmirror create` command with the relationship type as TDP to create a SnapMirror relationship between the 7-Mode system and the SVM.

```
sec_cluster::> snapmirror create -source-path sec_system:dst_7_vol
-destination-path dst_vserver:dst_c_vol -type TDP
Operation succeeded: snapmirror create the relationship with
destination dst_vserver:dst_c_vol.
```

- b. Use the `snapmirror initialize` command to start the baseline transfer.

```
sec_cluster::> snapmirror initialize -destination-path
dst_vserver:dst_c_vol
Operation is queued: snapmirror initialize of destination
dst_vserver:dst_c_vol.
```

- c. Depending on whether you want to update the clustered Data ONTAP volume manually or by setting up a SnapMirror schedule, perform the appropriate action:



If you want to...	Then...
Update transfers manually	<p data-bbox="883 159 1442 191">i. Use the <code>snapmirror update</code> command.</p> <pre data-bbox="915 226 1487 411">sec_cluster::&gt; snapmirror update -destination-path dst_vserver:dst_c_vol</pre> <p data-bbox="883 443 1487 510">ii. Use the <code>snapmirror show</code> command to monitor the data copy status.</p>

If you want to...	Then...
Perform scheduled update transfers	<p data-bbox="883 159 1487 260">i. Use the <code>job schedule cron create</code> command to create a schedule for update transfers.</p> <pre data-bbox="915 296 1487 474">sec_cluster:&gt; job schedule cron create -name 15_minute_sched -minute 15</pre> <p data-bbox="883 510 1487 611">ii. Use the <code>snapmirror modify</code> command to apply the schedule to the SnapMirror relationship.</p> <pre data-bbox="915 646 1487 863">sec_cluster:&gt; snapmirror modify -destination-path dst_vserver:dst_c_vol -schedule 15_minute_sched</pre> <p data-bbox="883 898 1487 966">iii. Use the <code>snapmirror show</code> command to monitor the data copy status.</p>

2. If you have a schedule for incremental transfers, perform the following steps when you are ready to perform cutover:

a. Use the `snapmirror quiesce` command to disable all future update transfers.

```
sec_cluster::> snapmirror quiesce -destination-path
dst_vserver:dst_vol
```

b. Use the `snapmirror modify` command to delete the SnapMirror schedule.

```
sec_cluster::> snapmirror modify -destination-path
dst_vserver:dst_vol -schedule ""
```

c. If you quiesced the SnapMirror transfers earlier, use the `snapmirror resume` command to enable SnapMirror transfers.

```
sec_cluster::> snapmirror resume -destination-path
dst_vserver:dst_vol
```

3. Wait for any ongoing transfers between the 7-Mode volumes and the clustered Data ONTAP volumes to finish, and then disconnect client access from the 7-Mode volumes to start cutover.

4. Use the `snapmirror update` command to perform a final data update to the clustered Data ONTAP volume.

```
sec_cluster::> snapmirror update -destination-path dst_vserver:dst_vol
Operation is queued: snapmirror update of destination
dst_vserver:dst_vol.
```

5. Use the `snapmirror show` command to verify that the last transfer was successful.

6. Use the `snapmirror break` command to break the SnapMirror relationship between the 7-Mode secondary volume and the clustered Data ONTAP secondary volume.

```
sec_cluster::> snapmirror break -destination-path dst_vserver:dst_vol
[Job 60] Job succeeded: SnapMirror Break Succeeded
```

7. If your volumes have LUNs configured, at the advanced privilege level, use the `lun transition 7-mode show` command to verify that the LUNs were transitioned.

You can also use the `lun show` command on the clustered Data ONTAP volume to view all of the LUNs that were successfully transitioned.

8. Use the `snapmirror delete` command to delete the SnapMirror relationship between the 7-Mode secondary volume and the clustered Data ONTAP secondary volume.

```
sec_cluster::> snapmirror
show -destination-path
```

```
sec_system:dst_7_vol
Destination Path:
```

```
Relationship
snapmirror:resume
SnapMirror Policy: DPDefault
Titles Limit:
```

```
Successful Updates: 1
Number of
Successful Breaks: 0
```

```
Successful Breaks: 0
Number of
Failed Breaks: 0
```

```
Total
Transfer Bytes: 278528
Total Transfer Time
```

```
sec_cluster::> snapmirror delete -destination-path dst_vserver:dst_vol
```

9. Use the `snapmirror release` command to remove the SnapMirror relationship information from the 7-Mode system.

```
system7mode> snapmirror release dataVol120 vs1:dst_vol
```

10. Establish a disaster recovery relationship between the 7-Mode primary volume and clustered Data ONTAP secondary volume:

- a. Use the `vserver peer transition create` command to create an SVM peer relationship between the 7-Mode primary volume and the clustered Data ONTAP secondary volume.

```
sec_cluster::> vserver peer transition create -local-vserver  
dst_vserver -src-filer-name src_system  
Transition peering created
```

- b. Use the `job schedule cron create` command to create a job schedule that matches the schedule configured for the 7-Mode SnapMirror relationship.

```
sec_cluster::> job schedule cron create -name 15_minute_sched -minute  
15
```

- c. Use the `snapmirror create` command to create a SnapMirror relationship between the 7-Mode primary volume and the clustered Data ONTAP secondary volume.

```
sec_cluster::> snapmirror create -source-path src_system:src_7_vol  
-destination-path dst_vserver:dst_c_vol -type TDP -schedule  
15_minute_sched  
Operation succeeded: snapmirror create the relationship with  
destination dst_vserver:dst_c_vol.
```

- d. Use the `snapmirror resync` command to resynchronize the clustered Data ONTAP secondary volume.

For successful resynchronization, a common 7-Mode Snapshot copy must exist between the 7-Mode primary volume and the clustered Data ONTAP secondary volume.

```
sec_cluster::> snapmirror resync -destination-path  
dst_vserver:dst_c_vol
```

- If the target cluster is running Data ONTAP 8.3.2 or later, you must create the required igroups and map the LUNs manually.



- If the target cluster is running Data ONTAP 8.3.1 or earlier, you must map the secondary LUNs manually after completing the storage cutover of the primary volumes.
- You must delete the SVM peer relationship between the secondary 7-Mode system and the secondary SVM when all of the required volumes in the 7-Mode system are transitioned to the SVM.
- You must delete the SnapMirror relationship between the 7-Mode primary and the 7-Mode secondary systems.

## Related information

[Recovering from a failed LUN transition](#)

[Configuring a TCP window size for SnapMirror relationships](#)

## Transitioning a primary volume

Transitioning a primary volume involves copying data from the 7-Mode primary volumes to the clustered Data ONTAP primary volumes, deleting the disaster recovery relationship between the 7-Mode primary and clustered Data ONTAP secondary volumes, and establishing a SnapMirror relationship between the clustered Data ONTAP primary and secondary volumes.

The primary cluster and SVM must already be set up.

### Steps

1. Copy the data from the 7-Mode primary volume to the clustered Data ONTAP primary volume:
  - a. Use the `snapmirror create` command with the relationship type as TDP to create a SnapMirror relationship between the 7-Mode system and the SVM.

```
pri_cluster::> snapmirror create -source-path src_system:finance
-destination-path src_vserver:src_c_vol -type TDP
Operation succeeded: snapmirror create the relationship with
destination src_vserver:src_c_vol.
```

- b. Use the `snapmirror initialize` command to start the baseline transfer.

```
pri_cluster::> snapmirror initialize -destination-path
src_vserver:src_c_vol
Operation is queued: snapmirror initialize of destination
src_vserver:src_c_vol.
```

- c. Depending on whether you want to update the clustered Data ONTAP volume manually or by setting up a SnapMirror schedule, perform the appropriate action:



If you want to...	Then...
Update transfers manually	<p data-bbox="883 159 1442 191">i. Use the <code>snapmirror update</code> command.</p> <pre data-bbox="915 226 1487 411">pri_cluster::&gt; snapmirror update -destination-path src_vserver:src_c_vol</pre> <p data-bbox="883 443 1487 510">ii. Use the <code>snapmirror show</code> command to monitor the data copy status.</p>

If you want to...	Then...
Perform scheduled update transfers	<ol style="list-style-type: none"><li data-bbox="883 159 1487 260">i. Use the <code>job schedule cron create</code> command to create a schedule for update transfers. <pre data-bbox="915 296 1487 474">pri_cluster::&gt; job schedule cron create -name 15_minute_sched -minute 15</pre></li><li data-bbox="883 510 1487 611">ii. Use the <code>snapmirror modify</code> command to apply the schedule to the SnapMirror relationship. <pre data-bbox="915 646 1487 863">pri_cluster::&gt; snapmirror modify -destination-path src_vserver:src_c_vol -schedule 15_minute_sched</pre></li><li data-bbox="883 898 1487 961">iii. Use the <code>snapmirror show</code> command to monitor the data copy status.</li></ol>

2. If you have a schedule for incremental transfers, perform the following steps when you are ready to perform cutover:

a. Use the `snapmirror quiesce` command to disable all future update transfers.

```
pri_cluster::> snapmirror quiesce -destination-path
src_vserver:src_c_vol
```

b. Use the `snapmirror modify` command to delete the SnapMirror schedule.

```
pri_cluster::> snapmirror modify -destination-path
src_vserver:src_c_vol -schedule ""
```

c. If you quiesced the SnapMirror transfers earlier, use the `snapmirror resume` command to enable SnapMirror transfers.

```
pri_cluster::> snapmirror resume -destination-path
src_vserver:src_c_vol
```

3. Create an SVM peer relationship between the clustered Data ONTAP secondary and primary SVMs.

a. Use the `cluster peer create` command to create a cluster peer relationship.

```
pri_cluster::> cluster peer create -peer-addr cluster2-d2,
10.98.234.246 -timeout 60
```

Notice: Choose a passphrase of 8 or more characters. To ensure the authenticity of the peering relationship, use a phrase or sequence of characters that would be hard to guess.

```
Enter the passphrase: *****
Confirm the passphrase: *****
```

b. From the source cluster, use the `vserver peer create` command to create the SVM peer relationship between the clustered Data ONTAP primary and secondary volumes.

```
pri_cluster::> vserver peer create -vserver src_vserver -peervserver
src_c_vserver -applications snapmirror -peer-cluster sec_cluster
```

c. From the destination cluster, use the `vserver peer accept` command to accept the SVM peer request and establish the SVM peer relationship.

```
Total
Transfer Bytes: 473163808768
Total Transfer Time
in Seconds: 43405
```

```
sec_cluster::> vserver peer accept -vserver dst_vserver -peervserver
src_vserver
```

4. From the destination cluster, use the `snapmirror quiesce` command to suspend any data transfers between the 7-Mode primary volume and the clustered Data ONTAP secondary volume if a schedule is set up for update transfers.

```
sec_cluster::> snapmirror quiesce -destination-path
dst_vserver:dst_c_vol
```

5. Monitor the data copy operation and initiate cutover:

- a. Wait for any ongoing transfers from the 7-Mode primary volumes to the clustered Data ONTAP primary and clustered Data ONTAP secondary volumes to finish, and then disconnect client access from the 7-Mode primary volume to start cutover.
- b. Use the `snapmirror update` command to perform a final data update to the clustered Data ONTAP primary volume from the 7-Mode primary volume.

```
pri_cluster::> snapmirror update -destination-path
src_vserver:src_c_vol
```

- c. Use the `snapmirror break` command to break the SnapMirror relationship between the 7-Mode primary volume and clustered Data ONTAP primary volume.

```
pri_cluster::> snapmirror break -destination-path
src_vserver:src_c_vol
[Job 1485] Job is queued: snapmirror break for destination
src_vserver:src_c_vol.
```

- d. If your volumes have LUNs configured, at the advanced privilege level, use the `lun transition 7-mode show` command to verify that the LUNs have been transitioned.

You can also use the `lun show` command on the clustered Data ONTAP volume to view all of the LUNs that were successfully transitioned.

- e. Use the `snapmirror delete` command to delete the relationship.

```
pri_cluster::> snapmirror delete -destination-path
src_vserver:src_c_vol
```

- f. Use the `snapmirror release` command to remove the SnapMirror relationship information from the 7-Mode system.

```
system7mode> snapmirror release dataVol20 vs1:dst_vol
```

6. From the destination cluster, break and delete the disaster recovery relationship between the 7-Mode primary volume and clustered Data ONTAP secondary volume.
  - a. Use the `snapmirror break` command to break the disaster recovery relationship between the 7-Mode primary volume and clustered Data ONTAP secondary volume.

```
sec_cluster::> snapmirror break -destination-path  
dst_vserver:dst_c_vol  
[Job 1485] Job is queued: snapmirror break for destination  
dst_vserver:dst_c_vol.
```

- b. Use the `snapmirror delete` command to delete the relationship.

```
sec_cluster::> snapmirror delete -destination-path  
dst_vserver:dst_c_vol
```

- c. Use the `snapmirror release` command to remove the SnapMirror relationship information from the 7-Mode system.

```
system7mode> snapmirror release dataVol20 vs1:dst_vol
```

7. From the destination cluster, establish a SnapMirror relationship between the clustered Data ONTAP primary and secondary volumes:

- a. Use the `snapmirror create` command to create a SnapMirror relationship between the clustered Data ONTAP primary and secondary volumes.

```
sec_cluster::> snapmirror create -source-path src_vserver:src_c_vol  
-destination-path dst_vserver:dst_c_vol -type DP -schedule  
15_minute_sched
```

- b. Use the `snapmirror resync` command to resynchronize the SnapMirror relationship between the clustered Data ONTAP volumes.

For successful resynchronization, a common Snapshot copy must exist between the clustered Data ONTAP primary and secondary volumes.

```
sec_cluster::> snapmirror resync -destination-path  
dst_vserver:dst_c_vol
```

- c. Use the `snapmirror show` command to verify that the status of SnapMirror resynchronization shows



You must ensure that the SnapMirror resynchronization is successful to make the clustered Data ONTAP secondary volume available for read-only access.

You must delete the SVM peer relationship between the 7-Mode system and the SVM when all the required volumes in the 7-Mode system are transitioned to the SVM.

### Related information

[Recovering from a failed LUN transition](#)

[Configuring a TCP window size for SnapMirror relationships](#)

## Transitioning a volume SnapMirror relationship in parallel

You can transition the primary and secondary volumes of a 7-Mode SnapMirror relationship in parallel and in the same cutover window. You must then manually set up the volume SnapMirror relationship in the ONTAP clusters after transition. You must use this method for transitioning SnapLock Compliance volumes.

- You must have set up the primary and secondary clusters and SVMs.
- For establishing an SVM peer relationship when transitioning a volume SnapMirror relationship, the following conditions must be met:
  - The secondary cluster should not have an SVM with the same name as that of the primary SVM.
  - The primary cluster should not have an SVM with the same name as that of the secondary SVM.
  - You must have reviewed the information about preparing for transition.

### Preparing for transition

A 7-Mode SnapMirror relationship between SnapLock Compliance volumes must be transitioned in parallel because SnapMirror resynchronization of a transition data protection (TDP) relationship with SnapLock Compliance volumes is not supported. Therefore, you cannot establish a SnapMirror disaster recovery (DR) relationship between 7-Mode primary volumes and ONTAP secondary volumes with SnapLock Compliance volumes.

1. Transition the secondary and primary volumes of the SnapMirror relationship by following the steps for transitioning a standalone volume.

Before transitioning the 7-Mode secondary volumes, no manual intervention is required for the 7-Mode SnapMirror relationships. This ensures that the 7-Mode secondary volumes are transitioned as read-only volumes to ONTAP.

### Transitioning a stand-alone volume

2. Create an intercluster SVM peer relationship between the SVMs that contain the transitioned primary and secondary volumes.

### System administration



3. Create a volume SnapMirror relationship between the transitioned primary and secondary volumes.

[Volume disaster recovery express preparation](#)

4. On the destination volume, resynchronize the source volume and destination volume of the SnapMirror relationship.



At least one common Snapshot copy must exist between the source and destination volumes.

5. Monitor the status of the SnapMirror data transfers.



You must not perform any operation, such as volume move or SnapMirror break, on the source and destination volumes until the resynchronization is completed successfully. You must ensure that the resynchronization is not aborted and completes successfully; otherwise, the volumes can change to an inconsistent state.

**Related information**

[Guidelines for transitioning SnapLock volumes](#)

## Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

## Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.