



NetApp ONTAP Python client library

ONTAP Automation

NetApp
September 24, 2021

This PDF was generated from https://docs.netapp.com/us-en/ontap-automation/preparing_to_use_the_python_client_library.html on September 24, 2021. Always check docs.netapp.com for the latest.

Table of Contents

- NetApp ONTAP Python client library 1
- Preparing to use the Python client library 1
- Script to retrieve the cluster configuration 1

NetApp ONTAP Python client library

Beginning with ONTAP 9.6, you have the option of using the Python client library to access the ONTAP REST API. The library provides a client-side development environment with several underlying services, such as connection management, asynchronous processing, exception handling, and error messages. After downloading and installing the ONTAP Python client library package, you can quickly create robust Python scripts to support the automation of your ONTAP deployments.



NetApp maintains a GitHub repository containing code samples and other helpful information. You can navigate to the *examples* folder to access samples using the Python client library.

Related links

[ONTAP REST Python GitHub repository](#)

Preparing to use the Python client library

You should prepare the environment before using the Python client library.

Basic requirements

You must use Python 3.5 or later. In addition, the following packages are also required:

- requests 2.22.1 or later
- requests-toolbelt 0.9.1 or later
- marshmallow 3.2.1 or later

Package name and version

The name of the Python client library package is **netapp-ontap**. The version associated with the package is a combination of the ONTAP major and minor version numbers the library was generated from, along with a minor version for the client within the ONTAP release. For example, valid version numbers include: 9.6.1, 9.6.2, and 9.7.1.

Installation

You must use pip to install the netapp_ontap package from the Python Package Index (PyPI) web site.

Documentation and additional resources

See the *NetApp Developer Network* for links to documentation and other resources.

Related links

[NetApp Developer Network: ONTAP RESTful API](#)

Script to retrieve the cluster configuration

The following script provides a simple example of how to use the Python client library.

You can run the script using Python 3 at the CLI to retrieve the ONTAP cluster configuration.

```
1 ##-----
2 #
3 # Description: Python script to retrieve the cluster configuration.
4 #
5 # Usage example:
6 #
7 # python3 get_cluster.py
8 #
9 #
10 # (C) Copyright 2020 NetApp, Inc.
11 #
12 # This sample code is provided AS IS, with no support or warranties of
13 # any kind, including but not limited for warranties of merchantability
14 # or fitness of any kind, expressed or implied. Permission to use,
15 # reproduce, modify and create derivatives of the sample code is
   granted
16 # solely for the purpose of researching, designing, developing and
17 # testing a software application product for use with NetApp products,
18 # provided that the above copyright notice appears in all copies and
19 # that the software application product is distributed pursuant to
   terms
20 # no less restrictive than those set forth herein.
21 #
22 ##-----
23 # Global configuration for the library
24 from netapp_ontap import config
25 # Support for the connection to ONTAP
26 from netapp_ontap import HostConnection
27 # Specific API needed for this script
28 from netapp_ontap.resources import Cluster
29 # Create connection to the ONTAP management LIF
30 conn = HostConnection("10.236.252.97", username="admin",
31 password="mypassword", verify=False)
32 # Set connection as the default for all API calls
33 config.CONNECTION = conn
34 # Create new cluster object
35 clus = Cluster()
36 # Issue REST API call
37 clus.get()
38 # Display the cluster configuration
39 print(clus)
40 .....
```

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.