



Python client library

ONTAP Automation

NetApp
August 29, 2024

This PDF was generated from https://docs.netapp.com/us-en/ontap-automation/python/overview_pcl.html on August 29, 2024. Always check docs.netapp.com for the latest.

Table of Contents

- Python client library 1
 - Overview of the Python client library 1
 - Prepare to use the Python client library 1
 - Packages and documentation 1
 - Script to retrieve the cluster configuration 2
 - Blog articles 4

Python client library

Overview of the Python client library

The NetApp ONTAP Python client library is a package you can install and use to write scripts that access the ONTAP REST API. It provides support for several underlying services, including connection management, asynchronous processing, exception handling, and error messages. By using the Python client library, you can quickly develop robust code to support the automation of ONTAP deployments.



NetApp maintains a GitHub repository containing code samples and other helpful information. You can navigate to the *examples* folder to access samples using the Python client library.

Related information

- [ONTAP REST Python GitHub repository](#)
- [ONTAP REST Python Client Library Examples](#)

Prepare to use the Python client library

You should prepare the local runtime environment before using the Python client library.

Package name and version

The name of the Python client library package is **netapp-ontap**. The version associated with the package is a combination of the ONTAP major and minor version numbers the library was generated from, along with a minor version for the client within the ONTAP release. For example, valid version numbers include: 9.6.1, 9.6.2, and 9.7.1.

Installation

You must use pip to install the netapp_ontap package from the Python Package Index (PyPi) web site.

Packages and documentation by ONTAP release

Each ONTAP release beginning with 9.6 has a PyPI package and associated documentation. See [Packages and documentation](#) for more information. Installation requirements are included with each package and include different versions of the following:

- python
- requests
- requests-toolbelt
- marshmallow

Packages and documentation

The Python client library is available for each ONTAP release beginning with 9.6. You should access the PyPI package and documentation based on the ONTAP release you are using.

ONTAP 9.15.1

- [PyPI: NetApp ONTAP 9.15.1](#)
- [NetApp PCL documentation for 9.15.1](#)

ONTAP 9.14.1

- [PyPI: NetApp ONTAP 9.14.1](#)
- [NetApp PCL documentation for 9.14.1](#)

ONTAP 9.13.1

- [PyPI: NetApp ONTAP 9.13.1](#)
- [NetApp PCL documentation for 9.13.1](#)

ONTAP 9.12.1

- [PyPI: NetApp ONTAP 9.12.1](#)
- [NetApp PCL documentation for 9.12.1](#)

ONTAP 9.11.1

- [PyPI: NetApp ONTAP 9.11.1](#)
- [NetApp PCL documentation for 9.11.1](#)

ONTAP 9.10.1

- [PyPI: NetApp ONTAP 9.10.1](#)
- [NetApp PCL documentation for 9.10.1](#)

ONTAP 9.9.1

- [PyPI: NetApp ONTAP 9.9.1](#)
- [NetApp PCL documentation for 9.9.1](#)

ONTAP 9.8

- [PyPI: NetApp ONTAP 9.8](#)
- [NetApp PCL documentation for 9.8](#)

ONTAP 9.7

- [PyPI: NetApp ONTAP 9.7](#)
- [NetApp PCL documentation for 9.7](#)

ONTAP 9.6

- [PyPI: NetApp ONTAP 9.6](#)
- [NetApp PCL documentation for 9.6](#)

Script to retrieve the cluster configuration

The following script provides a simple example of how to use the Python client library. You can run the script using Python 3 at the CLI to retrieve the ONTAP cluster configuration.

```
1 ##-----
```

```

2 #
3 # Description: Python script to retrieve the cluster configuration.
4 #
5 # Usage example:
6 #
7 # python3 get_cluster.py
8 #
9 #
10 # (C) Copyright 2024 NetApp, Inc.
11 #
12 # This sample code is provided AS IS, with no support or warranties of
13 # any kind, including but not limited for warranties of merchantability
14 # or fitness of any kind, expressed or implied. Permission to use,
15 # reproduce, modify and create derivatives of the sample code is
    granted
16 # solely for the purpose of researching, designing, developing and
17 # testing a software application product for use with NetApp products,
18 # provided that the above copyright notice appears in all copies and
19 # that the software application product is distributed pursuant to
    terms
20 # no less restrictive than those set forth herein.
21 #
22 ##-----
23 # For reading the password from the commandline
24 from getpass import getpass
25 # Global configuration for the library
26 from netapp_ontap import config
27 # Support for the connection to ONTAP
28 from netapp_ontap import HostConnection
29 # Specific API needed for this script
30 from netapp_ontap.resources import Cluster
31 # Create connection to the ONTAP management LIF
32 # (add verify=False if the certificate your cluster is serving is not
    trusted)
33 conn = HostConnection(
34     "<mgmt_ip>", username="admin", password=getpass("ONTAP admin
    password: "),
35 )
36 # Set connection as the default for all API calls
37 config.CONNECTION = conn
38 # Create new cluster object
39 clus = Cluster()
40 # Issue REST API call
41 clus.get()
42 # Display the cluster configuration
43 print(clus)

```

Blog articles

There are several blog articles available to help you better understand how to use the Python client library.

Simplify ONTAP REST API Consumption with the Python client library

This blog provides a good introduction to the features of the ONTAP Python client library.

www.netapp.com/blog/simplify-ontap-rest-api-consumption

Getting Started with ONTAP REST API Python Client Library

This is a three-part series of blogs covering more details about the Python client library.

Part 1: netapp.io/2020/06/09/ontap-rest-api-python-client-library-pt1

Part 2: netapp.io/2020/06/09/ontap-rest-api-python-client-library-pt2/

Part 3: netapp.io/2020/06/09/ontap-rest-api-python-client-library-pt3

Copyright information

Copyright © 2024 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.