



# **network ipspace commands**

## **ONTAP 9.8 commands**

NetApp  
September 27, 2022

# Table of Contents

- network ipspace commands ..... 1
  - network ipspace create ..... 1
  - network ipspace delete ..... 1
  - network ipspace rename ..... 2
  - network ipspace show ..... 3

# network ipspace commands

## network ipspace create

Create a new IPspace

**Availability:** This command is available to *cluster* administrators at the *admin* privilege level.

### Description

IPspaces are distinct IP address spaces in which Storage Virtual Machines (SVMs) reside. The "Cluster" IPspace and "Default" IPspace are created by default. You can create more custom IPspaces when you need your SVMs to have overlapping IP addresses, or you need more control over networking configurations for cluster peering. Please reference the "Network Management Guide" for the limit of how many custom IPspaces are supported on your system..

### Parameters

**-ipSPACE <IPspace> - IPspace name**

The name of the IPspace to be created.

- The name must contain only the following characters: A-Z, a-z, 0-9, ".", "-", or "\_".
- The first character of each label, delimited by ".", must be one of the following characters: A-Z or a-z.
- The last character of each label, delimited by ".", must be one of the following characters: A-Z, a-z or 0-9.
- The maximum supported length is 47 characters.
- The system reserves the following names: "all", "local" and "localhost".
- The system provides the following IPspaces: "Cluster" and "Default".

### Examples

The following example creates IPspace "ips1".

```
cluster1::> network ipspace create -name ips1
```

## network ipspace delete

Delete an IPspace

**Availability:** This command is available to *cluster* administrators at the *admin* privilege level.

### Description

Delete an IPspace that contains no ports or Vservers.

## Parameters

### **-ipSPACE <IPSPACE> - IPSPACE name**

The name of the IPSPACE to be deleted. If the IPSPACE is associated with one or more logical-interfaces, you must delete them before you can delete the IPSPACE.

## Examples

The following example deletes the IPSPACE "ips1".

```
cluster1::> network ipSPACE delete -ipSPACE ips1
```

## network ipSPACE rename

Rename an IPSPACE

**Availability:** This command is available to *cluster* administrators at the *admin* privilege level.

## Description

Rename an IPSPACE.

## Parameters

### **-ipSPACE <IPSPACE> - IPSPACE name**

The name of the IPSPACE to be renamed.

### **-new-name <IPSPACE> - New Name**

The new name for the IPSPACE.

- The name must contain only the following characters: A-Z, a-z, 0-9, ".", "-", or "\_".
- The first character of each label, delimited by ".", must be one of the following characters: A-Z or a-z.
- The last character of each label, delimited by ".", must be one of the following characters: A-Z, a-z or 0-9.
- The maximum supported length is 47 characters.
- The system reserves the following names: "all", "cluster", "local" and "localhost".

## Examples

The following example renames IPSPACE "ips1" to "ips2".

```
cluster1::> network ipSPACE rename -ipSPACE ips1 -new-name ips2
```

# network ipspace show

Display IPspace information

**Availability:** This command is available to *cluster* administrators at the *admin* privilege level.

## Description

Display network IPspaces.

## Parameters

**{ [-fields <fieldname>,...]**

Specify the fields to be displayed for each IPspace.

**| [-instance ] }**

Display all parameters of the IPspace objects.

**[-ip-space <IPspace>] - IPspace name**

Display the names of the IPspaces.

**[-ports [node>:<port>],...] - Ports**

The list of network ports assigned to each IPspace.

**[-broadcast-domains <Broadcast Domain>,...] - Broadcast Domains**

The list of broadcast domains that belong to the IPspace.

**[-vservers <vserver name>,...] - Vservers**

The list of Vservers assigned to each IPspace.

## Examples

The following example displays general information about IPspaces.

```
cluster1::> network ipspace show
IPspace          Vserver List          Broadcast Domains
-----
Cluster
Default          Cluster                -
                  cluster1, vs1, vs2    br1, br2, br3
2 entries were displayed.
```

## Copyright Information

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

## Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.