



job private commands

ONTAP 9.9.1 commands

NetApp
September 27, 2022

Table of Contents

- job private commands 1
- job private delete 1
- job private pause 1
- job private resume 2
- job private show-completed 3
- job private show 5
- job private stop 8
- job private watch-progress 9

job private commands

job private delete

Delete a job

Availability: This command is available to *cluster* and *Vserver* administrators at the *advanced* privilege level.

Description

The `job private delete` command deletes a private job. Private jobs are affiliated with a specific node and do not use any cluster facilities, such as the replicated database.

If you use this command on a job that does not support the delete operation, the command returns an error message.

Use the [job private show](#) command to view a list of private jobs that can be deleted.

Parameters

-node {<nodename>|local} - Node

Use this parameter to specify the node with which the private job is associated.

-id <integer> - Job ID

Use this parameter to specify the numeric ID of the private job to be deleted. A job ID is a positive integer.

[-vserver <vserver name>] - Owing Vserver

Use this parameter to specify the name of the Vserver that owns the job.

Examples

The following example shows how to delete the job that has ID 273 from the node named `node2` :

```
cluster1::*> job private delete -node node2 -id 273
```

Related Links

- [job private show](#)

job private pause

Pause a job

Availability: This command is available to *cluster* and *Vserver* administrators at the *advanced* privilege level.

Description

The `job private pause` command pauses a private job. Private jobs are affiliated with a specific node and do not use any cluster facilities, such as the replicated database.

If you use this command to pause a job that does not support it, the command returns an error message.

Use the [job private resume](#) command to resume a paused private job.

Use the [job private show](#) command to view a list of private jobs.

Parameters

`-node {<nodename>|local}` - Node

Use this parameter to specify the node with which the private job is associated.

`-id <integer>` - Job ID

Use this parameter to specify the numeric ID of the paused private job to be paused. A job ID is a positive integer.

`[-vserver <vserver name>]` - Owing Vserver

Use this parameter to specify the name of the Vserver that owns the job.

Examples

The following example pauses the private job that has ID 99 on the node `node1` :

```
cluster1::*> jobs private pause -node node1 -id 99
```

Related Links

- [job private resume](#)
- [job private show](#)

job private resume

Resume a job

Availability: This command is available to *cluster* and *Vserver* administrators at the *advanced* privilege level.

Description

The `job private resume` command resumes a private job that was paused by using the [job private pause](#) command. Private jobs are affiliated with a specific node and do not use any cluster facilities, such as the replicated database.

Use the [job private show](#) command to view a list of paused private jobs that can be resumed.

Parameters

-node {<nodename>|local} - Node

Use this parameter to specify the node with which the paused private job is associated.

-id <integer> - Job ID

Use this parameter to specify the numeric ID of the paused private job to be resumed. A job ID is a positive integer.

[-vserver <vserver name>] - Owing Vserver

Use this parameter to specify the name of the Vserver that owns the job.

Examples

The following example resumes the paused private job that has ID 99 on a node named `node2` :

```
cluster1::*> job private resume -node node2 -id 99
```

Related Links

- [job private pause](#)
- [job private show](#)

job private show-completed

Display a list of completed jobs

Availability: This command is available to *cluster* and *Vserver* administrators at the *advanced* privilege level.

Description

The `job private show-completed` command displays information about completed private jobs. Private jobs are affiliated with a specific node and do not use any cluster facilities, such as the replicated database.

Parameters

{ [-fields <fieldname>,...]

If you specify the `-fields <fieldname>, ...` parameter, the command output also includes the specified field or fields. You can use `'-fields ?'` to display the fields to specify.

| [-instance] }

If you specify the `-instance` parameter, the command displays detailed information about all fields.

[-node {<nodename>|local}] - Node

Use this parameter to display information only about completed jobs that are associated with the node you specify.

[-id <integer>] - Job ID

Use this parameter to display information only about completed jobs that have the ID you specify.

[-vserver <vserver name>] - Owning Vserver

Use this parameter to display only completed jobs that are owned by the Vserver you specify.

[-name <text>] - Name

Use this parameter to display information only about completed jobs that have the name you specify.

[-description <text>] - Description

Use this parameter to display information only about completed jobs that have the description you specify.

[-priority {Low|Medium|High|Exclusive}] - Priority

Use this parameter to display information only about completed jobs that have the priority you specify.

[-schedule <job_schedule>] - Schedule

Use this parameter to display information only about completed jobs that have the schedule you specify.

[-queuetime <MM/DD HH:MM:SS>] - Queue Time

Use this parameter to display information only about completed jobs that have the queue time you specify.

[-starttime <MM/DD HH:MM:SS>] - Start Time

Use this parameter to display information only about completed jobs that have the start time you specify.

[-endtime <MM/DD HH:MM:SS>] - End Time

Use this parameter to display information only about completed jobs that have the end time you specify.

[-dropdeadtime <MM/DD HH:MM:SS>] - Drop-dead Time

Use this parameter to display information only about completed jobs that have the final timeout time you specify.

[-restarted {true|false}] - Restarted?

Use this parameter to display information only about completed jobs that have the restart value you specify.

[-state

{Initial|Queued|Running|Waiting|Pausing|Paused|Quitting|Success|Failure|Reschedule|Error|Quit|Dead|Unknown|Restart|Dormant}] - State

Use this parameter to display information only about completed jobs that have the job state you specify.

[-code <integer>] - Status Code

Use this parameter to display information only about completed jobs that have the status code you specify.

[-completion <text>] - Completion String

Use this parameter to display information only about completed jobs that have the completion text you specify.

[-jobtype <text>] - Job Type

Use this parameter to display information only about completed jobs that have the job type you specify.

[-category <text>] - Job Category

Use this parameter to display information only about completed jobs that have the job category you specify.

[-uuid <UUID>] - UUID

Use this parameter to display information only about completed jobs that have the UUID you specify.

[-username <text>] - User Name

Use this parameter to display information only about completed jobs that are associated with the user you specify.

Examples

The following example shows how to display information about all completed private jobs on the node named `node1`:

```
cluster1::*> job private show-completed -node node1
Node: node1

      Owning
Job ID Name          Vserver    End Time      Code      Completion String
-----
-----
1      sync task      node1       02/17 15:03:23 0
2      load_balancing  node1       02/17 16:29:28 0      DONE_VIF_STATS
3      snap-hourly     node1       02/17 16:05:00 0
4      snap-daily      node1       02/17 00:10:00 0
5      snap-weekly     node1       02/13 00:15:00 0
8      Cross-Cluster Manager node1 02/17 16:27:27 0      complete
9      reconcile service policy node1 02/17 15:03:12 0
7 entries were displayed.
```

job private show

Display a list of jobs

Availability: This command is available to *cluster* and *Vserver* administrators at the *advanced* privilege level.

Description

The `job private show` command displays information about private jobs. Private jobs are affiliated with a specific node and do not use any cluster facilities, such as the replicated database.

Parameters

{ [-fields <fieldname>,...]

If you specify the `-fields <fieldname>, ...` parameter, the command output also includes the specified field or fields. You can use `'-fields ?'` to display the fields to specify.

| **[-inprogress]**

Displays the job ID, name, owning Vserver, and progress of each private job.

| **[-jobstate]**

Displays information about each private job's state, including the queue state, whether the job was restarted, and when the job has timed out.

| **[-jobuuid]**

Displays the ID, name, owning Vserver, and UUID of each private job.

| **[-sched]**

Displays the job ID, name, owning Vserver, and run schedule of each private job.

| **[-times]**

Displays the queue time, start time, and end time of each private job.

| **[-type]**

Displays the type and category of each private job.

| **[-instance] }**

If you specify the `-instance` parameter, the command displays detailed information about all fields.

[-node {<nodename>|local}] - Node

Selects the private jobs that match this parameter value. .

[-id <integer>] - Job ID

Selects the private jobs that match the ID or range of IDs that you specify.

[-vserver <vserver name>] - Owning Vserver

Selects the private jobs that match this parameter value.

[-name <text>] - Name

Selects the private jobs that match this parameter value.

[-description <text>] - Description

Selects the private jobs that match this parameter value.

[-priority {Low|Medium|High|Exclusive}] - Priority

Selects the private jobs that match this parameter value.

[-schedule <job_schedule>] - Schedule

Selects the private jobs that match this parameter value.

[-queuetime <MM/DD HH:MM:SS>] - Queue Time

Selects the private jobs that match this parameter value.

[-starttime <MM/DD HH:MM:SS>] - Start Time

Selects the private jobs that match this parameter value.

[-endtime <MM/DD HH:MM:SS>] - End Time

Selects the private jobs that match this parameter value.

[-dropdeadtime <MM/DD HH:MM:SS>] - Drop-dead Time

Selects the private jobs that match this parameter value.

[-restarted {true|false}] - Restarted?

Selects the private jobs that match this parameter value.

[-state

{Initial|Queued|Running|Waiting|Pausing|Paused|Quitting|Success|Failure|Reschedule|Error|Quit|Dead|Unknown|Restart|Dormant}] - State

Selects the private jobs that match this parameter value.

[-code <integer>] - Status Code

Selects the private jobs that match this parameter value.

[-completion <text>] - Completion String

Selects the private jobs that match this parameter value.

[-jobtype <text>] - Job Type

Selects the private jobs that match this parameter value.

[-category <text>] - Job Category

Selects the private jobs that match this parameter value.

[-uuid <UUID>] - UUID

Selects the private jobs that match this parameter value.

[-progress <text>] - Execution Progress

Selects the private jobs that match this parameter value.

[-username <text>] - User Name

Selects the private jobs that match this parameter value.

Examples

The following example displays information about all private jobs on the local node:

```

cluster1::*> job private show -node local
Node: node1

Job ID Name                               Owing
      Vserver                               State
-----
3      snap-hourly                         cluster1  Queued
      Description: Auto-Snapshot
4      snap-daily                          cluster1  Queued
      Description: Auto-Snapshot
5      snap-weekly                         cluster1  Queued
      Description: Auto-Snapshot
6      sync task                           cluster1  Queued
      Description: sync task
7      ldap-certs                          cluster1  Queued
      Description: ldap resync
5 entries were displayed.

```

job private stop

Stop a job

Availability: This command is available to *cluster* and *Vserver* administrators at the *advanced* privilege level.

Description

The `job private stop` command stops a running private job. A private job is a job that is associated with a specific node and does not use cluster facilities. A stopped job cannot be restarted.

Parameters

-node {<nodename>|local} - Node

This specifies the node on which the job is running.

-id <integer> - Job ID

This specifies the numeric ID of the job that is to be stopped.

[-vserver <vserver name>] - Owing Vserver

Use this parameter to specify the name of the Vserver that owns the job.

Examples

The following example stops a private job with the ID 416 on a node named node0:

```

cluster1::*> job private stop -node node0 -id 416

```

job private watch-progress

Watch the progress of a job

Availability: This command is available to *cluster* and *Vserver* administrators at the *advanced* privilege level.

Description

The `job private watch-progress` command displays and periodically updates the progress of a private job. A private job is a job that is associated with a specific node and does not use cluster facilities. You can specify the frequency of the progress updates.

Parameters

-node {<nodename>|local} - Node

This specifies the node on which the job is running.

-id <integer> - Job ID

This specifies the numeric ID of the job whose progress is to be monitored.

[-vserver <vserver name>] - Owing Vserver

Use this parameter to specify the Vserver with which the paused private job is associated.

[-interval <integer>] - Refresh Interval (seconds)

This optionally specifies, in seconds, the frequency of the updates.

Examples

The following example monitors the progress of the private job that has ID 127 on a node named node1. The progress is updated every 2 seconds.

```
cluster1::*> job private watch-progress -node node1 -id 127 -interval 2
Queued
```

Copyright Information

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.