



vserver consistency-group commands

ONTAP 9.15.1 commands

NetApp
May 17, 2024

Table of Contents

- vserver consistency-group commands 1
 - vserver consistency-group attach 1
 - vserver consistency-group create 2
 - vserver consistency-group delete 6
 - vserver consistency-group demote 7
 - vserver consistency-group detach 8
 - vserver consistency-group modify 9
 - vserver consistency-group promote 10
 - vserver consistency-group show 10
 - vserver consistency-group clone create 13
 - vserver consistency-group lun show 15
 - vserver consistency-group namespace show 16
 - vserver consistency-group snapshot commit 18
 - vserver consistency-group snapshot create 19
 - vserver consistency-group snapshot delete 20
 - vserver consistency-group snapshot restore 21
 - vserver consistency-group snapshot show 22
 - vserver consistency-group snapshot start 23
 - vserver consistency-group volume add 25
 - vserver consistency-group volume create 25
 - vserver consistency-group volume reassign 29
 - vserver consistency-group volume remove 30
 - vserver consistency-group volume show 30

vserver consistency-group commands

vserver consistency-group attach

Attach a consistency group to an existing parent consistency group

Availability: This command is available to *cluster* and *Vserver* administrators at the *admin* privilege level.

Description

The `vserver consistency-group attach` command can be used to attach a consistency group to a parent consistency group.

Parameters

-vserver <Vserver Name> - Vserver Name

This parameter specifies the Vserver that contains the consistency group that is to be attached.

-consistency-group <text> - Consistency Group

This parameter specifies the consistency group that is to be attached.

-parent-consistency-group <text> - Parent Consistency Group

This parameter specifies the parent consistency group to be attached to.

[-new-name <text>] - New Name for the Consistency Group

This parameter optionally specifies a new name for the attached consistency group.

Examples

The following command attaches the consistency group `singleCG` to a parent consistency group `parentCG` in Vserver `vs0`.

```
cluster1::> vserver consistency-group attach -vserver vs0 -consistency
-group childCG -parent-consistency-group parentCG
[Job 174] Job succeeded: Success
```

+ The following command attaches the consistency group `singleCG` to a parent consistency group `parentCG` in Vserver `vs0`, which is renamed to `childCG`.

```
cluster1::> vserver consistency-group attach -vserver vs0 -consistency
-group childCG -parent-consistency-group parentCG -new-name childCG
(vserver consistency-group attach)
[Job 174] Job succeeded: Success
```

vserver consistency-group create

Create a new consistency group

Availability: This command is available to *cluster* and *Vserver* administrators at the *admin* privilege level.

Description

The `vserver consistency-group create` command can be used to create a consistency group using existing consistency groups or volumes, or by creating new volumes.

Parameters

-vserver <Vserver Name> - Vserver Name

This parameter specifies the Vserver in which the consistency group is to be created.

-consistency-group <text> - Consistency Group Name

This parameter specifies the name of the consistency group which is to be created.

[-parent-consistency-group <text>] - Parent Consistency Group Name

This parameter specifies the name of the existing parent consistency group in which the consistency group is to be created. If the parent consistency group does not exist, it will be created.

[-storage-service <text>] - Storage Service

This parameter specifies the storage service name. If not specified, the default value is the most performant for the platform.

[-qos-policy <text>] - QoS Policy Group

This parameter specifies the QoS policy to be applied to the consistency group during creation.

[-tiering-placement-rules <FabricPool Placement Preferences>] - Tiering Placement Rules

This parameter specifies the storage tiering placement rules for the consistency group.

[-tiering-policy <Tiering Policy>] - Tiering Policy

This parameter specifies the tiering policy to be applied to the consistency group during creation.

[-object-stores <text>,...] - Object Store Name

This parameter specifies the remote object stores to be used for placement.

[-snapshot-policy <snapshot policy>] - Snapshot Copy Policy

This parameter specifies the Snapshot policy to be applied to the consistency group during creation.

{ [-application-type <Application type for the parent or top level CG>] - Application Type

This parameter specifies the application type for the parent consistency group.

| [-application-component-type <Application component type for child CG>] - Application Component Type }

This parameter specifies the application component type of the child consistency group.

{ [-consistency-groups <text>,...] - Consistency Groups

This parameter optionally specifies a comma separated list of existing consistency groups under the Vserver.

| [-volumes <text>] - Volume Names

This parameter specifies a filter to choose any existing volumes in the Vserver to add to the new consistency group.

| [-volume-prefix <volume name>] - Volume Name Prefix

This parameter specifies a volume prefix to be added to the volume name for new volumes created in the new consistency group.

[-volume-count <integer>] - Number of Volumes to Create }

This parameter specifies the number of new volumes to be created in the new consistency group.

[-size {<integer>[KB|MB|GB|TB|PB] }] - Provisioned Size

This parameter specifies the size of each new volume that is to be created in the consistency group. If `-lun` or `-namespace` parameter is specified, this refers to the size of each LUN or namespace.

{ [-lun <text>] - LUN Name

This parameter specifies the name of the LUN to be created in the consistency group. If the `-lun-count` parameter is specified this field is treated as prefix.

[-lun-count <integer>] - Number of LUNs to Create

This parameter specifies the number of new LUNs to be created in the consistency group.

[-lun-os-type <LUN Operating System Format>] - LUN Operating System Type

This parameter specifies the OS type for the new LUNs.

[-igroup <text>] - iGroup Name

This parameter specifies the name of the initiator group.

| [-namespace <text>] - Namespace Name

This parameter specifies the name of the namespace to be created in the consistency group. If the `-namespace-count` parameter is specified this field is treated as prefix.

[-namespace-count <integer>] - Number of Namespaces to Create

This parameter specifies the number of new namespaces to be created in the consistency group.

[-namespace-os-type {aix|linux|vmware|windows}] - NVME Operating System Type

This parameter specifies the OS type for the new namespaces.

[-subsystem <text>] - Subsystem Name

This parameter specifies the name of the nvme subsystem.

| [-export-policy <text>] - Export Policy Name

This parameter specifies the name of the export policy to be associated with the newly created volumes.

[-nas-gid <integer>] - NAS Group ID

This parameter specifies the UNIX group ID of the newly created volumes.

[-nas-path <text>] - Junction Path

This parameter specifies the mount path for the newly created volumes.

[-nas-junction-parent-volume <volume name>] - Junction Parent Volume Name

This parameter specifies the name of the parent volume that contains the junction inode of this volume.

[-nas-security-style <security style>] - NAS Security Style

This parameter specifies the security style associated with the newly created volumes.

[-nas-uid <integer>] - NAS User ID

This parameter specifies the UNIX user ID of the newly created volumes.

[-nas-unix-permissions <unix perm>] - NAS UNIX Permissions

This parameter specifies the UNIX permissions for the newly created volumes.

[-cifs-share <Share>] - Volume CIFS Share Name

This parameter specifies the name of the CIFS share for each volume in the new consistency group.

[-cifs-share-acl-user-or-group <text>] - CIFS User/Group Name

This parameter specifies the ACL user or group of the CIFS share for each volume in the new consistency group.

[-cifs-share-acl-win-unix-id <text>] - Windows SID or UNIX ID

This parameter specifies the ACL windows or unix id of the CIFS share for each volume in the new consistency group.

[-cifs-share-acl-type {windows|unix-user|unix-group}] - CIFS User or Group Type

This parameter specifies the ACL type of the CIFS share for each volume in the new consistency group.

[-cifs-share-acl-permission <access rights>] - CIFS Access Type }

This parameter specifies the ACL permission of the CIFS share for each volume in the new consistency group.

Examples

```
+ The following command creates a new parent consistency group parentcg with existing consistency groups cg1 and cg2.
```

```
cluster1::> vservers consistency-group create -consistency-group parentcg
-consistency-groups cg1,cg2
      (vservers consistency-group create)
[Job 32] Job succeeded: Success
```

+ The following command creates a new consistency group singlecg with existing volumes vol1 and vol2.

```
cluster1::> vservers consistency-group create -consistency-group singlecg
-volumes vol1,vol2
      (vservers consistency-group create)
[Job 33] Job succeeded: Success
```

+ The following command creates a new consistency group singlecg with two new volumes each of size 1gb and volume name prefix with db_vols.

```
cluster1::> vservers consistency-group create -consistency-group singlecg
-volume-prefix db_vols -volume-count 2 -size 1gb
      (vservers consistency-group create)
[Job 34] Job succeeded: Success
```

+ The following command creates a new consistency group singlecg2 with two new volumes each of size 1gb and volume name prefix with db_vols and a snapshot policy of default and application-type mongod.

```
cluster1::> vservers consistency-group create -consistency-group singlecg
-volume-prefix db_vols -volume-count 2 -size 1gb -snapshot-policy default
-application-type mongod
      (vservers consistency-group create)
[Job 35] Job succeeded: Success
```

+ The following command creates a new consistency group child1 under existing parent consistency group parent1 and create two new volumes each of size 1gb.

```
cluster1::> vservers consistency-group create -consistency-group child1
-parent-consistency-group parent1 -volume-count 2 -size 1gb
      (vservers consistency-group create)
[Job 36] Job succeeded: Success
```

+ The following command creates a new consistency group `child2` under existing parent consistency group `parent2` and creates two new volumes each of size `1gb` and volume name prefix with `child2_volumes`.

```
cluster1::> vservers consistency-group create -consistency-group child2
-parent-consistency-group parent2 -volume-prefix child2_volumes -volume
-count 2 -size 1gb
      (vservers consistency-group create)
[Job 37] Job succeeded: Success
```

+ The following command creates a new consistency group `child3` under existing parent consistency group `parent2` and creates two new volumes `vol1` and `vol2` each of size `1gb`.

```
cluster1::> vservers consistency-group create -consistency-group child3
-parent-consistency-group parent2 -volumes vol1,vol2 -size 1gb
      (vservers consistency-group create)
[Job 38] Job succeeded: Success
```

+ The following command creates a new consistency group `singlecg` with two new volumes each of size `1gb` and volume name prefix with `db_vols` and CIFS share `share1` and ACL properties.

```
cluster1::> vservers consistency-group create -consistency-group singlecg
-volume-prefix db_vols -volume-count 2 -size 1gb -cifs-share share1 -cifs
-share-acl-type windows -cifs-share-acl-user-or-group Everyone -cifs-share
-acl-permission Read -nas-path "/vol"
      (vservers consistency-group create)
[Job 39] Job succeeded: Success
```

vservers consistency-group delete

Delete an existing consistency group

Availability: This command is available to *cluster* and *Vserver* administrators at the *admin* privilege level.

Description

The `vservers consistency-group delete` command can be used to delete a consistency group.

Parameters

-vserver <Vserver Name> - Vserver Name

This parameter specifies the Vserver that contains the consistency group that is to be deleted.

-consistency-group <text> - Consistency Group Name

This parameter specifies the consistency group that is to be deleted.

-parent-consistency-group <text> - Parent Consistency Group Name

This parameter specifies the parent consistency group of the consistency group that is to be deleted.

Examples

The following command deletes the consistency group parentCG in Vserver vs0.

```
cluster1::> vserver consistency-group delete -vserver vs0 -consistency
-group parentCG -parent-consistency-group -
(vserver consistency-group delete)
Warning: Are you sure you want to delete consistency group "parentCG" in
Vserver "vs0" ? {y|n}: y
[Job 174] Job succeeded: Success
1 entry was deleted.
```

vserver consistency-group demote

Demote a parent consistency group to become standalone consistency group

Availability: This command is available to *cluster* and *Vserver* administrators at the *admin* privilege level.

Description

The `vserver consistency-group demote` command can be used to demote a parent consistency group to be on its own, deleting its child consistency groups.

Parameters

-vserver <Vserver Name> - Vserver Name

This parameter specifies the Vserver that contains the consistency group that is to be demoted.

-parent-consistency-group <text> - Parent Consistency Group

This parameter specifies the parent consistency group that is to be demoted.

[-new-name <text>] - New name for the Consistency Group

This parameter optionally specifies a new name for the consistency group after demotion.

Examples

The following command demotes the consistency group parentCG in Vserver vs0, which is renamed to singleCG at demotion.

```
cluster1::> vserver consistency-group demote -vserver vs0 -parent
-consistency-group parentCG -new-name singleCG
      (vserver consistency-group demote)
[Job 174] Job succeeded: Success
```

vserver consistency-group detach

Detach a child consistency group from an existing parent consistency group

Availability: This command is available to *cluster* and *Vserver* administrators at the *admin* privilege level.

Description

The `vserver consistency-group detach` command can be used to detach a child consistency group from its parent, to be on its own. If this was the only child under that parent, the parent consistency group will be deleted.

Parameters

-vserver <Vserver Name> - Vserver Name

This parameter specifies the Vserver that contains the consistency group that is to be detached.

-parent-consistency-group <text> - Parent Consistency Group Name

This parameter specifies the parent consistency group.

-consistency-group <text> - Consistency Group to Detach

This parameter specifies the consistency group that is to be detached.

[-new-name <text>] - New name for the Detached Consistency Group

This parameter optionally specifies a new name for the detached consistency group.

Examples

The following command detaches the consistency group childCG from its parent Consistency Group parentCG in Vserver vs0, which is renamed to singleCG at removal.

```
cluster1::> vserver consistency-group detach -vserver vs0 -parent
-consistency-group parentCG -consistency-group childCG -new-name singleCG
      (vserver consistency-group detach)
[Job 174] Job succeeded: Success
```

vserver consistency-group modify

Modify the configuration of an existing consistency group

Availability: This command is available to *cluster* and *Vserver* administrators at the *admin* privilege level.

Description

The `vserver consistency-group modify` command can be used to modify the following attributes of a consistency group:

- Application component type
- Application type
- Snapshot policy

Parameters

-vserver <Vserver Name> - Vserver Name

This parameter specifies the Vserver that contains the consistency group that is to be modified

-consistency-group <text> - Consistency Group Name

This parameter specifies the consistency group that is to be modified.

-parent-consistency-group <text> - Parent Consistency Group Name

This parameter specifies the parent consistency group.

[-snapshot-policy <snapshot policy>] - Snapshot Copy Policy

This optionally specifies the Snapshot policy for the consistency group.

{ [-application-type <Application type for the parent or top level CG>] - Application Type

This optionally specifies the application type for the parent consistency group.

| [-application-component-type <Application component type for child CG>] - Application Component Type }

This optionally specifies the application component type for the child consistency group.

Examples

The following command modifies the Snapshot policy of consistency group `childCg` in parent consistency group `parentCg` in vserver `vs0` to default Snapshot policy.

```
cluster1::> vserver consistency-group modify -vserver vs0 -consistency
-group childCg -parent-consistency-group parentCg -snapshot-policy default
[Job 51] Job succeeded: Success
1 entry was modified.
```

vserver consistency-group promote

Promote a standalone consistency group to become parent consistency group

Availability: This command is available to *cluster* and *Vserver* administrators at the *admin* privilege level.

Description

The `vserver consistency-group promote` command can be used to promote a consistency group to a parent consistency group. A new child consistency group will be created and associated with the newly promoted parent consistency group.

Parameters

-vserver <Vserver Name> - Vserver Name

This parameter specifies the Vserver that contains the consistency group that is to be promoted.

-consistency-group <text> - Consistency Group Name

This parameter specifies the consistency group that is to be promoted.

-child-consistency-group <text> - Child Consistency Group Name

This parameter specifies the child consistency group which will get created during promotion.

[-new-name <text>] - New name for the Consistency Group

This parameter optionally specifies a new name for the consistency group after promotion.

Examples

The following command promotes the consistency group `singleCG` in Vserver `vs0`, which is renamed to `parentCG` at promotion gets assigned a new child consistency group `childCG` at promotion.

```
cluster1::> vserver consistency-group promote -vserver vs0 -consistency
-group singleCG -child-consistency-group childCG -new-name parentCG
(vserver consistency-group promote)
[Job 65] Job succeeded: Success
```

vserver consistency-group show

Display a list of existing consistency groups

Availability: This command is available to *cluster* and *Vserver* administrators at the *admin* privilege level.

Description

The command displays information for consistency groups. Use the ``instance`` parameter to display additional consistency group details.

Parameters

{ [-fields <fieldname>,...]

This specifies the fields that need to be displayed.

| [-instance] }

If you specify the `-instance` parameter, the command displays detailed information about all fields.

[-vserver <Vserver Name>] - Vserver Name

Selects information about the consistency groups in the specified Vserver.

[-consistency-group <text>] - Consistency Group Name

Selects information about the specified consistency group.

[-parent-consistency-group <text>] - Parent Consistency Group Name

Selects information about the specified parent consistency group.

[-qos-policy <text>] - QoS Policy Group

Selects information about the consistency groups that have the specified QoS policy.

[-tiering-policy <Tiering Policy>] - Tiering Policy

Selects information about the consistency groups that have the specified tiering policy.

[-snapshot-policy <snapshot policy>] - Snapshot Copy Policy

Selects information about the consistency groups that have the specified snapshot policy.

[-application-type <Application type for the parent or top level CG>] - Application Type

Selects information about the consistency groups that have the specified application type.

[-application-component-type <Application component type for child CG>] - Application Component Type

Selects information about the consistency groups that have the specified application component type.

[-size {<integer>[KB|MB|GB|TB|PB] }] - Provisioned Size

Selects information about the consistency groups that have the specified size.

[-state {online|creating|deleting|modifying|restoring}] - State

Selects information about the consistency groups that have the specified state.

[-uuid <UUID>] - Consistency Group UUID

Selects information about the consistency group that matches the specified consistency group UUID.

[-create-time <Date>] - Creation Time

Selects information about the consistency groups that have the specified creation time.

[-space-available {<integer>[KB|MB|GB|TB|PB] }] - Available Space

Selects information about the consistency groups that have the specified available space.

[`-space-used` {<integer>[KB|MB|GB|TB|PB]}] - Space Used

Selects information about the consistency groups that have the specified used space.

[`-replicated` {true|false}] - Is Replicated

Selects information about the consistency groups that have the specified replicated status.

[`-replication-policy` <text>] - Replication Policy Name

Selects information about the consistency groups that have the specified replication policy.

[`-replication-source` {true|false}] - Is Replication Source

Selects information about the consistency groups that have the specified replication source.

Examples

The following command lists all the consistency groups on Vserver vs0.

```
vserver consistency-group show -vserver vs0
(vserver consistency-group show)
      Parent
      Consistency Consistency
Vserver Group      Group      State  Size      Available  Used
-----
svm1     cg1      -         online  315.8MB  299.1MB
908KB
svm1     cg2      -         online  105.3MB  99.72MB
288KB
svm1     cg3      cg1       online  315.8MB  299.1MB
908KB
3 entries were displayed.
```

The following command shows the statistics for consistency group cg1 on Vserver vs0.

```
SimpleClus::*> consistency-group show -vserver vs0 -consistency-group
cg1 -statistic
(vserver consistency-group show)
      Parent
      Consistency Consistency
Vserver Group      Group
-----
svm1     cg1      -
Last calculated statistic      Value
-----
timestamp-metric      11/13/2023 21:11:00
duration      PT15S
```

```

status-metric          ok
available-space-metric 156946432
used-space-metric      344064
size-metric            165568512
iops-other-metric      0
iops-read-metric       0
iops-write-metric      0
iops-total-metric      0
latency-other-metric   0
latency-read-metric    0
latency-write-metric   0
latency-total-metric   0
throughput-other-metric -
throughput-read-metric 0
throughput-write-metric 0
throughput-total-metric 0
Raw statistics         Value
-----
timestamp-raw         11/13/2023 21:11:02
status-raw            ok
available-space-raw   156946432
used-space-raw        344064
size-raw              165568512
iops-other-raw        0
iops-read-raw         0
iops-write-raw        0
iops-total-raw        0
latency-other-raw     0
latency-read-raw      0
latency-write-raw     0
latency-total-raw     0
throughput-other-raw  -
throughput-read-raw   0
throughput-write-raw  0
throughput-total-raw  0

```

vserver consistency-group clone create

Create a consistency group clone

Availability: This command is available to *cluster* and *Vserver* administrators at the *admin* privilege level.

Description

The `vserver consistency-group clone create` command creates a clone of a specified consistency group. It also takes in an optional parameter `source-snapshot-name` to use for creating the clone. Only parent

consistency groups support cloning.

Parameters

-vserver <Vserver Name> - Vserver Name

This parameter specifies the Vserver that contains the consistency group whose clone is to be created.

-clone-consistency-group <text> - Consistency Group Name of the Clone

This parameter specifies the name of the clone consistency group.

-source-parent-consistency-group <text> - Parent Consistency Group Name of the Source

This parameter specifies the name of the source parent consistency group to be cloned.

[-source-snapshot-name <snapshot name>] - Snapshot of the Source Consistency Group

This parameter optionally specifies the Snapshot copy of the source parent consistency group to be used for creating the clone.

[-space-guarantee {none|volume}] - Space Guarantee Style

This parameter optionally specifies the space guarantee style for the FlexClone volumes in the clone consistency group. A value of *volume* reserves space on the aggregate for the entire volume. A value of *none* reserves no space on the aggregate, meaning that writes can fail if the aggregate runs out of space. The default setting is inherited from the parent volume in the source parent consistency group.

[-split-after-clone <>true>] - Split clone Volumes

This parameter optionally specifies if the FlexClone volumes within the clone consistency group would be split from their parent volume in the source parent consistency group after the FlexClone volume is created.

[-clone-volume-prefix <text>] - Clone Volume Name Prefix

This parameter specifies an optional volume name prefix for cloned volumes in the clone consistency group.

[-clone-volume-suffix <text>] - Clone Volume Name Suffix

This parameter specifies an optional volume name suffix for cloned volumes in the clone consistency group.

Examples

The following example creates a clone clone1 of the source parent consistency group container1 on Vserver vs0. The space guarantee of the cloned volumes under the clone consistency group is volume and the volume names have a prefix clone1 and suffix of clone1end. The cloned volumes have split initiated as True to split the clones from the parent volumes.

```
cluster1::> vserver consistency-group clone create -vserver vs0 -clone
-consistency-group clone1 -source-parent-consistency-group container1
-space-guarantee volume -clone-volume-prefix clone1 -clone-volume-suffix
clone1end -split-after-clone true
      (vserver consistency-group clone create)
      [Job 264] Job succeeded: Success
```


vserver consistency-group lun show

Display a list of existing consistency group Luns

Availability: This command is available to *cluster* and *Vserver* administrators at the *admin* privilege level.

Description

The command displays information for consistency group LUNs. Use the ``instance`` parameter to display additional consistency group LUN details.

Parameters

{ [-fields <fieldname>,...]

This specifies the fields that need to be displayed.

| [-instance] }

If you specify the `-instance` parameter, the command displays detailed information about all fields.

[-vserver <Vserver Name>] - Vserver Name

Selects information about the consistency group LUNs in the specified Vserver.

[-consistency-group <text>] - Consistency Group

Selects information about the consistency group LUNs in the specified consistency group.

[-parent-consistency-group <text>] - Parent Consistency Group

Selects information about the consistency group LUNs in the specified parent consistency group.

{ [-path <path>] - LUN Path

Selects information about the consistency group LUN that matches the specified LUN path.

| [-lun <text>] - LUN Name

Selects information about the consistency group LUN that matches the specified LUN name.

[-volume <volume name>] - Volume Name

Selects information about the consistency group LUNs that matches the specified volume name.

[-qtree <qtree name>] - Qtree Name }

Selects information about the consistency group LUNs that matches the specified qtree name.

[-uuid <UUID>] - LUN UUID

Selects information about the consistency group LUN that matches the specified LUN UUID.

[-vserver-uuid <UUID>] - Vserver UUID

Selects information about the consistency group LUNs that matches the specified Vserver UUID.

[-consistency-group-uuid <UUID>] - Consistency Group UUID

Selects information about the consistency group LUNs that matches the specified consistency group UUID.

[`-parent-consistency-group-uuid <UUID>`] - Parent Consistency Group UUID

Selects information about the consistency group LUNs that matches the specified parent consistency group UUID.

Examples

The following command lists all the LUNS that are associated with a consistency group.

```
cluster1::> consistency-group lun show
(vserver consistency-group lun show)
          Parent
Consistency Consistency LUN
Vserver  Group          Group          Path
-----
vs0      ChildCG_1      ParentCG
/vol/ParentCG_01_vol_1/ChildCG_1_lun_1_1
vs0      ChildCG_2      ParentCG
/vol/ParentCG_02_vol_1/ChildCG_2_lun_1_1
vs0      singleCG      -
/vol/singleCG_vol_1/singleCG_lun_1_1
vs0      singleCG      -
/vol/singleCG_vol_1/singleCG_lun_1_2
vs1      singleCG      -
/vol/singleCG_vol_1/singleCG_lun_1_1
vs1      singleCG      -
/vol/singleCG_vol_1/singleCG_lun_1_2
6 entries were displayed.
```

vserver consistency-group namespace show

Display a list of existing consistency group namespaces

Availability: This command is available to *cluster* and *Vserver* administrators at the *admin* privilege level.

Description

The command displays information for consistency group namespaces. Use the ``instance`` parameter to display additional consistency group namespace details.

Parameters

{ [`-fields <fieldname>`,...]

This specifies the fields that need to be displayed.

| [`-instance]`}

If you specify the `-instance` parameter, the command displays detailed information about all fields.

[-vserver <Vserver Name>] - Vserver Name

Selects information about the consistency group namespaces in the specified Vserver.

[-consistency-group <text>] - Consistency Group Name

Selects information about the consistency group namespaces in the specified consistency group.

[-parent-consistency-group <text>] - Parent Consistency Group Name

Selects information about the consistency group namespaces in the specified parent consistency group.

{ [-path <path>] - Namespace Path

Selects information about the consistency group namespace that matches the specified namespace path.

| [-namespace <text>] - Namespace Name

Selects information about the consistency group namespace that matches the specified namespace.

[-volume <volume name>] - Volume Name

Selects information about the consistency group namespaces that matches the specified volume name.

[-qtree <qtree name>] - Qtree Name }

Selects information about the consistency group namespaces that matches the specified qtree name.

[-uuid <UUID>] - Namespace UUID

Selects information about the consistency group namespace that matches the specified namespace UUID.

[-vserver-uuid <UUID>] - Vserver UUID

Selects information about the consistency group namespaces that matches the specified Vserver UUID.

[-consistency-group-uuid <UUID>] - Consistency Group UUID

Selects information about the consistency group namespaces that matches the specified consistency group UUID.

[-parent-consistency-group-uuid <UUID>] - Parent Consistency Group UUID

Selects information about the consistency group namespaces that matches the specified parent consistency group UUID.

Examples

The following command lists all the namespaces that are associated with a consistency group.

```

cluster1::> still5nscluster-1::*> consistency-group namespace show
(vserver consistency-group namespace show)

```

Vserver	Consistency Group	Parent Consistency Group	Namespace Path
vs0	cg_test	-	/vol/vol_test/qtrees_test/ns_test
vs0	child1	parent_nvme	/vol/newVolnvme1/ns1_1
vs0	child1	parent_nvme	/vol/newVolnvme1/ns1_2
vs0	child2	parent_nvme	/vol/newVolnvme2/ns2_1
vs0	child2	parent_nvme	/vol/newVolnvme2/ns2_2
vs0	single_nvme	-	/vol/single_nvme_1/ns1_1
vs0	single_nvme	-	/vol/single_nvme_1/ns1_2
vs1	child1	parent_nvme	/vol/newVolnvme1/ns1_1
vs1	child1	parent_nvme	/vol/newVolnvme1/ns1_2
vs1	child2	parent_nvme	/vol/newVolnvme2/ns2_1
vs1	child2	parent_nvme	/vol/newVolnvme2/ns2_2

11 entries were displayed.

vserver consistency-group snapshot commit

Commit a 2 phase Snapshot copy for a consistency group

Availability: This command is available to *cluster* and *Vserver* administrators at the *admin* privilege level.

Description

The `vserver consistency-group snapshot commit` command commits a 2-phase Snapshot copy of a specified consistency group.

Parameters

-vserver <Vserver Name> - Vserver Name

This parameter specifies the Vserver that contains the consistency group where the Snapshot copy is to be committed.

-consistency-group <text> - Consistency Group Name

This parameter specifies the consistency group where a Snapshot copy is to be committed.

-snapshot <snapshot name> - Snapshot Copy Name

This parameter specifies the name of the Snapshot copy that is to be committed.

[-parent-consistency-group <text>] - Parent Consistency Group Name

This parameter specifies the parent consistency group where a Snapshot copy is to be committed.

Examples

The following example commits a 2-phase Snapshot copy named `snap1` on a child consistency group named `cg1` in parent consistency group `parentCg` on a Vserver named `vs0`.

```
cluster1::> vserver consistency-group snapshot commit -vserver vs0
-consistency-group cg1 -parent-consistency-group parentCg -snapshot snap1
(vserver consistency-group snapshot commit)
[Job 100] Job succeeded: Success
```

vserver consistency-group snapshot create

Create a new consistency group Snapshot copy

Availability: This command is available to *cluster* and *Vserver* administrators at the *admin* privilege level.

Description

The `vserver consistency-group snapshot create` command creates a Snapshot copy of a specified consistency group.

Parameters

-vserver <Vserver Name> - Vserver Name

This parameter specifies the Vserver that contains the consistency group where the Snapshot copy is to be created.

-consistency-group <text> - Consistency Group Name

This parameter specifies the consistency group where a Snapshot copy is to be created.

[-parent-consistency-group <text>] - Parent Consistency Group Name

This parameter specifies the parent consistency group where a Snapshot copy is to be created.

-snapshot <snapshot name> - Snapshot Copy Name

This parameter specifies the name of the Snapshot copy that is to be created.

[-consistency-type {crash|application}] - Consistency Type

This parameter specifies the consistency level of a Snapshot copy to be created. The default value is *crash*.

[-comment <text>] - Comment

This parameter specifies the comment associated with a Snapshot copy to be created.

[-snapmirror-label <text>] - Snapmirror Label

This parameter specifies the label associated with a Snapshot copy to be created.

[~~-write-fence~~ {true|false}] - Take write fence

This parameter specifies if a write fence is taken on the volumes in the consistency group while creating a Snapshot copy.

Examples

The following example creates a Snapshot copy named snap1 on a child consistency group named cg1 in parent consistency group parentCg on a Vserver named vs0. The Snapshot copy has a comment "A Snapshot copy", a Snapmirror label "Label" and is crash-consistent.

```
cluster1::> vserver consistency-group snapshot create -vserver vs0
-consistency-group cg1 -parent-consistency-group parentCg -snapshot snap1
-comment "A Snapshot copy" -snapmirror-label "Label" -consistency-type
crash
      (vserver consistency-group snapshot create)
[Job 100] Job succeeded: Success
```

vserver consistency-group snapshot delete

Delete an existing consistency group Snapshot Copy

Availability: This command is available to *cluster* and *Vserver* administrators at the *admin* privilege level.

Description

The `vserver consistency-group snapshot delete` command deletes a Snapshot copy of a specified consistency group.

Parameters

~~-vserver~~ <Vserver Name> - Vserver Name

This parameter specifies the Vserver that contains the consistency group on which the snapshot is to be deleted.

~~-consistency-group~~ <text> - Consistency Group Name

This parameter specifies the consistency group where a Snapshot copy is to be deleted.

~~-parent-consistency-group~~ <text> - Parent Consistency Group Name

This parameter specifies the parent consistency group where a Snapshot copy is to be deleted.

~~-snapshot~~ <snapshot name> - Snapshot Copy Name

This parameter specifies the name of the Snapshot copy that is to be deleted.

Examples

The following example deletes a Snapshot copy named snap1 on a child consistency group named cg1 in parent consistency group parentCg on a Vserver named vs0.

```
cluster1::> vserver consistency-group snapshot delete -vserver vs0
-consistency-group cg1 -parent-consistency-group parentCg -snapshot snap1
(vserver consistency-group snapshot delete)
Warning: Deleting a Snapshot copy permanently removes data that is stored
only in that Snapshot copy. Are you sure you want to delete Snapshot copy
"snap1" for consistency group "parentCG" in Vserver "vs0" ?
{y|n}: y
```

vserver consistency-group snapshot restore

Restore a consistency group to a specified Snapshot copy

Availability: This command is available to *cluster* and *Vserver* administrators at the *admin* privilege level.

Description

The `vserver consistency-group snapshot restore` command restores a Snapshot copy of a specified consistency group. This replaces the current working copy of the volume in the consistency group with the Snapshot copy that results in a loss of all changes made since the Snapshot copy was created.

Parameters

-vserver <Vserver Name> - Vserver Name

This specifies the Vserver that contains the consistency group on which the specified Snapshot copy to be restored is saved.

-consistency-group <text> - Consistency Group Name

This parameter specifies the consistency group where a Snapshot copy is to be restored.

-snapshot <snapshot name> - Snapshot Copy Name

This parameter specifies the name of the Snapshot copy that is to be restored.

[-parent-consistency-group <text>] - Parent Consistency Group Name

This parameter specifies the parent consistency group where a Snapshot copy is to be restored.

Examples

The following example restores a Snapshot copy named `snap1` on a consistency group named `childCG` on parent consistency group `parentCG` and is located on a Vserver named `vs0`.

```
cluster1::> vserver consistency-group snapshot restore -vserver vs0
-consistency-group childCG -parent-consistency-group parentCG -snapshot
snap1
(vserver consistency-group snapshot restore)
[Job 100] Job succeeded: Success
```

vserver consistency-group snapshot show

Display a list of existing consistency group Snapshot Copies

Availability: This command is available to *cluster* and *Vserver* administrators at the *admin* privilege level.

Description

The command displays information for consistency group Snapshot copies. Use the ``instance`` parameter to display additional consistency group Snapshot details.

Parameters

{ [-fields <fieldname>,...]

This specifies the fields that will be displayed.

| [-instance] }

Selects detailed information about all fields about the consistency group Snapshot copies.

[-vserver <Vserver Name>] - Vserver Name

Selects information about the consistency group Snapshot copies with a specified Vserver.

[-consistency-group <text>] - Consistency Group Name

Selects information about the consistency group Snapshot copies with a specified consistency group.

[-parent-consistency-group <text>] - Parent Consistency Group Name

Selects information about the consistency group Snapshot copies with a specified parent consistency group.

[-snapshot <snapshot name>] - Snapshot Copy Name

Selects information about the specified consistency group Snapshot copy.

[-consistency-type {crash|application}] - Consistency Type

Selects information about the consistency group Snapshot copies with a specified consistency type.

[-comment <text>] - Comment

Selects information about the consistency group Snapshot copies with a specified comment.

[-snapmirror-label <text>] - Snapmirror Label

Selects information about the consistency group Snapshot copies with a specified snapmirror label.

[-create-time <Date>] - Create Time

Selects information about the consistency group Snapshot with a specified create time.

[-pg-generation <integer>] - Protection Group Generation

Selects information about the consistency group Snapshot copies with a specified pg generation.

[-is-partial {true|false}] - Is Snapshot Copy Partial?

Selects information about the consistency group Snapshot copies with a specified partial state.

[-snapshot-volumes <volume name>,...] - List of Volume Names with this Snapshot Copy

Selects information about the consistency group Snapshot copies with specified Snapshot volumes.

[-missing-volumes <volume name>,...] - List of Volume Names Missing this Snapshot Copy

Selects information about the consistency group Snapshot copies with specified missing volumes.

[-snapshot-uuid <UUID>] - Snapshot UUID

Selects information about the consistency group Snapshot that matches the specified Snapshot UUID.

Examples

The following command lists all the Snapshot copies that are associated with consistency groups on Vserver svm1.

```
cluster1::> vserver consistency-group snapshot show -vserver svm1
(vserver consistency-group snapshot show)
          Parent
Vserver  Consistency  Consistency           Create
Group    Group         Group              Snapshot      Time
-----
svm1     cg1 -             snap1              Thu Jun 08 12:00:00 2023
svm1     cg2 -             snap2              Thu Jun 08 1:00:00 2023
2 entries were displayed.
```

vserver consistency-group snapshot start

Start a 2 phase Snapshot copy for a consistency group

Availability: This command is available to *cluster* and *Vserver* administrators at the *admin* privilege level.

Description

The `vserver consistency-group snapshot start` command starts a 2-phase Snapshot copy of a specified consistency group.

Parameters

-vserver <Vserver Name> - Vserver Name

This parameter specifies the Vserver that contains the consistency group where the Snapshot copy is to be started.

-consistency-group <text> - Consistency Group Name

This parameter specifies the consistency group where a Snapshot copy is to be started.

-snapshot <snapshot name> - Snapshot Copy Name

This parameter specifies the name of the Snapshot copy that is to be started.

[-parent-consistency-group <text>] - Parent Consistency Group Name

This parameter specifies the parent consistency group where a Snapshot copy is to be started for a child consistency group.

[-consistency-type {crash|application}] - Consistency Type

This parameter optionally specifies the consistency level of a Snapshot copy. The default value is *crash*.

[-comment <text>] - Comment

This parameter optionally specifies the comment associated with a Snapshot copy.

[-snapmirror-label <text>] - Snapmirror Label

This parameter optionally specifies the label associated with a Snapshot copy.

[-start-timeout <integer>] - Timeout for 2-phase snapshot

This parameter optionally specifies the timeout limit for the Snapshot copy to be started. The default value is 7 seconds.

[-write-fence {true|false}] - Take write fence

This parameter specifies if a write fence is taken on the volumes in the consistency group while creating a Snapshot copy.

Examples

```
+ The following example starts a 2-phase Snapshot copy named snap1 on a consistency group named cg1 on a Vserver named vs0. The Snapshot copy has start-timeout set to "60", a comment "2-phase", a Snapmirror label "Label" and is crash-consistent.
```

```
cluster1::> vserver consistency-group snapshot start -vserver vs0
-consistency-group cg1 -parent-consistency-group "-" -snapshot snap1
-start-timeout 60 -comment "2-phase" -snapmirror-label "Label"
-consistency-type crash
(vserver consistency-group snapshot start)
```

```
+ The following example starts a 2-phase Snapshot copy named snap2 on a child consistency group named childCg in parent consistency group parentCg on a Vserver named vs0. The Snapshot copy has start-timeout set to "90".
```

```
cluster1::> vserver consistency-group snapshot start -vserver vs0
-consistency-group childCg -parent-consistency-group parentCg -snapshot
snap2 -start-timeout 90
(vserver consistency-group snapshot start)
```

vserver consistency-group volume add

Add a volume to the consistency group

Availability: This command is available to *cluster* and *Vserver* administrators at the *admin* privilege level.

Description

The `vserver consistency-group volume add` adds existing volumes to a consistency group.

Parameters

-vserver <Vserver Name> - Vserver Name

This parameter specifies the Vserver that contains the consistency group to which the volumes will be added.

-consistency-group <text> - Consistency Group

This parameter specifies the consistency group to which the volumes will be added.

[-parent-consistency-group <text>] - Parent Consistency Group

This parameter specifies the parent consistency group to which the volumes will be added.

-volume <text> - Volume

This parameter specifies the volume to be added to the consistency group.

Examples

The following example will add volumes vol1,vol2 to a child consistency group named cg in parent consistency group parentCg on a Vserver named vs0.

```
cluster1::> vserver consistency-group volume add -vserver vs0 -consistency
-group cg -parent-consistency-group parentCg -volume vol1,vol2
      (vserver consistency-group volume add)
      [Job 100] Job succeeded: Success
```

vserver consistency-group volume create

Create a new volume in a consistency group

Availability: This command is available to *cluster* and *Vserver* administrators at the *admin* privilege level.

Description

The `vserver consistency-group volume create` command creates new volumes in a consistency group.

Parameters

-vserver <Vserver Name> - Vserver Name

This parameter specifies the Vserver that contains the consistency group in which the volumes will be created.

-consistency-group <text> - Consistency Group

This parameter specifies the consistency group in which the volumes will be created.

-parent-consistency-group <text> - Parent Consistency Group

This parameter specifies the parent of the consistency group in which the volumes will be created.

-volume <volume name> - Volume

This parameter specifies the name of the volume to be created in the consistency group. If the `-volume-count` parameter is specified this field is treated as prefix.

-size {<integer>[KB|MB|GB|TB|PB]} - Size

This parameter specifies the size of each new volume that is to be created in the consistency group. If `-lun` or `-namespace` parameter is specified, this refers to the size of each LUN or namespace.

[-volume-count <integer>] - Number of volumes

This parameter specifies the number of new volumes to be created in the consistency group.

{ [-export-policy <export policy name>] - Volume Export Policy

This parameter specifies the name of the export policy to be associated with the newly created volumes.

[-nas-path <junction path>] - Junction Path

This parameter specifies the junction path for mounting the volumes.

[-nas-gid <integer>] - NAS Group ID

This parameter specifies the NAS gid.

[-nas-junction-parent-volume <volume name>] - Junction Parent Volume Name

This parameter specifies the NAS junction parent volume.

[-nas-security-style <security style>] - NAS Security Style

This parameter specifies the NAS security style.

[-nas-uid <integer>] - NAS User ID

This parameter specifies the NAS UID.

[-nas-unix-permissions <unix perm>] - NAS UNIX Permissions

This parameter specifies the NAS UNIX permissions.

[-cifs-shares <Share>,...] - Volume CIFS Share Names

This parameter specifies the name of the CIFS share to be created.

[-cifs-share-acl-user-or-group <text>] - CIFS User/Group Name

This parameter specifies the acl user or group of the CIFS share for each volume in the new consistency

group.

[-cifs-share-acl-win-unix-id <text>] - Windows SID or UNIXID

This parameter specifies the acl windows or unix id of the CIFS share for each volume in the new consistency group.

[-cifs-share-acl-type {windows|unix-user|unix-group}] - CIFS User or Group Type

This parameter specifies the acl type of the CIFS share for each volume in the new consistency group.

[-cifs-share-acl-permission <access rights>] - CIFS Access Type

This parameter specifies the acl permission of the CIFS share for each volume in the new consistency group.

| [-lun <text>] - LUN Name

This parameter specifies the name of the LUN to be created in the consistency group. If the `-lun-count` parameter is specified this field is treated as prefix.

[-lun-count <integer>] - Number of LUNs

This parameter specifies the number of new LUNs to be created in the consistency group.

[-lun-os-type <LUN Operating System Format>] - OS Type

This parameter specifies the OS type for the new LUNs.

[-igroup <text>] - Igroup Name

This parameter specifies the name of the initiator group.

| [-namespace <text>] - Namespace Name

This parameter specifies the name of the namespace to be created in the consistency group. If the `-namespace-count` parameter is specified this field is treated as prefix.

[-namespace-count <integer>] - Number of Namespaces

This parameter specifies the number of new namespaces to be created in the consistency group.

[-namespace-os-type {aix|linux|vmware|windows}] - OS Type

This parameter specifies the OS type for the new namespaces.

[-subsystem <text>] - Subsystem Name }

This parameter specifies the name of the nvme subsystem.

Examples

```
+ The following command creates 2 new volumes in consistency group
singleCG.
```

```
cluster1::> vsserver consistency-group volume create -vsserver vs0
-consistency-group singleCG -parent-consistency-group - -volume
vol_singleCG -size 20M -volume-count 2
      (vsserver consistency-group volume create)
      [Job 100] Job succeeded: Success
```

+ The following command creates 2 new volumes in consistency group singleCG with 2 new LUNs in each volume.

```
cluster1::> vsserver consistency-group volume create -vsserver vs0
-consistency-group singleCG -parent-consistency-group - -volume vol -size
20M -volume-count 2 -lun lun -lun-count 2 -lun-os-type linux -igroup ig1
      (vsserver consistency-group volume create)
      [Job 101] Job succeeded: Success
```

+ The following command creates 2 new volumes in consistency group singleCG with 2 new nvme namespaces in each volume.

```
cluster1::> vsserver consistency-group volume create -vsserver vs0
-consistency-group singleCG -parent-consistency-group - -volume vol -size
20M -volume-count 2 -namespace ns -namespace-count 2 -namespace-os-type
linux -subsystem ss1
      (vsserver consistency-group volume create)
      [Job 102] Job succeeded: Success
```

+ The following command creates a new volume in consistency group singleCG with CIFS share alongiwth acl properties.

```
cluster1::> vsserver consistency-group volume create -vsserver vs0
-consistency-group singleCG -parent-consistency-group - -volume
vol_singleCG -size 20M -volume-count 2 -cifs-shares share1 -cifs-share-acl
-type windows -cifs-share-acl-user-or-group Everyone -cifs-share-acl
-permission Read -nas-path "/vol"
      (vsserver consistency-group volume create)
      [Job 103] Job succeeded: Success
```

vserver consistency-group volume reassign

Reassign a volume to a different consistency group.

Availability: This command is available to *cluster* and *Vserver* administrators at the *admin* privilege level.

Description

The `vserver consistency-group volume reassign` will reassign volumes from one child consistency group to another child consistency group within a parent consistency group.

Parameters

-vserver <Vserver Name> - Vserver Name

This parameter specifies the Vserver that contains the consistency group from which the volumes are reassigned.

-consistency-group <text> - Consistency Group

This parameter specifies the consistency group from which the volumes are detached.

-parent-consistency-group <text> - Parent Consistency Group

This parameter specifies the parent consistency group from which the volumes are detached.

-volume <text> - Volume

This parameter specifies the volumes which are reassigned.

{ -new-consistency-group <text> - New Consistency Group

This optional parameter specifies a new child consistency group to which the volumes are reassigned and attached to.

| -destination-consistency-group <text> - Destination Consistency Group }

This optional parameter specifies existing child consistency group to which the volumes are reassigned and attached to.

Examples

The following example will reassign volumes `vol1,vol2` from child consistency group named `cg` in parent consistency group `parentCg` on a Vserver named `vs0` to new child consistency group `new_cg`.

```
cluster1::> vserver consistency-group volume reassign -vserver vs0
-consistency-group cg -parent-consistency-group parentCg -volume vol1,vol2
-new-consistency-group new_cg
      (vserver consistency-group volume reassign)
[Job 100] Job succeeded: Success
```

vserver consistency-group volume remove

Remove a volume from consistency group

Availability: This command is available to *cluster* and *Vserver* administrators at the *admin* privilege level.

Description

The `vserver consistency-group volume remove` removes volumes from a consistency group.

Parameters

-vserver <Vserver Name> - Vserver Name

This parameter specifies the Vserver that contains the consistency group from which the volume will be removed.

-consistency-group <text> - Consistency Group

This parameter specifies the consistency group from which the volume will be removed.

-parent-consistency-group <text> - Parent Consistency Group

This parameter specifies the parent consistency group from which the volume will be removed.

-volume <volume name> - Volume

This parameter specifies the volume to be removed from the consistency group.

Examples

The following example will remove volumes vol1,vol2 from child consistency group named cg in parent consistency group parentCg on a Vserver named vs0.

```
cluster1::> vserver consistency-group volume remove -vserver vs0
-consistency-group cg -parent-consistency-group parentCg -volume vol1
(vserver consistency-group volume remove)
Warning: Are you sure you want to remove volume "vol1" from
consistency group "cg" in Vserver "vs0" ? {y|n}: y
[Job 100] Job succeeded: Success
```

vserver consistency-group volume show

Display a list of existing consistency group Volumes

Availability: This command is available to *cluster* and *Vserver* administrators at the *admin* privilege level.

Description

The command displays information for consistency group volumes. Use the ``instance`` parameter to display additional consistency group volume details.

Parameters

{ [-fields <fieldname>,...]

This specifies the fields that need to be displayed.

| [-instance] }

If you specify the `-instance` parameter, the command displays detailed information about all fields.

[-vserver <Vserver Name>] - Vserver Name

Selects information about the consistency group volumes in the specified Vserver.

[-consistency-group <text>] - Consistency Group

Selects information about the consistency group volumes in the specified consistency group.

[-parent-consistency-group <text>] - Parent Consistency Group

Selects information about the consistency group volumes in the specified parent consistency group.

[-volume <volume name>] - Volume

Selects information about the specified consistency group volume.

[-uuid <UUID>] - Volume UUID

Selects information about the consistency group volume that matches the specified volume UUID.

[-vserver-uuid <UUID>] - Vserver UUID

Selects information about the consistency group volumes that matches the specified Vserver UUID.

[-consistency-group-uuid <UUID>] - UUID

Selects information about the consistency group volumes that matches the specified consistency group UUID.

[-parent-consistency-group-uuid <UUID>] - Parent CG UUID

Selects information about the consistency group volumes that matches the specified parent consistency group UUID.

[-size {<integer>[KB|MB|GB|TB|PB] }] - Size

Selects information about the consistency group volumes that have the specified size.

[-space-available {<integer>[KB|MB|GB|TB|PB] }] - Available Space

Selects information about the consistency group volumes that have the specified available space.

[-space-used {<integer>[KB|MB|GB|TB|PB] }] - Used Space

Selects information about the consistency group volumes that have the specified used space.

[-export-policy <export policy name>] - Volume Export Policy

Selects information about the consistency group volumes that have the specified export policy.

[-cifs-shares <Share>,...] - Volume CIFS Share Names

Selects information about the consistency group volumes that have the specified CIFS share name.

Examples

The following command lists all the volumes that are associated with a consistency group.

```
cluster1::> vserver consistency-group volume show
              (vserver consistency-group volume show)
              Parent
Consistency  Consistency
Used         Available
Vserver     Group      Group      Volume     Size     Space
Space
-----
-----
san_vs0     Child_CG_1  Parent_cg  vol_child1_1 206MB   205.7MB
296KB
san_vs0     Child_CG_2  Parent_cg  vol_child2_1 206MB   205.7MB
280KB
san_vs0     Child_CG_3  Parent_cg  vol_child3_1 206MB   205.7MB
260KB
san_vs0     Child_CG_3  Parent_cg  vol_child3_2 206MB   205.7MB
332KB
san_vs0     Child_CG_3  Parent_cg  vol_child3_3 206MB   205.7MB
296KB
5 entries were displayed.
```

Copyright information

Copyright © 2024 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.