



## **ccma events**

### ONTAP EMS reference

NetApp  
November 20, 2025

# Table of Contents

ccma events . . . . .	1
ccma.disabled events . . . . .	1
ccma.disabled . . . . .	1
ccma.perfstatd events . . . . .	1
ccma.perfstatd.disabled . . . . .	1
ccma.quota events . . . . .	2
ccma.quota.datastore.leak . . . . .	2
ccma.quota.file.leak . . . . .	2
ccma.quota.throughput . . . . .	2

# ccma events

## ccma.disabled events

### ccma.disabled

#### Severity

ERROR

#### Description

This message occurs when the Performance Archive has been disabled for more than an hour. This is caused by setting the -is-enabled flag to false. This message will be repeated every hour that the archiver is turned off. The messages will only be displayed once a day.

#### Corrective Action

Run the 'statistics archive config modify -is-enable true' command. This will enable the Performance Archive.

#### Syslog Message

The Performance Archive has been disabled for more than an hour. It is important for the analysis and diagnosis of performance related issues. Consider enabling it.

#### Parameters

(None).

## ccma.perfstatd events

### ccma.perfstatd.disabled

#### Severity

ERROR

#### Description

This message occurs when the Perfstat daemon (perfstatd) has been disabled for more than an hour. This is caused by setting the -perfstat-sampling-period value to 0. This message will be repeated every hour perfstatd is turned off. The messages will only be displayed once a day.

#### Corrective Action

Run the 'statistics archive config modify -perfstat-sampling-period 5' command. This will enable the perfstatd and it will set the Perfstat sampling period to the default value of 5 minutes.

#### Syslog Message

The Perfstat daemon (perfstatd) has been disabled for more than an hour. It is important for the analysis and diagnosis of performance related issues. Consider enabling it.

#### Parameters

(None).

# ccma.quota events

## ccma.quota.datastore.leak

### Severity

ERROR

### Description

This message occurs when a datastore has been orphaned due to the system not having sufficient memory to keep track of it in the quota system. Orphaned datastores will take up disk space and may build up over time if this problem recurs.

### Corrective Action

Delete the orphaned datastore and/or restart the CM daemon once the out of memory condition has been resolved.

### Syslog Message

A datastore may have been orphaned due to the system being out of memory. Please delete this datastore: %s

### Parameters

**datastore** (STRING): Name of the datastore that has been orphaned and needs to be deleted.

## ccma.quota.file.leak

### Severity

ERROR

### Description

This message occurs when an archiver file has been orphaned due to the system not having sufficient memory to keep track of the file in the quota system. Orphaned files will take up disk space and may build up over time if this problem recurs.

### Corrective Action

Delete the orphaned file and/or restart the CM daemon once the out of memory condition has been resolved.

### Syslog Message

An archiver file may have been orphaned due to the system being out of memory. Please delete this file: %s

### Parameters

**filename** (STRING): Name of the archiver file that has been orphaned and needs to be deleted.

## ccma.quota.throughput

### Severity

NOTICE

### Description

This message occurs when the performance archive data collection rate is too high for the amount of reserved disk space, possibly resulting in a shortened history of the system's performance (less than the

configured datastore-max-retention value). A shortened history might limit the ability of support staff to triage performance problems.

## Corrective Action

Using the (diagnostic privilege) "statistics archive config" commands, increase the performance archive's datastore-max-percent configuration parameter so that the reported datastore-max-size value on this node is increased by the stated "size" amount.

## Syslog Message

The performance archive data collection rate is too high for the amount of space available. The system can only keep %ld days of performance archive data at this rate, and needs %ld MB of additional space to maintain a system performance history equal to the datastore-max-retention configuration value.

## Parameters

**days** (LONGINT): Number of days of performance archive data that can be stored at the current rate.

**size** (LONGINT): Size increase (in MB) needed to maintain a system performance history equal to the datastore-max-retention configuration value.

## Copyright information

Copyright © 2025 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

**LIMITED RIGHTS LEGEND:** Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

## Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.