



## **tcp events**

### ONTAP EMS reference

NetApp  
November 20, 2025

# Table of Contents

tcp events .....	1
tcp.cc events .....	1
tcp.cc.NewRenoInUpgrade .....	1
tcp.change events .....	1
tcp.change.cc.algorithm .....	1
tcp.conn events .....	1
tcp.conn.inconsistent .....	2

# tcp events

## tcp.cc events

### tcp.cc.NewRenoInUpgrade

#### Severity

ERROR

#### Description

This message occurs when the system is configured to use the TCP NewReno congestion control algorithm. The TCP CUBIC algorithm is the recommended algorithm.

#### Corrective Action

The TCP NewReno congestion control algorithm is selected for the Default IPspace in 9.8 based on the system's previous configuration. Confirm that TCP NewReno is the desired algorithm. NetApp recommends the CUBIC TCP congestion control algorithm in most cases. Use the "network options congestion-control modify" command to change the congestion control algorithm.

#### Syslog Message

The system is configured to use the NewReno congestion control algorithm, which is not recommended.

#### Parameters

(None).

## tcp.change events

### tcp.change.cc.algorithm

#### Severity

ERROR

#### Description

This message occurs when an attempt to change the TCP congestion control algorithm fails.

#### Corrective Action

Check the node health, address any issues found, and then try the command again.

#### Syslog Message

An error (out of memory) occurred while changing the TCP congestion control algorithm of existing connection(s) to %s. The NewReno (RFC6582) will be used as the congestion control algorithm for those connections.

#### Parameters

**cc\_algo** (STRING): Name of the congestion control algorithm to which the change was attempted.

## tcp.conn events

## tcp.conn.inconsistent

### Severity

ERROR

### Description

This message occurs when TCP internal metadata for a given TCP connection is inconsistent and does not align with the socket send buffer data. This inconsistency might result in a controller disruption. Depending on how the inconsistency occurs, the TCP connection can be reset.

### Corrective Action

If the TCP SACK option is enabled, disable it and re-establish the specified TCP connection. Also, check for network congestion in the network attached to this controller and address any issues found.

### Syslog Message

Inconsistency between TCP metadata and the socket send buffer occurred for the connection with local address "%s:%d" and remote address "%s:%d". The inconsistency occurred while processing "%s". The connection is "%s".

### Parameters

**local\_address** (STRING): Local IP address of the connection.

**local\_port** (INT): Local port of the connection.

**peer\_address** (STRING): Foreign IP address of the connection.

**peer\_port** (INT): Foreign port of the connection.

**error\_code\_path** (STRING): Code path where the error occurred.

**connection\_reset** (STRING): Indication of whether the connection was reset or not.

## Copyright information

Copyright © 2025 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

**LIMITED RIGHTS LEGEND:** Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

## Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.