

## volume events

ONTAP 9.11.1 EMS reference

NetApp August 29, 2024

This PDF was generated from https://docs.netapp.com/us-en/ontap-ems-9111/volume-check-events.html on August 29, 2024. Always check docs.netapp.com for the latest.

# **Table of Contents**

volume events
volume.check events
volume.transition events

## volume events

## volume.check events

### Volume.Check.Completed

#### Deprecated

Deprecated as of Data ONTAP 9.6 because Infinite Volumes no longer exist.

#### Severity

NOTICE

#### Description

This message occurs when a 'volume check' scan successfully runs to completion.

#### **Corrective Action**

(None).

#### Syslog Message

The 'volume check' scan was completed for volume [%s] on Vserver [%s].

#### Parameters

**volume** (STRING): Name of the constituent volume. **vserver** (STRING): Vserver hosting the volume.

### Volume.Check.Failed

#### Deprecated

Deprecated as of Data ONTAP 9.6 because Infinite Volumes no longer exist.

#### Severity

ERROR

#### Description

This message occurs when a 'volume check' scan fails to run to completion.

#### **Corrective Action**

Correct the reported error and reissue the 'volume check' command. If error persists, contact NetApp technical support.

#### Syslog Message

The 'volume check' scan failed for volume [%s] on Vserver [%s] with error [%s].

#### Parameters

**volume** (STRING): Name of the constituent volume. **vserver** (STRING): Vserver hosting the volume. **error** (STRING): Error string.

### Volume.Check.Report

#### Deprecated

Deprecated as of Data ONTAP 9.6 because Infinite Volumes no longer exist.

#### Severity

INFORMATIONAL

#### Description

This message occurs when volume check completes the scan. The report contains information about the following inconsistencies detected and the corrective action taken: 1) Corruption/loss of redirector content. 2) Valid redirector content file, but data file being pointed to did not exist in the Data Constituents. 3) Create Dongle files. 4) NLINKS inconsistency. 5) ACL mismatch. 6) Corrupt data file name. 7) Data file does not have a corresponding redirector file. 8) Corruption/loss of stream redirector content. 9) Valid redirector stream data being pointed to did not exist in the Data Constituents. 10) Corrupt stream data file name. 11) Stream data does not have a corresponding redirector stream.

#### **Corrective Action**

(None).

#### Syslog Message

Volume Check Report for Constituent Volume [%s] in Vserver [%s] - Inconsistency - (Issues Found/Issues Fixed); Corrupt Redirector - (%d/%d); Dangling Redirector - (%d/%d); Temporary Files - (%d/%d); NLinks - (%d/%d); ACL mistatch - (%d/%d); Dangling Data File - (%d/%d); Corrupt Data File - (%d/%d); Corrupt Stream Redirector - (%d/%d); Dangling Stream Redirector - (%d/%d); Dangling Stream Data - (%d/%d); Corrupt Stream Data - (%d/%d);

#### **Parameters**

volume (STRING): Constituent volume.

vserver (STRING): Vserver hosting the volume.

numOfCorruptRedirectorsFound (INT): Number of corrupt or lost redirectors found. numOfCorruptRedirectorsFixed (INT): Number of corrupt or lost redirectors fixed. numOfDanglingRedirectorsFound (INT): Number of dangling redirectors found. numOfDanglingRedirectorsFixed (INT): Number of dangling redirectors fixed. numOfTempFilesFound (INT): Number of hidden temporary files remaining after failed creates. numOfTempFilesRemoved (INT): Number of hidden temporary files removed. numOfNlinkMisMatchesFound (INT): Number of NLINKS mismatches found. numOfNlinkMisMatchesFixed (INT): Number of NLINKS mismatches fixed. numOfACLMisMatchesFound (INT): Number of ACL mismatches found. numOfACLMisMatchesFixed (INT): Number of ACL mismatches fixed. numOfDanglingDataFilesFound (INT): Number of dangling data files found. numOfDanglingDataFilesFixed (INT): Number of dangling data files fixed. numOfCorruptDataFilesFound (INT): Number of corrupt or lost data files found. numOfCorruptDataFilesFixed (INT): Number of corrupt or lost data files fixed. numOfCorruptStreamRedirectorsFound (INT): Number of corrupt stream redirectors found. numOfCorruptStreamRedirectorsFixed (INT): Number of corrupt stream redirectors fixed. numOfDanglingStreamRedirectorsFound (INT): Number of dangling stream redirectors found. numOfDanglingStreamRedirectorsFixed (INT): Number of dangling stream redirectors fixed. numOfDanglingStreamDataFound (INT): Number of dangling stream data instances found. numOfDanglingStreamDataFixed (INT): Number of dangling stream data instances fixed. numOfCorruptStreamDataFound (INT): Number of corrupt stream data instances found. numOfCorruptStreamDataFixed (INT): Number of corrupt stream data instances fixed.

### Volume.Check.Start.Job.Started

#### Deprecated

Deprecated as of Data ONTAP 9.6 because Infinite Volumes no longer exist.

#### Severity

INFORMATIONAL

#### Description

This message occurs when the 'volume check start' command starts the job, but fails to update the RDB(replicated database) table and the corresponding job is still running.

#### **Corrective Action**

Use the 'job stop' command to abort the reported job before starting another check.

#### Syslog Message

A 'volume check' command started job [ID: %s] for volume [%s] in Vserver [%s].

#### Parameters

**jobid** (STRING): Job ID of the scan. **volume** (STRING): Name of the constituent volume for which the job was started. **vserver** (STRING): Vserver hosting the volume.

## volume.transition events

#### volume.transition.plugin.slow

#### Severity

INFORMATIONAL

#### Description

This message occurs when a volume transition plug-in is taking longer than expected.

#### **Corrective Action**

(None).

#### Syslog Message

Volume transition on volume %s, plug-in %s running %d ms (expected %d ms).

#### Parameters

voluuid (STRING): Unique identifier for this volume.
plugin (STRING): Name of the slow plug-in.
used (INT): Runtime for the plug-in, in milliseconds.
expected (INT): Expected runtime for the plug-in, in milliseconds.

#### **Copyright information**

Copyright © 2024 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

#### **Trademark information**

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.