



## **director events**

### ONTAP EMS reference

NetApp  
November 20, 2025

# Table of Contents

director events .....	1
director.aggr events .....	1
director.aggr.reassigned .....	1
director.dataip events .....	1
director.dataip.reassigned .....	1

# director events

## director.aggr events

### director.aggr.reassigned

#### Severity

NOTICE

#### Description

This message occurs when an aggregate is being reassigned from one node to another node. The output contains the Firefly ID and node ID of both nodes as well as whether or not the operation was done forcefully. The value of isForceful is "true" if an aggregate is moved in response to a error condition on the cluster rather than a user requested operation.

#### Corrective Action

(None).

#### Syslog Message

Aggregate (ID: %u) is being reassigned (forcefully:%u) from node %s (ID: %u, Uuid: %s Firefly ID: %u) to node %s (ID: %u, Uuid: %s Firefly ID: %u).

#### Parameters

**aggrID** (INT): Unique identifier of the aggregate being reassigned.

**isForceful** (INT): Boolean value to denote whether or not the reassignment was done forcefully.

**fromNode** (STRING): Name of the node that the aggregate is being reassigned from.

**fromNodeID** (INT): Unique identifier of the node that the aggregate is being reassigned from.

**fromNodeUuid** (STRING): Universal unique identifier of the node that the aggregate is being reassigned from.

**fromFireflyID** (INT): Unique identifier of the Firefly Service that the aggregate is reassigned to.

**toNode** (STRING): Name of the node that the aggregate is being reassigned to.

**toNodeID** (INT): Unique identifier of the node that the aggregate is being reassigned to.

**toNodeUuid** (STRING): Universal unique identifier of the node that the aggregate is being reassigned to.

**toFireflyID** (INT): Unique identifier of the Firefly Service that the aggregate is reassigned to.

## director.dataip events

### director.dataip.reassigned

#### Severity

NOTICE

#### Description

This message occurs when a data IP address is being reassigned from one node to another node. The output contains the node ID of both nodes as well as whether or not the operation was done forcefully. The value of isForceful is "true" if the data IP is moved in response to a error condition on the cluster rather than a user requested operation.

## Corrective Action

(None).

## Syslog Message

Data IP address %s (ID: %u) is being reassigned (forcefully:%u) from node %s (ID: %u, Uuid: %s) to node %s (ID: %u, Uuid: %s).

## Parameters

**dataip** (STRING): IP address of the data IP.

**dataipID** (INT): Unique identifier of the data IP.

**isForceful** (INT): Boolean value to denote whether or not the reassignment was done forcefully.

**fromNode** (STRING): Name of the node from which the data IP is being reassigned.

**fromNodeID** (INT): Unique identifier of the node from which the data IP is being reassigned.

**fromNodeUuid** (STRING): Universal unique identifier of the node from which the data IP is being reassigned.

**toNode** (STRING): Name of the node to which the data IP is being reassigned.

**toNodeID** (INT): Unique identifier of the node to which the data IP is being reassigned.

**toNodeUuid** (STRING): Universal unique identifier of the node to which the data IP is being reassigned.

## Copyright information

Copyright © 2025 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

**LIMITED RIGHTS LEGEND:** Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

## Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.