



## **snapdiff events**

### ONTAP EMS reference

NetApp  
May 13, 2026

# Table of Contents

- snapdiff events ..... 1
- snapdiff.rebl events ..... 1
- snapdiff.rebl.absent.allocated.block ..... 1
- snapdiff.rebl.BadAccessTime ..... 1
- snapdiff.rebl.BadModifyTime ..... 2
- snapdiff.spinnp events ..... 2
- snapdiff.spinnp.abort.mgwd ..... 2
- snapdiff.zapi events ..... 3
- snapdiff.zapi.filenameUnavailable ..... 3

# snapdiff events

## snapdiff.rebl events

### snapdiff.rebl.absent.allocated.block

#### Severity

INFORMATIONAL

#### Description

This message occurs when SnapDiff®, the snapshot copy differencing engine, encounters an absent allocated block. The absent allocated block is replicated to destination as raid error and Replication is unaffected by this issue.

#### Corrective Action

None. Zombie count of 0 is expected even when zombie processing is ongoing.

#### Syslog Message

Encountered an absent allocated block on inode %u in snapshot copy ID %u of volume %u Zombie processing: %u.

#### Parameters

**inode\_num** (INT): Identifier of the affected file.  
**snap\_id** (INT): Identifier of the snapshot.  
**fsid** (INT): Identifier of the volume.  
**zombie\_processing** (INT): Ongoing zombie processing.

### snapdiff.rebl.BadAccessTime

#### Severity

NOTICE

#### Description

This message occurs when SnapDiff®, the snapshot copy differencing engine, encounters an invalid access time for an inode. Future accesses of the inode should not only succeed, but also reset its access time to a valid value. Replication is also unaffected by this issue.

#### Corrective Action

Run the (privilege: advanced) "inodepath -v volume\_name inode\_number" command to find the path of the affected file from the inode number, and modify the file within the Active File System. Note that file attributes captured in a snapshot copy cannot be changed.

#### Syslog Message

Encountered invalid access time on inode %u in snapshot ID %u of volume %u.

#### Parameters

**inode\_num** (INT): Identifier of the affected file.  
**snap\_id** (INT): Identifier of the snapshot.  
**fsid** (INT): Identifier of the volume.

## snapdiff.rebl.BadModifyTime

### Severity

NOTICE

### Description

This message occurs when SnapDiff®, the snapshot copy differencing engine, encounters an invalid modification time for an inode. Future accesses of the inode should not only succeed, but also reset its modification time to a valid value. Replication is also unaffected by this issue.

### Corrective Action

Run the (privilege: advanced) "inodepath -v volume\_name inode\_number" command to find the path of the affected file from the inode number, and modify the file within the Active File System. Note that file attributes captured in a snapshot copy cannot be changed.

### Syslog Message

Encountered invalid modify time on inode %u in snapshot ID %u of volume %u.

### Parameters

**inode\_num** (INT): Identifier of the affected file.

**snap\_id** (INT): Identifier of the snapshot.

**fsid** (INT): Identifier of the volume.

## snapdiff.spinnp events

### snapdiff.spinnp.abort.mgwd

### Severity

NOTICE

### Description

This message occurs when the system encounters an unexpected condition while computing differences between snapshots using the SnapDiff v2 API.

### Corrective Action

(None).

### Syslog Message

Encountered unexpected Data ONTAP error while computing differences between snapshots using the SnapDiff v2 API. SnapDiff session ID %s, FlexGroup %s, in vservers %s, with MSID %lu, diff snapshot %s, diff snapshot ID %lu, base snapshot %s, base snapshot ID %lu, current constituent DSID %lu. Error: %s

### Parameters

**sessionId** (STRING): SnapDiff v2 session ID.

**fgName** (STRING): FlexGroup name.

**vsName** (STRING): Vserver name.

**fgMsid** (LONGINT): FlexGroup MSID.

**diffSnapName** (STRING): Diff snapshot name.

**diffSnapId** (LONGINT): Diff snapshot logical ID.

**baseSnapName** (STRING): Base snapshot name.

**baseSnapId** (LONGINT): Base snapshot logical ID.

**curDsid** (LONGINT): Current constituent DSID.  
**error** (STRING): Error message.

## snapdiff.zapi events

### snapdiff.zapi.filenameUnavailable

#### Severity

ERROR

#### Description

This message occurs when the snapshot differencing engine, SnapDiff, fails to obtain an appropriate file name for the requested file access protocol. The SnapDiff session is aborted and future attempts will fail until the problem is resolved.

#### Corrective Action

(Call support).

#### Syslog Message

Failed to get an appropriate file name for the requested file access protocol for directory entry with inode %u in directory with inode %u in snapshot %u of volume %u.

#### Parameters

**inode\_num** (INT): Identifier of the directory entry.  
**parent\_inode\_num** (INT): Identifier of the directory.  
**incr\_snap\_id** (INT): Identifier of the incremental snapshot.  
**fsid** (INT): Identifier of the volume.  
**base\_snap\_id** (INT): Identifier of the base snapshot.

## Copyright information

Copyright © 2026 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

## Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.