



azurearc events

ONTAP EMS reference

NetApp
November 18, 2025

Table of Contents

azurearc events	1
azurearc.agent events	1
azurearc.agent.connection.failed	1
azurearc.agent.connection.success	1
azurearc.agent.token.gen.failed	1
azurearc.himds events	2
azurearc.himds.startup.failed	2
azurearc.himds.startup.success	2
azurearc.new events	3
azurearc.new.agent.created	3

azurearc events

azurearc.agent events

azurearc.agent.connection.failed

Severity

ERROR

Description

This message occurs when the Microsoft Connected Machine Agent failed to connect to Azure Arc. This message is only applicable to Azure NetApp Files systems.

Corrective Action

Look at the error code given in the reason for the error. Search on "troubleshoot azure connected machine agent connection issues" for the Microsoft Azure Arc Troubleshooting page for suggested remediations. If this does not resolve the issue, contact NetApp technical support.

Syslog Message

The Azure Connected Machine Agent failed to connect to Azure Arc. Reason: %s.

Parameters

reason (STRING): Reason for the error.

azurearc.agent.connection.success

Severity

NOTICE

Description

This message occurs when the Azure Connected Machine Agent has successfully connected to Azure Arc, and is ready to accept token issuance requests. This message is only applicable to Azure NetApp Files systems.

Corrective Action

(None).

Syslog Message

The Azure Connected Machine Agent has successfully connected to Azure Arc, and is ready to accept token issuance requests.

Parameters

(None).

azurearc.agent.token.gen.failed

Severity

EMERGENCY

Description

This message occurs when the Microsoft Connected Machine Agent failed to generate Azure OAuth 2.0 tokens. Prompt action should be taken to resolve this issue to avoid failure of critical Azure NetApp Files services such as FabricPool and SnapMirror Cloud. This message is only applicable to Azure NetApp Files systems.

Corrective Action

Look for the reason for the error in `/var/opt/azcmagent/log/azcmagent.log`. The most likely cause for this error is the Azure Connected Machine agent is disconnected from Microsoft Azure Arc and the fallback MI token is either not available or has expired.

Syslog Message

Azure Arc token generation failed.

Parameters

(None).

azurearc.himds events

azurearc.himds.startup.failed

Severity

ERROR

Description

This message occurs when the Hybrid Instance Metadata service (HIMDS) failed to start up at boot time. The Microsoft Connected Machine Agent will not be able to listen for connections. This message is only applicable to Azure NetApp Files systems.

Corrective Action

Look at the logs in `/var/opt/azcmagent/log/himds.log` for more information. Reboot the machine. If this does not resolve the issue, contact NetApp technical support.

Syslog Message

The Hybrid Instance Metadata service (HIMDS) failed to start.

Parameters

(None).

azurearc.himds.startup.success

Severity

NOTICE

Description

This message occurs when the Hybrid Instance Metadata service (HIMDS) starts up successfully and is listening for connections. This message is only applicable to Azure NetApp Files systems.

Corrective Action

(None).

Syslog Message

The Hybrid Instance Metadata service (HIMDS) started successfully.

Parameters

(None).

azurearc.new events

azurearc.new.agent.created

Severity

NOTICE

Description

This message occurs when a new Microsoft Azure Connected Machine Agent has been onboarded to Azure Arc. A new Microsoft Azure Connected Machine Agent may be onboarded, for instance, when the original ONTAP cluster management server, also called an administrative SVM fails and a new node is designated as the cluster management server. This message is only applicable to Azure NetApp Files systems.

Corrective Action

(None).

Syslog Message

A new Microsoft Connected Machine Agent has been onboarded to Azure Arc. Node: %s

Parameters

node (STRING): Node name of the cluster management server where the new Microsoft Connected Machine Agent was onboarded.

Copyright information

Copyright © 2025 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.