



security events

ONTAP EMS reference

NetApp
November 18, 2025

Table of Contents

security events	1
security.cluster events	1
security.cluster.network.cert.expired	1
security.cluster.network.cert.expiring	1
security.invalid events	2
security.invalid.login	2

security events

security.cluster events

security.cluster.network.cert.expired

Severity

ERROR

Description

This message occurs when a digital certificate associated with a node for cluster-network security is already expired. Cluster-network communication will be disrupted.

Corrective Action

Update the node certificate with a valid CA-signed certificate using the 'security cluster-network certificate modify' command.

Syslog Message

A digital certificate associated with cluster-network security for the Node %s with Certificate Name %s, Certificate UUID %s and Certificate Authority '%s' has already expired.

Parameters

node (STRING): Name of the Node associated with this certificate.

cert_name (STRING): Name of the digital certificate that is about to expire.

uuid (STRING): UUID of the digital certificate under certificate manager.

certificate_authority (STRING): Name of the Certificate Authority whose digital certificate that is about to expire.

security.cluster.network.cert.expiring

Severity

ERROR

Description

This message occurs when a digital certificate associated with a node for cluster-network security is about to expire. Cluster-network communication will be disrupted if the certificate expires.

Corrective Action

Update the node certificate with a valid CA-signed certificate using the 'security cluster-network certificate modify' command.

Syslog Message

A digital certificate associated with cluster-network security for the Node %s with Certificate Name %s, Certificate UUID %s and Certificate Authority '%s' will expire in %d day(s).

Parameters

node (STRING): Name of the Node associated with this certificate.

cert_name (STRING): Name of the digital certificate that is about to expire.

uuid (STRING): UUID of the digital certificate under certificate manager.

certificate_authority (STRING): Name of the Certificate Authority whose digital certificate that is about to

expire.

days (INT): Number of days remaining until the certificate expires.

security.invalid events

security.invalid.login

Severity

ALERT

Description

This message occurs when an attempt is made to access the system by using invalid authentication credentials.

Corrective Action

Verify that the user made a genuine attempt to access the system. If not, use the "security login delete" command to either remove the account or use the "security login lock" command to lock the account to disallow access to the system using that user account. Also, strengthen the authentication credentials of the user account by updating it. More detail regarding the authentication failure is available in audit.log file.

Syslog Message

Failed to authenticate login attempt to Vserver: %s, username: %s, application: %s, location: %s.

Parameters

vserver (STRING): The name of the Vserver to which the access was attempted.

userName (STRING): The user name used to gain access to the Vserver.

application (STRING): The name of the application used to gain access to the Vserver.

location (STRING): The remote address used to gain access to the Vserver.

Copyright information

Copyright © 2025 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.