



Manage CIFS DC configuration

ONTAP 9.13.1 REST API reference

NetApp
April 02, 2024

Table of Contents

- Manage CIFS DC configuration 1
 - Protocols CIFS domains svm.uuid preferred-domain-controllers endpoint overview 1
 - Retrieve the CIFS domain preferred DC configuration for an SVM 5
 - Create the CIFS domain preferred DC configuration for an SVM 11
 - Delete the CIFS domain preferred DC configuration for an SVM and domain 17
 - Retrieve the CIFS domain preferred DC configuration for an SVM and domain 19
 - Retrieve unapplied group policy objects for all SVMs 22
 - Retrieve unapplied group policy objects for an SVM 39
 - Create a background task to update the GPO settings for an SVM 49
 - Retrieve applied central access policies for an SVM 52
 - Retrieve an applied central access policy for an SVM 58
 - Retrieve applied central access rules for an SVM 63
 - Retrieve an applied central access rule for an SVM 68

Manage CIFS DC configuration

Protocols CIFS domains svm.uuid preferred-domain-controllers endpoint overview

Overview

You can use this API to display a CIFS domain preferred DC configuration of an SVM.

Retrieving all CIFS domain preferred DC configurations of an SVM

The CIFS domain preferred DC GET endpoint retrieves all the configurations for a specific SVM.

Examples

Retrieving all the fields of all CIFS domain preferred DC configurations of an SVM

```
# The API:
GET /api/protocols/cifs/domains/{svm.uuid}/preferred-domain-controllers

# The call:
curl -X GET "https://<mgmt-ip>/api/protocols/cifs/domains/1226670c-abc9-11eb-8de3-0050568eb0c4/preferred-domain-controllers/?fields=*" -H "accept: application/json"

# The response:
{
  "records": [
    {
      "svm": {
        "uuid": "1226670c-abc9-11eb-8de3-0050568eb0c4",
        "name": "svm1"
      },
      "fqdn": "host1",
      "server_ip": "4.4.4.4"
    },
    {
      "svm": {
        "uuid": "1226670c-abc9-11eb-8de3-0050568eb0c4",
        "name": "svm1"
      },
      "fqdn": "host2",
      "server_ip": "11.11.11.11"
    }
  ],
  "num_records": 2
}
```

Retrieving the CIFS domain preferred DC configuration of a specific SVM, "fqdn" and "server_ip"

```
# The API:
GET /api/protocols/cifs/domains/{svm.uuid}/preferred-domain-
controllers/{fqdn}/{server_ip}

# The call:
curl -X GET "https://<mgmt-ip>/api/protocols/cifs/domains/1226670c-abc9-
11eb-8de3-0050568eb0c4/preferred-domain-controllers/host1/4.4.4.4" -H
"accept: application/json"

# The response:
{
  "svm": {
    "uuid": "1226670c-abc9-11eb-8de3-0050568eb0c4",
    "name": "svm1"
  },
  "fqdn": "host1",
  "server_ip": "4.4.4.4"
}
```

Creating a new CIFS domain preferred DC configuration

The CIFS domain preferred DC POST endpoint creates a new configuration. Both bulk and instance POST is supported.

Examples

Creating a single CIFS domain preferred DC configuration

```
# The API:
POST /api/protocols/cifs/domains/{svm.uuid}/preferred-domain-controllers

# The call:
curl -X POST "https://<mgmt-ip>/api/protocols/cifs/domains/1226670c-abc9-
11eb-8de3-0050568eb0c4/preferred-domain-
controllers?skip_config_validation=true&return_records=false" -H "accept:
application/json" -H "Content-Type: application/json" -d "{ \"fqdn\":
\"testing.com\", \"server_ip\": \"1.1.1.1\"}"
```

Deleting an existing CIFS domain preferred DC configuration

The CIFS domain preferred DC DELETE endpoint deletes an existing configuration. Both bulk and instance delete is supported.

Examples

Deleting the CIFS domain preferred DC configuration of a specific SVM, "fqdn" and "server_ip"

```
# The API:
DELETE /api/protocols/cifs/domains/{svm.uuid}/preferred-domain-
controllers/{fqdn}/{server_ip}

# The call:
curl -X DELETE "https://<mgmt-ip>/api/protocols/cifs/domains/1226670c-
abc9-11eb-8de3-0050568eb0c4/preferred-domain-controllers/sample/4.4.4.4"
```

```
### Deleting the CIFS domain preferred DC configurations of a specific SVM
and "fqdn"
```

```
# The API:
DELETE /api/protocols/cifs/domains/{svm.uuid}/preferred-domain-controllers

# The call:
curl -X DELETE "https://<mgmt-ip>/api/protocols/cifs/domains/1226670c-
abc9-11eb-8de3-0050568eb0c4/preferred-domain-controllers/?fqdn=sampl"
```

Deleting all CIFS domain preferred DC configurations of a specific SVM

```
# The API:
DELETE /api/protocols/cifs/domains/{svm.uuid}/preferred-domain-controllers

# The call:
curl -X DELETE "https://<mgmt-ip>/api/protocols/cifs/domains/1226670c-
abc9-11eb-8de3-0050568eb0c4/preferred-domain-controllers/?fqdn=*"

```

Deleting the CIFS domain preferred DC configurations of a specific SVM, "fqdn" and set of "server_ips"

```
# The API:
DELETE /api/protocols/cifs/domains/{svm.uuid}/preferred-domain-controllers

# The call:
curl -X DELETE "https://<mgmt-ip>/api/protocols/cifs/domains/1226670c-
abc9-11eb-8de3-0050568eb0c4/preferred-domain-
controllers/?fqdn=sample&server_ip=3.3.3.3&#124;4.4.4.4&#124;1.1.1.1&#124;
2.2.2.2"

```

Deleting the CIFS domain preferred DC configurations of a specific SVM and set of "server_ips"

```
# The API:
DELETE /api/protocols/cifs/domains/{svm.uuid}/preferred-domain-controllers

# The call:
curl -X DELETE "https://<mgmt-ip>/api/protocols/cifs/domains/1226670c-
abc9-11eb-8de3-0050568eb0c4/preferred-domain-
controllers/?server_ip=3.3.3.3&#124;4.4.4.4&#124;1.1.1.1&#124;2.2.2.2"

```

Retrieve the CIFS domain preferred DC configuration for an SVM

```
GET /protocols/cifs/domains/{svm.uuid}/preferred-domain-controllers
```

Introduced In: 9.10

Retrieves the CIFS domain preferred DC configuration of an SVM.

Related ONTAP commands

- `vserver cifs domain preferred-dc show`
- `vserver cifs domain preferred-dc check`

Learn more

- [DOC /protocols/cifs/domains/{svm.uuid}/preferred-domain-controllers](#)

Parameters

| Name | Type | In | Required | Description |
|------------------|---------------|-------|----------|---|
| need_status | boolean | query | False | Retrieves the status of the preferred DCs. <ul style="list-style-type: none">• Default value:• Introduced in: 9.12 |
| server_ip | string | query | False | Filter by server_ip |
| status.reachable | boolean | query | False | Filter by status.reachable <ul style="list-style-type: none">• Introduced in: 9.12 |
| status.details | string | query | False | Filter by status.details <ul style="list-style-type: none">• Introduced in: 9.12 |
| fqdn | string | query | False | Filter by fqdn |
| svm.uuid | string | path | True | UUID of the SVM to which this object belongs. |
| fields | array[string] | query | False | Specify the fields to return. |

| Name | Type | In | Required | Description |
|----------------|---------------|-------|----------|---|
| return_records | boolean | query | False | The default is true for GET calls. When set to false, only the number of records is returned. <ul style="list-style-type: none"> • Default value: 1 |
| return_timeout | integer | query | False | The number of seconds to allow the call to execute before returning. When iterating over a collection, the default is 15 seconds. ONTAP returns earlier if either max records or the end of the collection is reached. <ul style="list-style-type: none"> • Default value: 1 • Max value: 120 • Min value: 0 |
| max_records | integer | query | False | Limit the number of records returned. |
| order_by | array[string] | query | False | Order results by specified fields and optional [asc |

Response

Status: 200, Ok

| Name | Type | Description |
|-------------|---|---|
| _links | _links | |
| num_records | integer | Number of CIFS preferred domain controller records. |
| records | array[cifs_domain_preferred_dc] | |

Example response

```
{
  "_links": {
    "next": {
      "href": "/api/resourcelink"
    },
    "self": {
      "href": "/api/resourcelink"
    }
  },
  "num_records": 1,
  "records": {
    "fqdn": "test.com",
    "server_ip": "4.4.4.4",
    "status": {
      "details": "Response time (msec): 111",
      "reachable": 1
    }
  }
}
```

Error

Status: Default, Error

| Name | Type | Description |
|-------|-------|-------------|
| error | error | |

Example error

```
{
  "error": {
    "arguments": {
      "code": "string",
      "message": "string"
    },
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```

Definitions

See Definitions

href

| Name | Type | Description |
|------|--------|-------------|
| href | string | |

_links

| Name | Type | Description |
|------|----------------------|-------------|
| next | href | |
| self | href | |

status

Status of CIFS preferred domain controller.

| Name | Type | Description |
|-----------|---------|--|
| details | string | Provides a detailed description of the state if the state is 'down' or the response time of the DNS server if the state is 'up'. |
| reachable | boolean | Indicates whether or not the domain controller is reachable. |

cifs_domain_preferred_dc

| Name | Type | Description |
|-----------|------------------------|---|
| fqdn | string | Fully Qualified Domain Name. |
| server_ip | string | IP address of the preferred domain controller (DC). The address can be either an IPv4 or an IPv6 address. |
| status | status | Status of CIFS preferred domain controller. |

error_arguments

| Name | Type | Description |
|------|--------|---------------|
| code | string | Argument code |

| Name | Type | Description |
|---------|--------|------------------|
| message | string | Message argument |

error

| Name | Type | Description |
|-----------|--|---|
| arguments | array[error_arguments] | Message arguments |
| code | string | Error code |
| message | string | Error message |
| target | string | The target parameter that caused the error. |

Create the CIFS domain preferred DC configuration for an SVM

POST /protocols/cifs/domains/{svm.uuid}/preferred-domain-controllers

Introduced In: 9.10

Creates a CIFS preferred DC configuration for an SVM.

Important notes

- In the case of bulk POST requests, the create operation should be performed serially since there can be interdependence between records. In order to avoid issues, it is advisable to always use the query parameter "serial_records=true".

Required properties

- `svm.uuid` - Existing SVM in which to create the preferred-dc.
- `domain` - Fully Qualified Domain Name.
- `server_ip` - IPv4/IPv6 address of the Preferred Domain Controller.

The following parameters are optional:

- `skip_config_validation`

Related ONTAP commands

- `vserver cifs domain preferred-dc add`

Learn more

- [DOC /protocols/cifs/domains/{svm.uuid}/preferred-domain-controllers](#)

Parameters

| Name | Type | In | Required | Description |
|------------------------|---------|-------|----------|--|
| skip_config_validation | boolean | query | False | Skip the validation of the specified preferred DC configuration. <ul style="list-style-type: none">• Default value: |
| return_records | boolean | query | False | The default is false. If set to true, the records are returned. <ul style="list-style-type: none">• Default value: |
| svm.uuid | string | path | True | UUID of the SVM to which this object belongs. |

Request Body

| Name | Type | Description |
|-----------|------------------------|---|
| fqdn | string | Fully Qualified Domain Name. |
| server_ip | string | IP address of the preferred domain controller (DC). The address can be either an IPv4 or an IPv6 address. |
| status | status | Status of CIFS preferred domain controller. |

Example request

```
{
  "fqdn": "test.com",
  "server_ip": "4.4.4.4",
  "status": {
    "details": "Response time (msec): 111",
    "reachable": 1
  }
}
```

Response

Status: 201, Created

| Name | Type | Description |
|-----------|------------------------|---|
| fqdn | string | Fully Qualified Domain Name. |
| server_ip | string | IP address of the preferred domain controller (DC). The address can be either an IPv4 or an IPv6 address. |
| status | status | Status of CIFS preferred domain controller. |

Example response

```
{
  "fqdn": "test.com",
  "server_ip": "4.4.4.4",
  "status": {
    "details": "Response time (msec): 111",
    "reachable": 1
  }
}
```

Headers

| Name | Description | Type |
|----------|---|--------|
| Location | Useful for tracking the resource location | string |

Error

Status: Default

ONTAP Error Response Codes

| Error Code | Description |
|------------|---|
| 2621516 | Only data SVMs allowed. |
| 655918 | The fully qualified domain name cannot be longer than 254 bytes. |
| 656408 | RPC failure occurred during the CIFS preferred-dc configuration validation. |
| 656407 | Failed to validate CIFS preferred-dc for domain. Reason: Configuration not found at SecD. Contact technical support for assistance. |
| 655366 | Invalid domain controller. |
| 655506 | Failed to add preferred-dc. |

| Name | Type | Description |
|-------|-------|-------------|
| error | error | |

Example error

```
{
  "error": {
    "arguments": {
      "code": "string",
      "message": "string"
    },
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```


Definitions

See Definitions

status

Status of CIFS preferred domain controller.

| Name | Type | Description |
|-----------|---------|--|
| details | string | Provides a detailed description of the state if the state is 'down' or the response time of the DNS server if the state is 'up'. |
| reachable | boolean | Indicates whether or not the domain controller is reachable. |

cifs_domain_preferred_dc

| Name | Type | Description |
|-----------|------------------------|---|
| fqdn | string | Fully Qualified Domain Name. |
| server_ip | string | IP address of the preferred domain controller (DC). The address can be either an IPv4 or an IPv6 address. |
| status | status | Status of CIFS preferred domain controller. |

error_arguments

| Name | Type | Description |
|---------|--------|------------------|
| code | string | Argument code |
| message | string | Message argument |

error

| Name | Type | Description |
|-----------|--|-------------------|
| arguments | array[error_arguments] | Message arguments |
| code | string | Error code |
| message | string | Error message |

| Name | Type | Description |
|--------|--------|---|
| target | string | The target parameter that caused the error. |

Delete the CIFS domain preferred DC configuration for an SVM and domain

```
DELETE /protocols/cifs/domains/{svm.uuid}/preferred-domain-controllers/{fqdn}/{server_ip}
```

Introduced In: 9.10

Deletes the CIFS domain preferred DC configuration of the specified SVM and domain.

Related ONTAP commands

- `vserver cifs domain preferred-dc delete`

Learn more

- [DOC /protocols/cifs/domains/{svm.uuid}/preferred-domain-controllers](#)

Parameters

| Name | Type | In | Required | Description |
|-----------|--------|------|----------|---|
| fqdn | string | path | True | Fully Qualified Domain Name |
| server_ip | string | path | True | Domain Controller IP address |
| svm.uuid | string | path | True | UUID of the SVM to which this object belongs. |

Response

```
Status: 200, Ok
```

Error

```
Status: Default
```

ONTAP Error Response Codes

| Error Code | Description |
|------------|--------------------------------|
| 655507 | Failed to remove preferred-dc. |

| Name | Type | Description |
|-------|-----------------------|-------------|
| error | error | |

Example error

```
{
  "error": {
    "arguments": {
      "code": "string",
      "message": "string"
    },
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```

Definitions

See Definitions

error_arguments

| Name | Type | Description |
|---------|--------|------------------|
| code | string | Argument code |
| message | string | Message argument |

error

| Name | Type | Description |
|-----------|--|---|
| arguments | array[error_arguments] | Message arguments |
| code | string | Error code |
| message | string | Error message |
| target | string | The target parameter that caused the error. |

Retrieve the CIFS domain preferred DC configuration for an SVM and domain

```
GET /protocols/cifs/domains/{svm.uuid}/preferred-domain-controllers/{fqdn}/{server_ip}
```

Introduced In: 9.10

Retrieves the CIFS domain preferred DC configuration of an SVM.

Related ONTAP commands

- `vserver cifs domain preferred-dc show`
- `vserver cifs domain preferred-dc check`

Learn more

- [DOC /protocols/cifs/domains/{svm.uuid}/preferred-domain-controllers](#)

Parameters

| Name | Type | In | Required | Description |
|-------------|---------------|-------|----------|---|
| fqdn | string | path | True | Fully Qualified Domain Name |
| server_ip | string | path | True | Domain Controller IP address |
| need_status | boolean | query | False | Retrieves the status of the specified preferred DC. <ul style="list-style-type: none"> • Introduced in: 9.12 • Default value: |
| svm.uuid | string | path | True | UUID of the SVM to which this object belongs. |
| fields | array[string] | query | False | Specify the fields to return. |

Response

Status: 200, Ok

| Name | Type | Description |
|-----------|------------------------|---|
| fqdn | string | Fully Qualified Domain Name. |
| server_ip | string | IP address of the preferred domain controller (DC). The address can be either an IPv4 or an IPv6 address. |
| status | status | Status of CIFS preferred domain controller. |

Example response

```
{
  "fqdn": "test.com",
  "server_ip": "4.4.4.4",
  "status": {
    "details": "Response time (msec): 111",
    "reachable": 1
  }
}
```

Error

Status: Default, Error

| Name | Type | Description |
|-------|-------|-------------|
| error | error | |

Example error

```
{
  "error": {
    "arguments": {
      "code": "string",
      "message": "string"
    },
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```

Definitions

See Definitions

status

Status of CIFS preferred domain controller.

| Name | Type | Description |
|-----------|---------|--|
| details | string | Provides a detailed description of the state if the state is 'down' or the response time of the DNS server if the state is 'up'. |
| reachable | boolean | Indicates whether or not the domain controller is reachable. |

error_arguments

| Name | Type | Description |
|---------|--------|------------------|
| code | string | Argument code |
| message | string | Message argument |

error

| Name | Type | Description |
|-----------|--|---|
| arguments | array[error_arguments] | Message arguments |
| code | string | Error code |
| message | string | Error message |
| target | string | The target parameter that caused the error. |

Retrieve unapplied group policy objects for all SVMs

GET /protocols/cifs/group-policies

Introduced In: 9.12

Retrieves group policy objects that are yet to be applied for all SVMs.

Related ONTAP commands

- `vserver cifs group-policy show-defined`

Parameters

| Name | Type | In | Required | Description |
|--|--------|-------|----------|---|
| name | string | query | False | Filter by name <ul style="list-style-type: none">• minLength: 1 |
| extensions | string | query | False | Filter by extensions |
| central_access_policy_settings | string | query | False | Filter by central_access_policy_settings |
| registry_settings.branchcache.supported_hash_version | string | query | False | Filter by registry_settings.branchcache.supported_hash_version |
| registry_settings.branchcache.hash_publication_mode | string | query | False | Filter by registry_settings.branchcache.hash_publication_mode |
| registry_settings.refresh_time_random_offset | string | query | False | Filter by registry_settings.refresh_time_random_offset |
| registry_settings.refresh_time_interval | string | query | False | Filter by registry_settings.refresh_time_interval |
| link | string | query | False | Filter by link |
| central_access_policy_staging_audit_type | string | query | False | Filter by central_access_policy_staging_audit_type |
| uuid | string | query | False | Filter by uuid |
| security_settings.restricted_groups | string | query | False | Filter by security_settings.restricted_groups |

| Name | Type | In | Required | Description |
|---|--------|-------|----------|---|
| security_settings.event_audit_settings.logon_type | string | query | False | Filter by security_settings.event_audit_settings.logon_type |
| security_settings.event_audit_settings.object_access_type | string | query | False | Filter by security_settings.event_audit_settings.object_access_type |
| security_settings.kerberos.max_clock_skew | string | query | False | Filter by security_settings.kerberos.max_clock_skew |
| security_settings.kerberos.max_renew_age | string | query | False | Filter by security_settings.kerberos.max_renew_age |
| security_settings.kerberos.max_ticket_age | string | query | False | Filter by security_settings.kerberos.max_ticket_age |
| security_settings.files_or_folders | string | query | False | Filter by security_settings.files_or_folders |
| security_settings.privilege_rights.change_notify_users | string | query | False | Filter by security_settings.privilege_rights.change_notify_users |
| security_settings.privilege_rights.security_privilege_users | string | query | False | Filter by security_settings.privilege_rights.security_privilege_users |
| security_settings.privilege_rights.take_ownership_users | string | query | False | Filter by security_settings.privilege_rights.take_ownership_users |

| Name | Type | In | Required | Description |
|--|---------|-------|----------|--|
| security_settings.restrict_anonymous.anonymous_access_to_shares_and_named_pipes_restricted | boolean | query | False | Filter by security_settings.restrict_anonymous.anonymous_access_to_shares_and_named_pipes_restricted |
| security_settings.restrict_anonymous.no_enumeration_of_sam_accounts | boolean | query | False | Filter by security_settings.restrict_anonymous.no_enumeration_of_sam_accounts |
| security_settings.restrict_anonymous.no_enumeration_of_sam_accounts_and_shares | boolean | query | False | Filter by security_settings.restrict_anonymous.no_enumeration_of_sam_accounts_and_shares |
| security_settings.restrict_anonymous.combined_restriction_for_anonymous_user | string | query | False | Filter by security_settings.restrict_anonymous.combined_restriction_for_anonymous_user |
| security_settings.event_log_settings.max_size | integer | query | False | Filter by security_settings.event_log_settings.max_size |
| security_settings.event_log_settings.retention_method | string | query | False | Filter by security_settings.event_log_settings.retention_method |
| security_settings.registry_values.signing_required | boolean | query | False | Filter by security_settings.registry_values.signing_required |
| version | integer | query | False | Filter by version |
| enabled | boolean | query | False | Filter by enabled |
| index | integer | query | False | Filter by index |

| Name | Type | In | Required | Description |
|------------------|---------------|-------|----------|--|
| ldap_path | string | query | False | Filter by ldap_path |
| svm.uuid | string | query | False | Filter by svm.uuid |
| svm.name | string | query | False | Filter by svm.name |
| file_system_path | string | query | False | Filter by file_system_path |
| fields | array[string] | query | False | Specify the fields to return. |
| return_records | boolean | query | False | The default is true for GET calls. When set to false, only the number of records is returned. • Default value: 1 |
| return_timeout | integer | query | False | The number of seconds to allow the call to execute before returning. When iterating over a collection, the default is 15 seconds. ONTAP returns earlier if either max records or the end of the collection is reached. • Default value: 1 • Max value: 120 • Min value: 0 |
| max_records | integer | query | False | Limit the number of records returned. |
| order_by | array[string] | query | False | Order results by specified fields and optional [asc |

Response

Status: 200, Ok

| Name | Type | Description |
|-------------|---|---------------------------------|
| _links | _links | |
| num_records | integer | Number of central access rules. |
| records | array[policies_and_rules_to_be_applied] | |

Example response

```
{
  "_links": {
    "next": {
      "href": "/api/resourcelink"
    },
    "self": {
      "href": "/api/resourcelink"
    }
  },
  "num_records": 1,
  "records": {
    "svm": {
      "_links": {
        "self": {
          "href": "/api/resourcelink"
        }
      },
      "name": "svm1",
      "uuid": "02c9e252-41be-11e9-81d5-00a0986138f7"
    },
    "to_be_applied": {
      "access_policies": {
        "create_time": "2018-01-01 16:00:00 +0000",
        "description": "policy #1",
        "member_rules": [
          "r1",
          "r2"
        ],
        "name": "p1",
        "sid": "S-1-5-21-256008430-3394229847-3930036330-1001",
        "svm": {
          "_links": {
            "self": {
              "href": "/api/resourcelink"
            }
          },
          "name": "svm1",
          "uuid": "02c9e252-41be-11e9-81d5-00a0986138f7"
        },
        "update_time": "2018-01-01 16:00:00 +0000"
      },
      "access_rules": {
        "create_time": "2018-01-01 16:00:00 +0000",
        "current_permission": "O:SYG:SYD:AR(A;;;FA;;;WD)",

```

```

    "description": "rule #1",
    "name": "p1",
    "proposed_permission":
    "O:SYG:SYD: (A;;FA;;;OW) (A;;FA;;;BA) (A;;FA;;;SY) ",
    "resource_criteria": "department",
    "svm": {
      "_links": {
        "self": {
          "href": "/api/resourcelink"
        }
      },
      "name": "svml",
      "uuid": "02c9e252-41be-11e9-81d5-00a0986138f7"
    },
    "update_time": "2018-01-01 16:00:00 +0000"
  },
  "objects": {
    "central_access_policy_settings": [
      "p1",
      "p2"
    ],
    "central_access_policy_staging_audit_type": "none",
    "extensions": [
      "audit",
      "security"
    ],
    "file_system_path": "\\test.com\\SysVol\\test.com\\policies
    \\{42474212-3f9d-4489-ae01-6fcf4f805d4c}",
    "index": 1,
    "ldap_path": "cn={42474212-3f9d-4489-ae01-
    6fcf4f805d4c},cn=policies,cn=system,DC=TEST,DC=COM",
    "link": "domain",
    "name": "test_policy",
    "registry_settings": {
      "branchcache": {
        "hash_publication_mode": "disabled",
        "supported_hash_version": "version1"
      },
      "refresh_time_interval": "P15M",
      "refresh_time_random_offset": "P1D"
    },
    "security_settings": {
      "event_audit_settings": {
        "logon_type": "failure",
        "object_access_type": "failure"
      }
    }
  }
}

```

```

"event_log_settings": {
  "max_size": 2048,
  "retention_method": "do_not_overwrite"
},
"files_or_folders": [
  "/voll/home",
  "/voll/dir1"
],
"kerberos": {
  "max_clock_skew": "P15M",
  "max_renew_age": "P2D",
  "max_ticket_age": "P24H"
},
"privilege_rights": {
  "change_notify_users": [
    "usr1",
    "usr2"
  ],
  "security_privilege_users": [
    "usr1",
    "usr2"
  ],
  "take_ownership_users": [
    "usr1",
    "usr2"
  ]
},
"restrict_anonymous": {
  "combined_restriction_for_anonymous_user": "no_access"
},
"restricted_groups": [
  "test_grp1",
  "test_grp2"
]
},
"svm": {
  "_links": {
    "self": {
      "href": "/api/resource/link"
    }
  },
  "name": "svm1",
  "uuid": "02c9e252-41be-11e9-81d5-00a0986138f7"
},
"uuid": "42474212-3f9d-4489-ae01-6fcf4f805d4c",
"version": 7

```



```

    },
    "restricted_groups": {
      "group_name": "test_group",
      "link": "domain",
      "members": [
        "DOMAIN/test_user",
        "DOMAIN/user2"
      ],
      "memberships": [
        "DOMAIN/AdministratorGrp",
        "DOMAIN/deptMark"
      ],
      "policy_name": "test_policy",
      "svm": {
        "_links": {
          "self": {
            "href": "/api/resourcelink"
          }
        },
        "name": "svm1",
        "uuid": "02c9e252-41be-11e9-81d5-00a0986138f7"
      },
      "version": 7
    }
  }
}

```

Error

Status: Default, Error

| Name | Type | Description |
|-------|-------|-------------|
| error | error | |

Example error

```
{
  "error": {
    "arguments": {
      "code": "string",
      "message": "string"
    },
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```

Definitions

See Definitions

href

| Name | Type | Description |
|------|--------|-------------|
| href | string | |

_links

| Name | Type | Description |
|------|----------------------|-------------|
| next | href | |
| self | href | |

_links

| Name | Type | Description |
|------|----------------------|-------------|
| self | href | |

svm

| Name | Type | Description |
|--------|------------------------|-----------------------------------|
| _links | _links | |
| name | string | The name of the SVM. |
| uuid | string | The unique identifier of the SVM. |

svm

Will not be populated for objects that are yet to be applied.

| Name | Type | Description |
|--------|------------------------|-----------------------------------|
| _links | _links | |
| name | string | The name of the SVM. |
| uuid | string | The unique identifier of the SVM. |

group_policy_object_central_access_policy

| Name | Type | Description |
|-------------|--------|-------------------------------|
| create_time | string | Policy creation timestamp. |
| description | string | Description about the policy. |

| Name | Type | Description |
|--------------|---------------------|---|
| member_rules | array[string] | Names of all central access rules applied to members. |
| name | string | |
| sid | string | Security ID, unique identifier of the central policy. |
| svm | svm | Will not be populated for objects that are yet to be applied. |
| update_time | string | Last policy modification timestamp. |

group_policy_object_central_access_rule

| Name | Type | Description |
|---------------------|---------------------|--|
| create_time | string | Policy creation timestamp. |
| current_permission | string | Effective security policy in security descriptor definition language format. |
| description | string | Description about the policy. |
| name | string | |
| proposed_permission | string | Proposed security policy in security descriptor definition language format. |
| resource_criteria | string | Criteria to scope resources for which access rules apply. |
| svm | svm | Will not be populated for objects that are yet to be applied. |
| update_time | string | Last policy modification timestamp. |

group_policy_object_branchcache

| Name | Type | Description |
|-----------------------|--------|------------------------|
| hash_publication_mode | string | Hash publication mode. |

| Name | Type | Description |
|------------------------|--------|---------------|
| supported_hash_version | string | Hash version. |

group_policy_object_registry_setting

| Name | Type | Description |
|----------------------------|---|---|
| branchcache | group_policy_object_branchcache | |
| refresh_time_interval | string | Refresh time interval in ISO-8601 format. |
| refresh_time_random_offset | string | Random offset in ISO-8601 format. |

group_policy_object_event_audit

| Name | Type | Description |
|--------------------|--------|--------------------------------------|
| logon_type | string | Type of logon event to be audited. |
| object_access_type | string | Type of object access to be audited. |

group_policy_object_event_log

| Name | Type | Description |
|------------------|---------|---|
| max_size | integer | Maximum size of security log, in kilobytes. |
| retention_method | string | Audit log retention method. |

group_policy_object_kerberos

| Name | Type | Description |
|----------------|--------|---|
| max_clock_skew | string | Kerberos clock skew in ISO-8601 format. |
| max_renew_age | string | Kerberos max renew age in ISO-8601 format. |
| max_ticket_age | string | Kerberos max ticket age in ISO-8601 format. |

group_policy_object_privilege_right

| Name | Type | Description |
|--------------------------|---------------|--|
| change_notify_users | array[string] | Users with traversing bypass privileges. |
| security_privilege_users | array[string] | Users with security privileges. |
| take_ownership_users | array[string] | Users who can take ownership of securable objects. |

group_policy_object_registry_value

| Name | Type | Description |
|------------------|---------|-----------------------|
| signing_required | boolean | SMB signing required. |

group_policy_object_restrict_anonymous

| Name | Type | Description |
|---|---------|--|
| anonymous_access_to_shares_and_named_pipes_restricted | boolean | Restrict anonymous access to shares and named pipes. |
| combined_restriction_for_anonymous_user | string | Combined restriction for anonymous user. |
| no_enumeration_of_sam_accounts | boolean | No enumeration of SAM accounts. |
| no_enumeration_of_sam_accounts_and_shares | boolean | No enumeration of SAM accounts and shares. |

group_policy_object_security_setting

| Name | Type | Description |
|----------------------|---|--------------------------------------|
| event_audit_settings | group_policy_object_event_audit | |
| event_log_settings | group_policy_object_event_log | |
| files_or_folders | array[string] | Files/Directories for file security. |
| kerberos | group_policy_object_kerberos | |
| privilege_rights | group_policy_object_privilege_right | |
| registry_values | group_policy_object_registry_value | |

| Name | Type | Description |
|--------------------|--|----------------------------|
| restrict_anonymous | group_policy_object_restrict_anonymous | |
| restricted_groups | array[string] | List of restricted groups. |

group_policy_object

| Name | Type | Description |
|--|--|---|
| central_access_policy_settings | array[string] | List of central access policies. |
| central_access_policy_staging_audit_type | string | Types of events to be audited. |
| enabled | boolean | Specifies whether group policies are enabled for the SVM. |
| extensions | array[string] | List of extensions. |
| file_system_path | string | File system path. |
| index | integer | Group policy object index. |
| ldap_path | string | LDAP path to the GPO. |
| link | string | Link info. |
| name | string | |
| registry_settings | group_policy_object_registry_setting | |
| security_settings | group_policy_object_security_setting | |
| svm | svm | Will not be populated for objects that are yet to be applied. |
| uuid | string | Policy UUID. |
| version | integer | Group policy object version. |

group_policy_object_restricted_group

| Name | Type | Description |
|------------|--------|-------------|
| group_name | string | |
| link | string | Link info. |

| Name | Type | Description |
|-------------|---------------------|---|
| members | array[string] | Members of the group. |
| memberships | array[string] | Group is member of Group/OU. |
| policy_name | string | |
| svm | svm | Will not be populated for objects that are yet to be applied. |
| version | integer | Group policy object version. |

to_be_applied

| Name | Type | Description |
|-------------------|--|-------------|
| access_policies | array[group_policy_object_central_access_policy] | |
| access_rules | array[group_policy_object_central_access_rule] | |
| objects | array[group_policy_object] | |
| restricted_groups | array[group_policy_object_restricted_group] | |

policies_and_rules_to_be_applied

| Name | Type | Description |
|---------------|-------------------------------|-------------|
| svm | svm | |
| to_be_applied | to_be_applied | |

error_arguments

| Name | Type | Description |
|---------|--------|------------------|
| code | string | Argument code |
| message | string | Message argument |

error

| Name | Type | Description |
|-----------|--|-------------------|
| arguments | array[error_arguments] | Message arguments |
| code | string | Error code |

| Name | Type | Description |
|---------|--------|---|
| message | string | Error message |
| target | string | The target parameter that caused the error. |

Retrieve unapplied group policy objects for an SVM

GET /protocols/cifs/group-policies/{svm.uuid}

Introduced In: 9.12

Retrieves group policy objects that are yet to be applied for specified SVM.

Related ONTAP commands

- `vserver cifs group-policy show-defined`

Parameters

| Name | Type | In | Required | Description |
|----------|---------------|-------|----------|---|
| svm.uuid | string | path | True | UUID of the SVM to which this object belongs. |
| fields | array[string] | query | False | Specify the fields to return. |

Response

Status: 200, Ok

| Name | Type | Description |
|---------------|-------------------------------|-------------|
| svm | svm | |
| to_be_applied | to_be_applied | |

Example response

```
{
  "svm": {
    "_links": {
      "self": {
        "href": "/api/resourcelink"
      }
    },
    "name": "svm1",
    "uuid": "02c9e252-41be-11e9-81d5-00a0986138f7"
  },
  "to_be_applied": {
    "access_policies": {
      "create_time": "2018-01-01 16:00:00 +0000",
      "description": "policy #1",
      "member_rules": [
        "r1",
        "r2"
      ],
      "name": "p1",
      "sid": "S-1-5-21-256008430-3394229847-3930036330-1001",
      "svm": {
        "_links": {
          "self": {
            "href": "/api/resourcelink"
          }
        },
        "name": "svm1",
        "uuid": "02c9e252-41be-11e9-81d5-00a0986138f7"
      },
      "update_time": "2018-01-01 16:00:00 +0000"
    },
    "access_rules": {
      "create_time": "2018-01-01 16:00:00 +0000",
      "current_permission": "O:SYG:SYD:AR(A;;FA;;;WD)",
      "description": "rule #1",
      "name": "p1",
      "proposed_permission":
      "O:SYG:SYD:(A;;FA;;;OW)(A;;FA;;;BA)(A;;FA;;;SY)",
      "resource_criteria": "department",
      "svm": {
        "_links": {
          "self": {
            "href": "/api/resourcelink"
          }
        }
      }
    }
  }
}
```

```

    },
    "name": "svml",
    "uuid": "02c9e252-41be-11e9-81d5-00a0986138f7"
  },
  "update_time": "2018-01-01 16:00:00 +0000"
},
"objects": {
  "central_access_policy_settings": [
    "p1",
    "p2"
  ],
  "central_access_policy_staging_audit_type": "none",
  "extensions": [
    "audit",
    "security"
  ],
  "file_system_path": "\\test.com\\SysVol\\test.com\\policies
  \\{42474212-3f9d-4489-ae01-6fcf4f805d4c}",
  "index": 1,
  "ldap_path": "cn={42474212-3f9d-4489-ae01-
  6fcf4f805d4c},cn=policies,cn=system,DC=TEST,DC=COM",
  "link": "domain",
  "name": "test_policy",
  "registry_settings": {
    "branchcache": {
      "hash_publication_mode": "disabled",
      "supported_hash_version": "version1"
    },
    "refresh_time_interval": "P15M",
    "refresh_time_random_offset": "P1D"
  },
  "security_settings": {
    "event_audit_settings": {
      "logon_type": "failure",
      "object_access_type": "failure"
    },
    "event_log_settings": {
      "max_size": 2048,
      "retention_method": "do_not_overwrite"
    },
    "files_or_folders": [
      "/voll/home",
      "/voll/dir1"
    ],
    "kerberos": {
      "max_clock_skew": "P15M",

```

```

    "max_renew_age": "P2D",
    "max_ticket_age": "P24H"
  },
  "privilege_rights": {
    "change_notify_users": [
      "usr1",
      "usr2"
    ],
    "security_privilege_users": [
      "usr1",
      "usr2"
    ],
    "take_ownership_users": [
      "usr1",
      "usr2"
    ]
  },
  "restrict_anonymous": {
    "combined_restriction_for_anonymous_user": "no_access"
  },
  "restricted_groups": [
    "test_grp1",
    "test_grp2"
  ]
},
"svm": {
  "_links": {
    "self": {
      "href": "/api/resourcelink"
    }
  },
  "name": "svm1",
  "uuid": "02c9e252-41be-11e9-81d5-00a0986138f7"
},
"uuid": "42474212-3f9d-4489-ae01-6fcf4f805d4c",
"version": 7
},
"restricted_groups": {
  "group_name": "test_group",
  "link": "domain",
  "members": [
    "DOMAIN/test_user",
    "DOMAIN/user2"
  ],
  "memberships": [
    "DOMAIN/AdministratorGrp",

```

```

        "DOMAIN/deptMark"
    ],
    "policy_name": "test_policy",
    "svm": {
        "_links": {
            "self": {
                "href": "/api/resourcelink"
            }
        },
        "name": "svm1",
        "uuid": "02c9e252-41be-11e9-81d5-00a0986138f7"
    },
    "version": 7
}
}
}

```

Error

Status: Default, Error

| Name | Type | Description |
|-------|-------|-------------|
| error | error | |

Example error

```

{
  "error": {
    "arguments": {
      "code": "string",
      "message": "string"
    },
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}

```

Definitions

See Definitions

href

| Name | Type | Description |
|------|--------|-------------|
| href | string | |

_links

| Name | Type | Description |
|------|----------------------|-------------|
| self | href | |

svm

| Name | Type | Description |
|--------|------------------------|-----------------------------------|
| _links | _links | |
| name | string | The name of the SVM. |
| uuid | string | The unique identifier of the SVM. |

svm

Will not be populated for objects that are yet to be applied.

| Name | Type | Description |
|--------|------------------------|-----------------------------------|
| _links | _links | |
| name | string | The name of the SVM. |
| uuid | string | The unique identifier of the SVM. |

group_policy_object_central_access_policy

| Name | Type | Description |
|--------------|---------------|---|
| create_time | string | Policy creation timestamp. |
| description | string | Description about the policy. |
| member_rules | array[string] | Names of all central access rules applied to members. |
| name | string | |
| sid | string | Security ID, unique identifier of the central policy. |

| Name | Type | Description |
|-------------|---------------------|---|
| svm | svm | Will not be populated for objects that are yet to be applied. |
| update_time | string | Last policy modification timestamp. |

group_policy_object_central_access_rule

| Name | Type | Description |
|---------------------|---------------------|--|
| create_time | string | Policy creation timestamp. |
| current_permission | string | Effective security policy in security descriptor definition language format. |
| description | string | Description about the policy. |
| name | string | |
| proposed_permission | string | Proposed security policy in security descriptor definition language format. |
| resource_criteria | string | Criteria to scope resources for which access rules apply. |
| svm | svm | Will not be populated for objects that are yet to be applied. |
| update_time | string | Last policy modification timestamp. |

group_policy_object_branchcache

| Name | Type | Description |
|------------------------|--------|------------------------|
| hash_publication_mode | string | Hash publication mode. |
| supported_hash_version | string | Hash version. |

group_policy_object_registry_setting

| Name | Type | Description |
|-------------|---|-------------|
| branchcache | group_policy_object_branchcache | |

| Name | Type | Description |
|----------------------------|--------|---|
| refresh_time_interval | string | Refresh time interval in ISO-8601 format. |
| refresh_time_random_offset | string | Random offset in ISO-8601 format. |

group_policy_object_event_audit

| Name | Type | Description |
|--------------------|--------|--------------------------------------|
| logon_type | string | Type of logon event to be audited. |
| object_access_type | string | Type of object access to be audited. |

group_policy_object_event_log

| Name | Type | Description |
|------------------|---------|---|
| max_size | integer | Maximum size of security log, in kilobytes. |
| retention_method | string | Audit log retention method. |

group_policy_object_kerberos

| Name | Type | Description |
|----------------|--------|---|
| max_clock_skew | string | Kerberos clock skew in ISO-8601 format. |
| max_renew_age | string | Kerberos max renew age in ISO-8601 format. |
| max_ticket_age | string | Kerberos max ticket age in ISO-8601 format. |

group_policy_object_privilege_right

| Name | Type | Description |
|--------------------------|---------------|--|
| change_notify_users | array[string] | Users with traversing bypass privileges. |
| security_privilege_users | array[string] | Users with security privileges. |

| Name | Type | Description |
|----------------------|---------------|--|
| take_ownership_users | array[string] | Users who can take ownership of securable objects. |

group_policy_object_registry_value

| Name | Type | Description |
|------------------|---------|-----------------------|
| signing_required | boolean | SMB signing required. |

group_policy_object_restrict_anonymous

| Name | Type | Description |
|---|---------|--|
| anonymous_access_to_shares_and_named_pipes_restricted | boolean | Restrict anonymous access to shares and named pipes. |
| combined_restriction_for_anonymous_user | string | Combined restriction for anonymous user. |
| no_enumeration_of_sam_accounts | boolean | No enumeration of SAM accounts. |
| no_enumeration_of_sam_accounts_and_shares | boolean | No enumeration of SAM accounts and shares. |

group_policy_object_security_setting

| Name | Type | Description |
|----------------------|--|--------------------------------------|
| event_audit_settings | group_policy_object_event_audit | |
| event_log_settings | group_policy_object_event_log | |
| files_or_folders | array[string] | Files/Directories for file security. |
| kerberos | group_policy_object_kerberos | |
| privilege_rights | group_policy_object_privilege_right | |
| registry_values | group_policy_object_registry_value | |
| restrict_anonymous | group_policy_object_restrict_anonymous | |
| restricted_groups | array[string] | List of restricted groups. |

group_policy_object

| Name | Type | Description |
|--|--|---|
| central_access_policy_settings | array[string] | List of central access policies. |
| central_access_policy_staging_audit_type | string | Types of events to be audited. |
| enabled | boolean | Specifies whether group policies are enabled for the SVM. |
| extensions | array[string] | List of extensions. |
| file_system_path | string | File system path. |
| index | integer | Group policy object index. |
| ldap_path | string | LDAP path to the GPO. |
| link | string | Link info. |
| name | string | |
| registry_settings | group_policy_object_registry_setting | |
| security_settings | group_policy_object_security_setting | |
| svm | svm | Will not be populated for objects that are yet to be applied. |
| uuid | string | Policy UUID. |
| version | integer | Group policy object version. |

group_policy_object_restricted_group

| Name | Type | Description |
|-------------|---------------|------------------------------|
| group_name | string | |
| link | string | Link info. |
| members | array[string] | Members of the group. |
| memberships | array[string] | Group is member of Group/OU. |
| policy_name | string | |

| Name | Type | Description |
|---------|---------------------|---|
| svm | svm | Will not be populated for objects that are yet to be applied. |
| version | integer | Group policy object version. |

to_be_applied

| Name | Type | Description |
|-------------------|--|-------------|
| access_policies | array[group_policy_object_central_access_policy] | |
| access_rules | array[group_policy_object_central_access_rule] | |
| objects | array[group_policy_object] | |
| restricted_groups | array[group_policy_object_restricted_group] | |

error_arguments

| Name | Type | Description |
|---------|--------|------------------|
| code | string | Argument code |
| message | string | Message argument |

error

| Name | Type | Description |
|-----------|--|---|
| arguments | array[error_arguments] | Message arguments |
| code | string | Error code |
| message | string | Error message |
| target | string | The target parameter that caused the error. |

Create a background task to update the GPO settings for an SVM

```
PATCH /protocols/cifs/group-policies/{svm.uuid}
```

Introduced In: 9.12

Will create a background task to update the GPO settings for specified SVM.

Related ONTAP commands

- `vserver cifs group-policy update`

Parameters

| Name | Type | In | Required | Description |
|----------------------------|---------|-------|----------|--|
| apply_updates | boolean | query | False | Indicates whether to apply updates or not. <ul style="list-style-type: none">• Default value: 1 |
| force_reapply_all_settings | boolean | query | False | Indicates whether or not a re-applying of all settings is enforced. <ul style="list-style-type: none">• Default value: |
| svm.uuid | string | path | True | UUID of the SVM to which this object belongs. |

Response

```
Status: 200, Ok
```

Error

```
Status: Default
```

ONTAP Error Response Codes

| Error Code | Description |
|------------|---|
| 4456649 | Unable to get Group Policy information for SVM. |
| 4456650 | Group Policy is disabled for SVM. |
| 4456651 | Unable to get CIFS server information for SVM. |
| 4456652 | CIFS server is down for SVM. |
| 4456851 | An update is already in progress for specified SVM. Wait a few minutes, then try the command again. |

| Error Code | Description |
|------------|---|
| 4456852 | Failed to set forced update for specified SVM. Reason: Internal error. Starting normal update. |

| Name | Type | Description |
|-------|-------|-------------|
| error | error | |

Example error

```
{
  "error": {
    "arguments": {
      "code": "string",
      "message": "string"
    },
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```

Definitions

See Definitions

error_arguments

| Name | Type | Description |
|---------|--------|------------------|
| code | string | Argument code |
| message | string | Message argument |

error

| Name | Type | Description |
|-----------|--|---|
| arguments | array[error_arguments] | Message arguments |
| code | string | Error code |
| message | string | Error message |
| target | string | The target parameter that caused the error. |

Retrieve applied central access policies for an SVM

GET /protocols/cifs/group-policies/{svm.uuid}/central-access-policies

Introduced In: 9.12

Retrieves applied central access policies for specified SVM.

Related ONTAP commands

- `vserver cifs group-policy central-access-policy show-applied`

Parameters

| Name | Type | In | Required | Description |
|-------------|--------|-------|----------|-----------------------|
| description | string | query | False | Filter by description |
| sid | string | query | False | Filter by sid |
| svm.name | string | query | False | Filter by svm.name |

| Name | Type | In | Required | Description |
|----------------|---------------|-------|----------|---|
| member_rules | string | query | False | Filter by member_rules |
| create_time | string | query | False | Filter by create_time |
| update_time | string | query | False | Filter by update_time |
| name | string | query | False | Filter by name <ul style="list-style-type: none"> • minLength: 1 |
| svm.uuid | string | path | True | UUID of the SVM to which this object belongs. |
| fields | array[string] | query | False | Specify the fields to return. |
| return_records | boolean | query | False | The default is true for GET calls. When set to false, only the number of records is returned. <ul style="list-style-type: none"> • Default value: 1 |
| return_timeout | integer | query | False | The number of seconds to allow the call to execute before returning. When iterating over a collection, the default is 15 seconds. ONTAP returns earlier if either max records or the end of the collection is reached. <ul style="list-style-type: none"> • Default value: 1 • Max value: 120 • Min value: 0 |
| max_records | integer | query | False | Limit the number of records returned. |

| Name | Type | In | Required | Description |
|----------|---------------|-------|----------|---|
| order_by | array[string] | query | False | Order results by specified fields and optional [asc |

Response

Status: 200, Ok

| Name | Type | Description |
|-------------|--|------------------------------------|
| _links | _links | |
| num_records | integer | Number of central access policies. |
| records | array[group_policy_object_central_access_policy] | |

Example response

```
{
  "_links": {
    "next": {
      "href": "/api/resourcelink"
    },
    "self": {
      "href": "/api/resourcelink"
    }
  },
  "num_records": 1,
  "records": {
    "create_time": "2018-01-01 16:00:00 +0000",
    "description": "policy #1",
    "member_rules": [
      "r1",
      "r2"
    ],
    "name": "p1",
    "sid": "S-1-5-21-256008430-3394229847-3930036330-1001",
    "svm": {
      "_links": {
        "self": {
          "href": "/api/resourcelink"
        }
      },
      "name": "svm1",
      "uuid": "02c9e252-41be-11e9-81d5-00a0986138f7"
    },
    "update_time": "2018-01-01 16:00:00 +0000"
  }
}
```

Error

Status: Default, Error

| Name | Type | Description |
|-------|-------|-------------|
| error | error | |

Example error

```
{
  "error": {
    "arguments": {
      "code": "string",
      "message": "string"
    },
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```

Definitions

See Definitions

href

| Name | Type | Description |
|------|--------|-------------|
| href | string | |

_links

| Name | Type | Description |
|------|----------------------|-------------|
| next | href | |
| self | href | |

_links

| Name | Type | Description |
|------|----------------------|-------------|
| self | href | |

svm

Will not be populated for objects that are yet to be applied.

| Name | Type | Description |
|--------|------------------------|-----------------------------------|
| _links | _links | |
| name | string | The name of the SVM. |
| uuid | string | The unique identifier of the SVM. |

group_policy_object_central_access_policy

| Name | Type | Description |
|--------------|---------------------|---|
| create_time | string | Policy creation timestamp. |
| description | string | Description about the policy. |
| member_rules | array[string] | Names of all central access rules applied to members. |
| name | string | |
| sid | string | Security ID, unique identifier of the central policy. |
| svm | svm | Will not be populated for objects that are yet to be applied. |

| Name | Type | Description |
|-------------|--------|-------------------------------------|
| update_time | string | Last policy modification timestamp. |

error_arguments

| Name | Type | Description |
|---------|--------|------------------|
| code | string | Argument code |
| message | string | Message argument |

error

| Name | Type | Description |
|-----------|--|---|
| arguments | array[error_arguments] | Message arguments |
| code | string | Error code |
| message | string | Error message |
| target | string | The target parameter that caused the error. |

Retrieve an applied central access policy for an SVM

GET /protocols/cifs/group-policies/{svm.uuid}/central-access-policies/{name}

Introduced In: 9.12

Retrieves applied central access policy for specified SVM.

Related ONTAP commands

- `vserver cifs group-policy central-access-policy show-applied`

Parameters

| Name | Type | In | Required | Description |
|------|--------|------|----------|-----------------------------|
| name | string | path | True | Central access policy name. |

| Name | Type | In | Required | Description |
|----------|---------------|-------|----------|---|
| svm.uuid | string | path | True | UUID of the SVM to which this object belongs. |
| fields | array[string] | query | False | Specify the fields to return. |

Response

Status: 200, Ok

| Name | Type | Description |
|--------------|---------------------|---|
| create_time | string | Policy creation timestamp. |
| description | string | Description about the policy. |
| member_rules | array[string] | Names of all central access rules applied to members. |
| name | string | |
| sid | string | Security ID, unique identifier of the central policy. |
| svm | svm | Will not be populated for objects that are yet to be applied. |
| update_time | string | Last policy modification timestamp. |

Example response

```
{
  "create_time": "2018-01-01 16:00:00 +0000",
  "description": "policy #1",
  "member_rules": [
    "r1",
    "r2"
  ],
  "name": "p1",
  "sid": "S-1-5-21-256008430-3394229847-3930036330-1001",
  "svm": {
    "_links": {
      "self": {
        "href": "/api/resourcelink"
      }
    },
    "name": "svm1",
    "uuid": "02c9e252-41be-11e9-81d5-00a0986138f7"
  },
  "update_time": "2018-01-01 16:00:00 +0000"
}
```

Error

Status: Default, Error

| Name | Type | Description |
|-------|-----------------------|-------------|
| error | error | |

Example error

```
{
  "error": {
    "arguments": {
      "code": "string",
      "message": "string"
    },
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```

Definitions

See Definitions

href

| Name | Type | Description |
|------|--------|-------------|
| href | string | |

_links

| Name | Type | Description |
|------|----------------------|-------------|
| self | href | |

svm

Will not be populated for objects that are yet to be applied.

| Name | Type | Description |
|--------|------------------------|-----------------------------------|
| _links | _links | |
| name | string | The name of the SVM. |
| uuid | string | The unique identifier of the SVM. |

error_arguments

| Name | Type | Description |
|---------|--------|------------------|
| code | string | Argument code |
| message | string | Message argument |

error

| Name | Type | Description |
|-----------|--|---|
| arguments | array[error_arguments] | Message arguments |
| code | string | Error code |
| message | string | Error message |
| target | string | The target parameter that caused the error. |

Retrieve applied central access rules for an SVM

GET /protocols/cifs/group-policies/{svm.uuid}/central-access-rules

Introduced In: 9.12

Retrieves applied central access rules for specified SVM.

Related ONTAP commands

- `vserver cifs group-policy central-access-rule show-applied`

Parameters

| Name | Type | In | Required | Description |
|---------------------|---------------|-------|----------|---|
| create_time | string | query | False | Filter by create_time |
| proposed_permission | string | query | False | Filter by proposed_permission |
| name | string | query | False | Filter by name <ul style="list-style-type: none">• minLength: 1 |
| description | string | query | False | Filter by description |
| current_permission | string | query | False | Filter by current_permission |
| update_time | string | query | False | Filter by update_time |
| resource_criteria | string | query | False | Filter by resource_criteria |
| svm.name | string | query | False | Filter by svm.name |
| svm.uuid | string | path | True | UUID of the SVM to which this object belongs. |
| fields | array[string] | query | False | Specify the fields to return. |

| Name | Type | In | Required | Description |
|----------------|---------------|-------|----------|---|
| return_records | boolean | query | False | The default is true for GET calls. When set to false, only the number of records is returned. <ul style="list-style-type: none"> • Default value: 1 |
| return_timeout | integer | query | False | The number of seconds to allow the call to execute before returning. When iterating over a collection, the default is 15 seconds. ONTAP returns earlier if either max records or the end of the collection is reached. <ul style="list-style-type: none"> • Default value: 1 • Max value: 120 • Min value: 0 |
| max_records | integer | query | False | Limit the number of records returned. |
| order_by | array[string] | query | False | Order results by specified fields and optional [asc |

Response

Status: 200, Ok

| Name | Type | Description |
|-------------|--|---------------------------------|
| _links | _links | |
| num_records | integer | Number of central access rules. |
| records | array[group_policy_object_central_access_rule] | |

Example response

```
{
  "_links": {
    "next": {
      "href": "/api/resourcelink"
    },
    "self": {
      "href": "/api/resourcelink"
    }
  },
  "num_records": 1,
  "records": {
    "create_time": "2018-01-01 16:00:00 +0000",
    "current_permission": "O:SYG:SYD:AR(A;;FA;;;WD)",
    "description": "rule #1",
    "name": "p1",
    "proposed_permission":
    "O:SYG:SYD:(A;;FA;;;OW)(A;;FA;;;BA)(A;;FA;;;SY)",
    "resource_criteria": "department",
    "svm": {
      "_links": {
        "self": {
          "href": "/api/resourcelink"
        }
      },
      "name": "svm1",
      "uuid": "02c9e252-41be-11e9-81d5-00a0986138f7"
    },
    "update_time": "2018-01-01 16:00:00 +0000"
  }
}
```

Error

Status: Default, Error

| Name | Type | Description |
|-------|-------|-------------|
| error | error | |

Example error

```
{
  "error": {
    "arguments": {
      "code": "string",
      "message": "string"
    },
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```

Definitions

See Definitions

href

| Name | Type | Description |
|------|--------|-------------|
| href | string | |

_links

| Name | Type | Description |
|------|----------------------|-------------|
| next | href | |
| self | href | |

_links

| Name | Type | Description |
|------|----------------------|-------------|
| self | href | |

svm

Will not be populated for objects that are yet to be applied.

| Name | Type | Description |
|------------------------|------------------------|-----------------------------------|
| _links | _links | |
| name | string | The name of the SVM. |
| uuid | string | The unique identifier of the SVM. |

group_policy_object_central_access_rule

| Name | Type | Description |
|---------------------|--------|--|
| create_time | string | Policy creation timestamp. |
| current_permission | string | Effective security policy in security descriptor definition language format. |
| description | string | Description about the policy. |
| name | string | |
| proposed_permission | string | Proposed security policy in security descriptor definition language format. |

| Name | Type | Description |
|-------------------|---------------------|---|
| resource_criteria | string | Criteria to scope resources for which access rules apply. |
| svm | svm | Will not be populated for objects that are yet to be applied. |
| update_time | string | Last policy modification timestamp. |

error_arguments

| Name | Type | Description |
|---------|--------|------------------|
| code | string | Argument code |
| message | string | Message argument |

error

| Name | Type | Description |
|-----------|--|---|
| arguments | array[error_arguments] | Message arguments |
| code | string | Error code |
| message | string | Error message |
| target | string | The target parameter that caused the error. |

Retrieve an applied central access rule for an SVM

GET /protocols/cifs/group-policies/{svm.uuid}/central-access-rules/{name}

Introduced In: 9.12

Retrieves applied central access rule for specified SVM.

Related ONTAP commands

- `vserver cifs group-policy central-access-rule show-applied`

Parameters

| Name | Type | In | Required | Description |
|----------|---------------|-------|----------|---|
| name | string | path | True | Central access rule name. |
| svm.uuid | string | path | True | UUID of the SVM to which this object belongs. |
| fields | array[string] | query | False | Specify the fields to return. |

Response

Status: 200, Ok

| Name | Type | Description |
|---------------------|---------------------|--|
| create_time | string | Policy creation timestamp. |
| current_permission | string | Effective security policy in security descriptor definition language format. |
| description | string | Description about the policy. |
| name | string | |
| proposed_permission | string | Proposed security policy in security descriptor definition language format. |
| resource_criteria | string | Criteria to scope resources for which access rules apply. |
| svm | svm | Will not be populated for objects that are yet to be applied. |
| update_time | string | Last policy modification timestamp. |

Example response

```
{
  "create_time": "2018-01-01 16:00:00 +0000",
  "current_permission": "O:SYG:SYD:AR(A;;;FA;;;WD) ",
  "description": "rule #1",
  "name": "p1",
  "proposed_permission":
  "O:SYG:SYD:(A;;;FA;;;OW)(A;;;FA;;;BA)(A;;;FA;;;SY) ",
  "resource_criteria": "department",
  "svm": {
    "_links": {
      "self": {
        "href": "/api/resourcelink"
      }
    },
    "name": "svm1",
    "uuid": "02c9e252-41be-11e9-81d5-00a0986138f7"
  },
  "update_time": "2018-01-01 16:00:00 +0000"
}
```

Error

Status: Default, Error

| Name | Type | Description |
|-------|-------|-------------|
| error | error | |

Example error

```
{
  "error": {
    "arguments": {
      "code": "string",
      "message": "string"
    },
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```

Definitions

See Definitions

href

| Name | Type | Description |
|------|--------|-------------|
| href | string | |

_links

| Name | Type | Description |
|------|----------------------|-------------|
| self | href | |

svm

Will not be populated for objects that are yet to be applied.

| Name | Type | Description |
|--------|------------------------|-----------------------------------|
| _links | _links | |
| name | string | The name of the SVM. |
| uuid | string | The unique identifier of the SVM. |

error_arguments

| Name | Type | Description |
|---------|--------|------------------|
| code | string | Argument code |
| message | string | Message argument |

error

| Name | Type | Description |
|-----------|--|---|
| arguments | array[error_arguments] | Message arguments |
| code | string | Error code |
| message | string | Error message |
| target | string | The target parameter that caused the error. |

Copyright information

Copyright © 2024 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.