



# **Manage Azure Key Vaults**

## **ONTAP 9.14.1 REST API reference**

NetApp  
April 02, 2024

# Table of Contents

- Manage Azure Key Vaults ..... 1
  - Security azure-key-vaults endpoint overview ..... 1
  - Retrieve AKVs configured for all clusters and SVMs ..... 13
  - Create an AKV configuration for all clusters and SVMs ..... 27
  - Re-key the external key in the key hierarchy ..... 47
  - Delete an AKV configuration ..... 52
  - Retrieve the AKV configuration for an SVM specified by the UUID ..... 54
  - Update the AKV configuration ..... 64
  - Re-key the internal key in the key hierarchy for an SVM ..... 80
  - Restore keys for an SVM from a configured AKV ..... 84

# Manage Azure Key Vaults

## Security azure-key-vaults endpoint overview

### Overview

Azure Key Vault (AKV) is a cloud key management service (KMS) that provides a secure store for secrets. This feature allows ONTAP to securely store its encryption keys using AKV. In order to use AKV with ONTAP, you must first deploy an Azure application with the appropriate access to an AKV and then provide ONTAP with the necessary details, such as key vault name, application ID so that ONTAP can communicate with the deployed Azure application. The properties "state", "azure\_reachability" and "ekmip\_reachability" are considered advanced properties and are populated only when explicitly requested.

### Examples

#### Enabling an AKV configuration for an SVM using the certificate authentication method

The example AKV configuration is enabled for a specific SVM. Note the `return_records=true` query parameter is used to obtain the newly created key-manager keystore configuration.

```
# The API:
POST /api/security/azure-key-vaults

# The call:
curl -X POST 'https://<mgmt-ip>/api/security/azure-key-
vaults?return_records=true' -H 'accept: application/hal+json' -d "{
  \"svm\": { \"uuid\": \"4f7abf4c-9a07-11ea-8d52-005056bbeba5\" },
  \"client_id\": \"client1\", \"tenant_id\": \"tenant1\", \"name\":
  \"https://mykeyvault.azure.vault.net/\", \"key_id\": \"https://keyvault-
test.vault.azure.net/keys/key1/a8e619fd8f234db3b0b95c59540e2a74\",
  \"client_certificate\" :
  \"MIIQKQIBAzCCD+8GCSqGSIb3DQEHAaCCD+AEgg/cMIIP2DCCBg8GCSqGSIb3DQEHBqCCBgAw
ggX8AgEAMIIF9QYJKoZIhvcNAQcBMBwGCiqGSIb3DQEMAQYwDgQIWKY7ojViJDYCAggAgIIFyJ
PjIfmM6yTCKVw5ep2oZLwvRca8pKhISVjw+WjWngh/f6Py/Ty0CwCjDFUZPsUUdSmk78E7SAz
0CpQyBwmUuFJQShjZjftHLKRWld304sJKB8DzH9Yw1C7En94cyJ1rT4WYovFmeJcmOXx6h+NFH
c7njtXVsKwxc5BF88K3+3kHdV3WyVdXoeXe7yY/+EjFfjtBryp81juie1X/NFlh5kowhoj+yxn
00c1/0OI1iV3mTIOTXD8qrZVp9ZhAxSTRBd5uDyWMfppqxW2L+9vCUU+ZgmRxtU3VsRLOp/T14
0OP7Sn1Ch2OE0bIrbYYtcpi04QcUtfEJBMLbbTbJPHDAtiO2KIQKviZL4QMZgho9NNgL4MUpIb
NSzDCbuIC+nNMxfGfs0nPZewY+b43H/tMmnZ8Q4kiCFwrUqbFbflBiPMOaJsS0eQaJhDmzM90Q
EgbesHWgPreAcfMUcN1+BaqHFLHUxLXDxQix6zYiCatDX6/EKliRrh1TFpmFX2PBd+X6uODhwm
m4ub9RKj3In8t5qgtN4q/mTBXjAVDAbTIIIEgobBRaXGSSXCbc9W/jRed0DRZD9Bm8T/nV39sZN
ducwZa5ojYTX8fFMA0cfY6IFivXHjB00coHEEGdgCfC0G8vACqLbb+2NuhMJPtR7Ig50iAPUMc
670Z5ItOTQhyYOZ/KagOtvV8sKPCzeAkcMoHlsm189V79zt1fCJQTVWNaGiMj5Orcbsskk6vCxh
DGeU6q1kgvXJKXOYRF8/wIpv8Y7/rEpnGwE/I0ZOXzdIDHXqA53B1zyOVem25ezWCD+kpoH89X
JssY1NjIMJhJVRED61w/DbSXg2yFu/v3ckGapVvTuyAiz5hWUNfl3pt++da6GoekKnLqtL4G/R
GXCnebLbXg838d1TGBznoCwGTVxXDeVYafz8AjI10qYtTMcbN56ya9kK7IHSkrnFX24xQRQOfm
D0Vob71pjdZ8r1aXKvD/1X2TkYJHoeEHq0nWpU8vwdG/xhv4YgKJGN9qsEZgiTXETUh5gak8e1
```

tGNkP+fum+10ql05oS+Swna5/eB8eFeJl20i48Xi5UapaTRHPFp6kZfPXOu9cEjhILowRIi6gl  
g7FUbmOJcu5OvDIyP9JlyQklw2VtgNlm1QOIvzRenXmy18XnP50NTxx2cIwby8tIcdSn2C2qhj  
8Gk7q8oxVZGiBgtz4BwyzyKkypwm60BBRrHpAKLw6JM5RISeZnYQfIsId0tGgb61go0RJf0sFt  
buvZcSvLI+2Onj8KH1TlmmR4dbuCWEE9Ym4sVRmD1D6/f6BoNH0DRg7TJkEFbOadJsNPGzHbKte  
LdaSMGTNUZ3hEDQeomakQMfvCgypbOLxrTTqfbenHRtN+iFNYW0zCUW6EJoAXp+lqFnwQL52I1  
2QxwZike01P2k0GharzAJkXnNaFGnmHIIP6wJrCCSDZwDmr7GI2R5evDlRi17QUg2sulxQV0U8  
zezzwIUgEe/Whf0ngGJv/QcsL2jyri/tSQbUWs4g+yep4S1E3iddhfqSJzI2iKdAE+HLiHGVO1  
z70fGES06dPLnmh4eoWidgZi9N/SoBy1aT0JpIQ6z6N5ImpfDWu9Y6TWXUg1iyOIXGsXIQVIgU  
NoB5Ru/ApDxpYpFlk0fh9k9OnEWK5Im33puOQKLno1uwrOmdBG8+x1EY8wc9FvkHGH0Zh4Hydi  
CVUcYSdiGWUxVmgm4OgyiYzcpB+Ar2dzikGc4pBg8falalHN5Q3TK3w4h/HeOulm4vWOYuVO1  
H93ILGP6Pwfkgu+1Tam6+8yD0W5meiZ0UIZR8TF/9gDb4+4wTFnPgwfTrggEauA8tt8uJtiyBC  
rYexgZTXIZGTUj/86KXQaJKCreRr/kqwJOWqkNW4CGUVzw7LiI+sArOZqUp/TsxnbcNC73XCMN1  
PsnByb2zCeK13V26Crl84U9sDuqQTJRaIse01MN9AAjpa2QWEwgggnBBgkqhkig9w0BBwGgggmy  
BIIJrjCCCaowggmmBgsqhkig9w0BDAoBAqCCCW4wgg1qMBwGCiqGSib3DQEMAQMwDgQIEjm88b  
1+pnkCaggABIIJSDD3P+vnllSolmQvmYgZVfV37T3KpurJvMxQScPvalWiF7Q1Iwasf/+N0hKK  
Nr2j/aGZLunLkaG6mLPeBP212LCwnUxDu5kYffVVE90WX/bXewbYQribwFNkNhUrSgen8BfhnR  
lvDrzbBLoHivDrUFszSVBCYh31Vwgu8p9SjC8K/XlumcLdjSFko85XpoK23euhowjWH+X0kRoY  
GzorcdNE8z03BKvfr61W2XWzTSaWQ6eZHG6UrnX5Fe/w50U9tMIi3BCCCqgapUHVdmHqKkmWL  
ikX8LssUcN30JVekM2aJ9v4Y06CoegKAMVDS0tVSOv3KbGC3GNX6lgHu4y1LOZPlPLfPXb0wDH  
qavlXK3zph18sIRZuX3HXSdEdenHYAkSV/IQZ89h+CZUkF0nu/og8eoA8ATDA5g7fj3HXpQ6cY  
drUBaHc7ruxHOiWR0GcT4XK4TTz7zZT01wWPViprUo6ayw0dYZSG22MeDA027YirM044Ifosn9  
CsqnNLZoOwvA2ao4ippDoBRqv5Hv6n0I3fOAYS5nPq3jJtKQ5neqUYo0MrAkoKHo0h6zn0Bfvi  
syB88aM9N0mPD76ykbAERq7151biKbA2tk8bb9dy/sJmk2ojM/D/W1YtrNL4iM6azL2kVN5eiC  
hxCof33/RuRpXfGR8YNeJT17bq42wL70QKDBRoG1TPcLqdVqz74oshlRspfqvZsbsUatbASBt2  
T0YG4zfgfGh7sb2ezyougVvzdp77wAJ6n39dc/ZLDdYDzFkQb07984y8LlhIM1AcwFcMh43gWp  
6A8CJ02174ednirSqSVOPZ7K9dRw6Y0X8MB4/WGzEcvFeHYIGLBCXi1sBY5wjWnbeuhlWLiSkM  
DQRB6oGOvF7bJsilKx5PwgWbbqw8KUSuU01skbMAA5T8Hkm4Oistf2a78E0zIKLgzg7yu9FDII  
tWYWOkG96MXEBAdOuH+wWYmaEexh51ONrffwKDuDMZ7MO20TTEQU8oQdjRRoAofXvTcj22GSM  
TY6XleskZX2ZKxSQdD1tCtkjGRKHSTYza3zLHbBiJTIJw4z6sw9FyTTApG66UAkNtiMa1r9nqT  
TNaxRWEXMEQVRLzAL2F9aqjgW65xrbYXu/J9Y/SYTCyBX2SRA/JkQ+Y8F68KOoSlpvK1p5/FcE  
DvprTND541f+aj3HNWuK5wOsrpBhM1b2IflluK/9QwPh9IC/RhHRfimyTPRXAf73cehNdp8DpKw  
Lm+jr30vazFwICpvSbi6Etb6GXfPkKaX7ztpQBqG92m2/0g3LWfPtilzwrPHPBz8y1qQMU268D  
oo8YvWtI4KGAADFb6XQhR6t6mqoq/3IP6/g//PZVENsYUVsPLDJ1LF9fiOwTbMznaiscKv8SGE  
s//B9JkKrdSrrQRZcnnPjJnJLILblRVAZGuXpSKSYVPzYmOjUx3sSeLSiPoSocqRIJ0X3s4ED0  
92W3tr4ZxK3fnkFyrIVtRJsB3k/2smiQ6Pc1VuKHh1yTzYjXKRQcDaY3EDP9IWFtjiUfZQoZci  
jMwt6YXim23m2aN2Ed8qIedikR6OjFHE4Kus/2yegTszSs5CrM7NamKWzeIeNNth/cTcmT++GD  
umsGNTBAsHHSq1KYpqLi4GKLHzU7WNCQRdAcIDEvMZH/CH1mZK7bzb9z038rPf/D5WZrcK1ttD  
5BjTJjj7GerS0xLkvYIklaJqurjMdWYmQtT4JAHF90/zRKqFFVpSiW074bRQ+PfaLI5C+TwoX5  
lYD+R91A0qyGKIkiFITA8hZFY+Up+rSuREqnpAvdAVL9/gLPF6I+5+D+sVBSGRbw2rFVRbCHdwa  
TQcAVPeJjy0f/+sOs/PXoejr3siORpf8iLLYOaziGYf1EtunFcCLj8PEOznaUyouJ+lm9YKPBS  
LULC/sVvy6XUARyFjfq0Ag31YXpJeWPBORxVP/VCm8d/sNjWTQXGN/IjnZaZulixNgq5nRkPBK  
wF23ZUYG4pLGPgROLup9nLSgEbpIDmN1Gq/IHSfi/8HpG/yRAoCdqUdre3yL/f9caj8RBBHRYb  
bfRxyQ9u2vsrqoloZ7F+Mu+kjuc9BxCMvJ7JaKwvQJckAkzTo6t10t6MzwiqJ7Au+2oOJ2Ukb  
/985+TFGS219fmqWfwisOfpuvSkjRj8vIDBBm9itKIS+pVpfz+Mg7kl3WmkUrgF3yjTH5/C51u  
aSzK2KeEVOwPx/Ps2CX7ATo6AsETp8Na38dT6d+Dm4WM4sBieKt/yOEFhiBNkgpVKAqawKRvLW  
3U73OIKC8VLFhnnU+ogGxcUq5mZXvMbNDIaU2LvtmtPPo/qL0bOYu76TKc1ZX0R6AXkeImQGRP

```
sdeXPPANTW31a585oZbYxUXRfEIEkMkcv3eSGnPCVesbxxd1SaIJe2j7H9MbHdjYkeFQuECnUh
Kxg63BVP1/qAEIO5+OKBzM7ctuP8apeGW1iHAueKzJXc5IeFS/3iwkfdLRkrgzBeNIL0IINo3C
oGSvn95Z8+LhNSopyqt3uB4rQksUYIwXgkfrEVYujCO0T5dSkk5j10X7W1Dm4DHZVLJH+GtL6v
9A6xFJNDQfQF0hS+w1XkTkMq7pUiX+Qohf8QRJZEyU5VWo2CesR63j1MFpkB3xybpbjt8oI47X
C20GEn3uCjwMwq/3K4ibHnqi16pPPRgI/u3R9TVfvOC2e0xg1lrFG6cKUfoguUaXoxHqP1KKjUw
23bpd9L09LzSDdSHcoDPokWzDee0ZP/Z6VH3rdjQR71kw4VBeT8nKfLP2dGBd0tpWDQhCFK7I9
axxxthnv0v09x/J7jhyoLRt5e8lMEfrqtnMwdqjFgYVEQndthZ+9/XvfNk6f5MD8fDheMuvbNT
hduFSZEcZCL1W4GWKneVji4wdBrV3aCrzAzxy0H7y7nnkyCEvac503UDtr1bk1VJIVsYfYrN2S
2DPbp3H2E8r/n6jfBilwFyp3JTJvnRqQTcYHXDieW8Njq46JO6O6wsPwKQTKMfHGxxTRJdRe5y
vJD54xvFWw1YEJ/Q2c8cr1NNXEN32e5psfIJ7o48k6bsiyXnbHKSjK781Z5h8Hc3FbUF2U2p5J
qLwcD7+bknEunsbWSC37iMk7oweF3hMhKRMm9iYJ8tpxMRcWCot7ador+Y2fYWBSu/bwXwcRI0
8TElMCMGCSqGSIB3DQEJFTEWBBRymjnEbJmrRwh4sRnwudfSQP6KDAxMCEwCQYFKw4DAhoFAA
QU+YFhgKEYjfxN/cL70yRrJSHFgUwEChECTQnUEU0BAgIIAA==\" }"
```

# The response:

```
{
  "num_records": 1,
  "records": [
    {
      "uuid": "024cd3cf-9a08-11ea-8d52-005056bbeba5",
      "svm": {
        "uuid": "4f7abf4c-9a07-11ea-8d52-005056bbeba5",
        "name": "vs0"
      },
      "client_id": "client1",
      "tenant_id": "tenant1",
      "name": "https://mykeyvault.azure.vault.net/",
      "key_id": "https://keyvault-
test.vault.azure.net/keys/key1/a8e619fd8f234db3b0b95c59540e2a74",
      "_links": {
        "self": {
          "href": "/api/security/azure-key-vaults/024cd3cf-9a08-11ea-8d52-
005056bbeba5"
        }
      }
    }
  ]
}
```

### Creating an inactive AKV configuration for an SVM using the client secret authentication method

The example AKV configuration is created for a specific SVM but is not enabled. Note the *create\_inactive=true* parameter that is used to indicate that the configuration should be created but not enabled. Note the *return\_records=true* query parameter is used to obtain the newly created key-manager keystore configuration.

```

# The API:
POST /api/security/azure-key-vaults

# The call:
curl -X POST 'https://<mgmt-ip>/api/security/azure-key-
vaults?create_inactive=true&return_records=true' -H 'accept:
application/hal+json' -d "{ \"svm\": { \"uuid\": \"4f7abf4c-9a07-11ea-
8d52-005056bbeba5\" }, \"configuration\": {\"name\": \"myConfiguration\"},
\"client_id\": \"client1\", \"tenant_id\": \"tenant1\", \"name\":
\"https://mykeyvault.azure.vault.net/\", \"key_id\": \"https://keyvault-
test.vault.azure.net/keys/key1/a8e619fd8f234db3b0b95c59540e2a74\",
\"client_secret\" : \"myclientPwd\" }"

# The response:
{
  "num_records": 1,
  "records": [
    {
      "uuid": "85619643-9a06-11ea-8d52-005056bbeba5",
      "configuration": {"name": "myConfiguration"},
      "client_id": "client1",
      "tenant_id": "tenant1",
      "name": "https://mykeyvault.azure.vault.net/",
      "key_id": "https://keyvault-
test.vault.azure.net/keys/key1/a8e619fd8f234db3b0b95c59540e2a74",
      "_links": {
        "self": {
          "href": "/api/security/azure-key-vaults/85619643-9a06-11ea-8d52-
005056bbeba5"
        }
      }
    }
  ]
}

```

## Retrieving the AKVs configured for all clusters and SVMs

The following example shows how to retrieve all configured AKVs along with their configurations.

```

# The API:
GET /api/security/azure-key-vaults

# The call:

```

```

curl -X GET 'https://<mgmt-ip>/api/security/azure-key-vaults?fields=*'

# The response:
{
  "records": [
    {
      "configuration": {
        "uuid": "024cd3cf-9a08-11ea-8d52-005056bbeba5",
        "name" : "default"
      },
      "uuid": "024cd3cf-9a08-11ea-8d52-005056bbeba5",
      "scope": "svm",
      "svm": {
        "uuid": "4f7abf4c-9a07-11ea-8d52-005056bbeba5",
        "name": "vs0"
      },
      "client_id": "client1",
      "tenant_id": "tenant1",
      "name": "https://mykeyvault.azure.vault.net/",
      "key_id": "https://keyvault-
test.vault.azure.net/keys/key1/a8e619fd8f234db3b0b95c59540e2a74",
      "authentication_method": "client_secret",
      "enabled": true,
      "_links": {
        "self": {
          "href": "/api/security/azure-key-vaults/024cd3cf-9a08-11ea-8d52-
005056bbeba5"
        }
      }
    },
    {
      "configuration": {
        "uuid": "85619643-9a06-11ea-8d52-005056bbeba5",
        "name" : "new-config"
      },
      "uuid": "85619643-9a06-11ea-8d52-005056bbeba5",
      "scope": "cluster",
      "client_id": "client1",
      "tenant_id": "tenant1",
      "name": "https://mykeyvault.azure.vault.net/",
      "key_id": "https://keyvault-
test.vault.azure.net/keys/key1/a8e619fd8f234db3b0b95c59540e2a74",
      "authentication_method": "certificate",
      "enabled": false,
      "_links": {
        "self": {

```

```
    "href": "/api/security/azure-key-vaults/85619643-9a06-11ea-8d52-005056bbeba5"
  }
}
],
"num_records": 2,
"_links": {
  "self": {
    "href": "/api/security/azure-key-vaults?fields=*"
  }
}
}
```

---

### Retrieving a specific AKV configuration

The following example retrieves a specific AKV configuration.



```
# The API:
GET /api/security/azure-key-vaults

# The call:
curl -X GET 'https://<mgmt-ip>/api/security/azure-key-vaults/85619643-9a06-11ea-8d52-005056bbeba5?fields=*'

# The response:
{
  "configuration": {
    "uuid": "85619643-9a06-11ea-8d52-005056bbeba5",
    "name" : "default"
  },
  "uuid": "85619643-9a06-11ea-8d52-005056bbeba5",
  "scope": "cluster",
  "client_id": "client1",
  "tenant_id": "tenant1",
  "name": "https://mykeyvault.azure.vault.net/",
  "key_id": "https://keyvault-
test.vault.azure.net/keys/key1/a8e619fd8f234db3b0b95c59540e2a74",
  "authentication_method": "client_secret",
  "enabled": true,
  "_links": {
    "self": {
      "href": "/api/security/azure-key-vaults/85619643-9a06-11ea-8d52-005056bbeba5"
    }
  }
}
```

## Retrieving the advanced properties of a specific, enabled AKV configuration

The following example retrieves the advanced properties of a specific enabled AKV configuration (inactive AKV configurations do not have these advanced properties).

```
# The API:
GET /api/security/azure-key-vaults

# The call:
curl -X GET 'https://<mgmt-ip>/api/security/azure-key-vaults/85619643-9a06-11ea-8d52-005056bbeba5?fields=state,azure_reachability,ekmip_reachability'
{
```

```
"configuration": {
  "uuid": "85619643-9a06-11ea-8d52-005056bbeba5",
  "name" : "default"
},
"uuid": "85619643-9a06-11ea-8d52-005056bbeba5",
"name": "https://10.234.237.18",
"state": {
  "cluster_state": true,
  "message": "",
  "code": "0"
},
"azure_reachability": {
  "reachable": true,
  "message": "",
  "code": "0"
},
"ekmip_reachability": [
  {
    "node": {
      "uuid": "d208115f-7721-11eb-bf83-005056bb150e",
      "name": "node1",
      "_links": {
        "self": {
          "href": "/api/cluster/nodes/d208115f-7721-11eb-bf83-005056bb150e"
        }
      }
    },
    "reachable": true,
    "message": "",
    "code": "0"
  },
  {
    "node": {
      "uuid": "e208115f-7721-11eb-bf83-005056bb150e",
      "name": "node2",
      "_links": {
        "self": {
          "href": "/api/cluster/nodes/e208115f-7721-11eb-bf83-005056bb150e"
        }
      }
    },
    "reachable": true,
    "message": "",
    "code": "0"
  }
]
```

```

    }
  ],
  "_links": {
    "self": {
      "href": "/api/security/azure-key-vaults/85619643-9a06-11ea-8d52-005056bbeba5"
    }
  }
}
}
}

```

## Updating the client secret of a specific AKV configuration

The following example updates the client secret of a specific AKV configuration.

```

# The API:
PATCH /api/security/azure-key-vaults

# The call:
curl -X PATCH 'https://<mgmt-ip>/api/security/azure-key-vaults/85619643-9a06-11ea-8d52-005056bbeba5' -d '{"client_secret": "newSecret"}'

```

## Updating the client certificate and key of a specific AKV configuration

The following example updates the client certificate and key of a configured AKV for a specific AKV configuration.

```

# The API:
PATCH /api/security/azure-key-vaults

# The call:
curl -X PATCH 'https://<mgmt-ip>/api/security/azure-key-vaults/85619643-9a06-11ea-8d52-005056bbeba5' -d '{"client_certificate":
"MI IQKQIBAzCCD+8GCSqGSIB3DQEHAaCCD+AEgg/cMIIP2DCCBg8GCSqGSIB3DQEHBqCCBgAw
ggX8AgEAMIIF9QYJKoZIhvcNAQcBMBwGCiqGSIb3DQEMAQYwDgQIWKY7ojViJDYCAggAgIIFyJ
PjIfmM6yTCKVw5ep2oZLwvRca8pKhISVjw+WjWngh/f6Py/Ty0CwCjDFUZPsUUdSmk78E7SAz
0CpQyBwmUuFJQShjZjftHLKRWld304sJKB8DzH9Yw1C7En94cyJ1rT4WYoVFmeJcmOx6h+NFH
c7njtXVsKwxc5BF88K3+3kHdV3WyVdXoeXe7yY/+EjFfjtBryp81juielX/NF1h5kowhoj+yxn
00c1/0OI1iV3mTIOTXD8qrZVp9ZhAxSTRBd5uDyWMfppqxW2L+9vCUU+ZgmRxtU3VsRLOp/T14
0OP7Sn1Ch2OE0bIrbYYtcbi04QcUtfeJBM1bbTbJPHDAtiO2KIQKviZL4QMZgho9NNgL4MUpIb
NSzDCbuIC+nNMXfgfs0nPZewY+b43H/tMmnZ8Q4kiCFwrUqbFbflBiPMOaJsS0eQaJhDmzM90Q
EgbesHWgPreAcfMUcN1+BaqHFLHUxLXDxQix6zYiCAtdX6/EKlirRh1TFpmFX2PBd+X6uODhmw
m4ub9RKj3In8t5qgtN4q/mTBXjAVDAbTIIIEgobBRaXGSSXCBC9W/jRed0DRZD9Bm8T/nV39sZN
"}'

```

ducwZa5ojYTX8fFMA0cfY6IFivXHjB00coHEEGdgCfC0G8vACqLbb+2NuhMJPtR7Ig50iAPUMc  
670Z5ItOTQhyYOZ/KagOtvV8sKPCzeAkcMoHlsm189V79zt1fCJQTVWnaGiMj5Orcbskk6vCxh  
DGeU6q1kgvXJKXOYRF8/wIpv8Y7/rEpnGwE/I0ZOxzdIDHXqA53B1zyOVem25ezWCD+kpoH89X  
JssY1NjIMJhjVRED61w/DbSXg2yFu/v3ckGapVvTuyAiz5hWUNfl3pt++da6GoekKnLqtL4G/R  
GXCnebLbXg838dlTGBznoCwGTVxXDeVYafz8AjI10qYtTMcbN56ya9kK7IHSkrnFX24xQRQOfm  
D0Vob71pjdz8r1aXKvD/1X2TkYJHoeEHq0nWpU8vwdG/xhv4YgKJGN9qsEZgiTXETUh5gak8e1  
tGNkP+fum+10q105oS+Swna5/eB8eFeJl20i48Xi5UapaTRHPFp6kZfPXOu9cEjhILowRIi6gl  
g7FUBmoJcu5OvDIyP9JlyQklw2VtgNlm1QOIvzRenXmy18XnP50NTxx2cIwby8tIcdSn2C2qhj  
8Gk7q8oxVZGiBgtz4BwyzyKkypwm60BBRrHpAKLw6JM5RISeZnYQfIsId0tGgb61go0RJf0sFt  
buvZcSvLI+2Onj8KH1TlmMR4dbuCWE9Ym4sVRmD1D6/f6BoNH0DRg7TJkEFbOadJsNPGzHbKte  
LdaSMGTNUZ3hEDQeomakQMfvCgypbOLxrTTqfbenHRtN+iFNYW0zCUW6EJoAXp+lqFnwQL52I1  
2QxwZike01P2k0GharzAJkXnNaFGnmHIIP6wJrCCSDZwDmr7GI2R5evDlRi17QUg2sulxQV0U8  
zezzwIUgEe/Whf0ngGJv/QcsL2jyri/tSQbUWs4g+yep4S1E3iddhfqSjzI2iKdAE+HLiHGVO1  
z70fGEs06dPLnmh4eowidgzi9N/SoBy1aT0JpIQ6z6N5ImpFDWu9Y6TWXUg1iyOIXGsxiQVIgU  
NoB5Ru/ApDxpYpFlk0fH9k9OnEWK5Im33puOQKLno1uwrOmdB8+x1EY8wc9FvkHGH0Zh4Hydi  
CVUcYSdiGWUxVmgm4OgyiYzcpB+Ar2dzikGc4pBg8fa1a1HN5Q3TK3w4h/HeOulm4vWOYuVO1  
H93ILGP6Pwfkgu+1Tam6+8yD0W5meiz0UIZR8TF/9gDb4+4wTFnPgwfTrggEauA8tt8uJtiyBC  
rYexgZTXIZGTUj/86KXQaJKCreRr/kqWJOWqkNW4CGUVzw7LiI+sArOZqUp/TsxnbcNC73XCMN1  
PsnByb2zCeK13V26Crl84U9sDuqQTRaIse01MN9AAjpa2QWEwgggnBBgkqhkiG9w0BBwGgggmy  
BIIJrjCCCaowggmmBgsqhkig9w0BDAoBAqCCW4wgg1qMBwGCiqGSIB3DQEMAQMwDgQIEjm88b  
1+pnkCaggABIIJSDD3P+vn11SolmQvmYgZVfV37T3KpurJvMxQScPvalWiF7Q1Iwasf/+N0hKK  
Nr2j/aGZLunLkaG6mLPeBP212LCwnUxDu5kYffVVE90WX/bXewbYQribwFNkNhUrSgen8Bfhnr  
lvDrzbBLoHivDrUFszSVBCYh31Vwgu8p9SjC8K/XlumcLdjSFko85XpoK23euhowjWH+X0kRoY  
GzorcdNE8z03BKvfr61W2XWzTSaWQ6eZHG6UrnX5Fe/w50U9tMIi3BCCCqgapUHVdmHqKkmWL  
ikX8LssUcN30JVeK2aJ9v4YO6CoegKAMVDS0tVSOv3KbGC3GNX6lgHu4y1LOZP1PLfPXb0wDH  
qavlXk3zph18sIRZuX3HXSdEdenHYAkSV/IQZ89h+CZUkf0nu/og8eoA8ATDA5g7fj3HXpQ6cY  
drUBaHc7ruxHOiWR0GcT4XK4TTz7zZT01wPwViprUo6ayw0dYZSG22MeDA027YirM044Ifosn9  
CsqnNLZoOwvA2ao4ippDoBRqv5Hv6n0I3fOAys5nPq3jJtKQ5neqUYo0MrAkoKHo0h6zn0Bfvi  
syB88aM9N0mPD76ykbAERq7151biKbA2tk8bb9dy/sJmk2ojM/D/W1YtrNL4im6azL2kVN5eiC  
hxCof33/RuRpXfGR8YNeJt17bq42wL70QKDBRoG1TPcLqdVqz74oshlRspfVqzSbsUatbASbt2  
T0YG4zfgfGh7sb2ezyougVvzdp77wAJ6n39dc/ZLDdYDzFkQb07984y8Llhim1AcwFcMh43gWp  
6A8CJ02174ednirSqSVOPZ7K9dRw6Y0X8MB4/WGzEcvFeHYIGLBCXi1sBY5wjWnbeuhlWLiSkM  
DQRB6oGOvF7bJsilKx5PwgWbbqw8KUSuU01skbMAa5T8Hkm4Oistf2a78E0zIKLGZg7yu9FDII  
tWYwOkG96MXEBAdOuH+wWYmaEexh51ONrffwKDuDMZ7MO20TTEQU8oQdjRRoAofXvTcj22GSM  
TY6XleskZx2ZKxSQd1tCtkjGRKHSTYza3zLHbBiJTIJw4z6sw9FyTTApG66UAkNtiMa1r9nqT  
TNaxRWEXMEQVRLzAL2F9aqjgW65xrbYXu/J9Y/SYtcYbX2SRA/JkQ+Y8F68KOoS1pvK1p5/FcE  
DvprTNDS4lf+aj3HNWuK5wOsrpBhMlb2If1luK/9QwPh9IC/RhHRfimyTPRXAf73cehNdp8DpKw  
Lm+jr30vazFwICpvSbi6Etb6GXfPkKaX7ztpQBqG92m2/0g3LWfPtilzwrPHPBz8y1qQMU268D  
oo8YvWtI4KGaDAFb6XQhR6t6mqoq/3IP6/g//PZVENsYUVsPLDJ1LF9fiOWtBMznaiscKv8SGE  
s//B9JkKrdSrrQRZcnnPjJnJLILblRVAZGuXpSKSYVPzYmOjUx3sSeLSiPoSOcqRIJ0X3s4ED0  
92W3tR4ZxK3fnkFyrIVtRJsB3k/2smiQ6Pc1VuKHh1yTzYjXKRQcDaY3EDP9IWFtjiUfZQoZci  
jMwt6YXim23m2a2Ed8qIedikR6OjFHE4Kus/2yegTszSs5CrM7NamKWzeIeNNth/cTcmT++GD  
umsGNTBAsHHSq1KYpqLi4GKLHzU7WNCQRdAcIDEvMZH/CH1mZK7bzb9z038rPf/D5WZrcK1ttD  
5BjTJjj7GerS0xLkvYIklAJqurjMdWYmQtT4JAHF90/zRKqFFVpSiW074bRQ+PfaLI5C+TwoX5  
lYD+R91A0qyGKIkiFITA8hZFY+Up+rSuREqnpAvdAVL9/gLPF6I+5+D+sVBsGRbw2rFVRbCHdwa  
TQcAVPeJJy0f/+sOs/PXoejr3siORpf8iLLYOaziGYf1EtunFcCLj8PEOznaUyouJ+lm9YKPBs

```
LULC/sVvy6XUARyFJfq0Ag31YXpJeWPbORxVP/VCm8d/sNjWTQXGN/IjNZaZuliXNgq5nRkPBK
wF23ZUYG4pLGpGROLup9nLSgEbpiDmN1Gq/IHSfI/8HpG/yRAoCdqUdre3yL/f9caj8RBBHRYb
bfRxtYQ9u2vsrqo1oZ7F+Mu+kjuc9BxCMvJ7JaKwvQJckAkzTo6t10t6MzwiqJ7Au+2oOJ2Ukb
/985+TFGS219fmqWfwisOfpuvSkjRj8vIDBBm9itKIS+pVpfz+Mg7kl3WmkUrgF3yjTH5/C51u
aSzk2KeEVoWPx/Ps2CX7ATo6AsETp8Na38dT6d+Dm4WM4sBieKt/yOEFhiBNkGPVKAqawKRvLW
3U73OIKC8VLfhhnU+ogGxcUq5mZXvMbNDIaU2LvtmtPPo/qL0bOYu76TKc1ZX0R6AXkeImQgRP
sdeXPPANTw31a585oZbYxUXRfEIEkMkcv3eSGnPCVesbxxd1SaIJe2j7H9MbHdjYkeFQuECnUh
Kxg63BVP1/qAEIO5+OKBzM7ctuP8apeGW1iHAueKzJXc5IeFS/3iwkfdLRkrgzBenILOIINo3C
oGSvn95Z8+LhNSopyqt3uB4rQksUYIwXgkfrEVYujCO0T5dSkk5j10X7W1Dm4DHZVLJH+GtL6v
9A6xFJNDQfQF0hS+w1XkTkmq7pUiX+Qohf8QRJZEyU5Vwo2CesR63j1MFpkB3xybpbjt8oI47X
C20GEn3uCjwMwq/3K4ibHnqi16pPPRgI/u3R9TVfvOC2e0xgllrFG6cKUfoguXoxHqP1KKjUw
23bpd9L09LzSDdSHcoDPokWzDee0ZP/Z6VH3rdjQR71kw4VBeT8nKfLP2dGBd0tpWDQhCFK7I9
axxxthnv0v09x/J7jhyoLrt5e8lMEfrqtnMwdqjFgYVEQndthZ+9/XvfNk6f5MD8fDheMuvbNT
hduFSZEcZCLlW4GwKneVji4wdBrV3aCrzAzxy0H7y7nnkyCEvac503UDtr1bk1VJIVsYfYrN2S
2DPbp3H2E8r/n6jfbilwFyp3JTJvnRqQTcYHXDieW8Njq46JO6O6wsPwKQTKMfHGxxTRJdRe5y
vJD54xvFWw1YEJ/Q2c8cr1NNXEN32e5psfIJ7o48k6bsiyXnbHKSjK781Z5h8Hc3FbUF2U2p5J
qLwcD7+bknEunsbWSC37iMk7oweF3hMhKRMm9iYJ8tpxMRcWCot7ador+Y2fYWBSu/bwXwcRI0
8TElMCMGCSqGSIB3DQEJFTEWBBRymjnjEbJmrRwh4sRnwudfSQP6KDAxMCEwCQYFKw4DAhOFAA
QU+YFhgKEYjfxN/cL70yRrJSHFgUwECHeCTQnUEU0BAgIIAA==\ " }
```

## Deleting a specific AKV configuration

The following example deletes a specific, enabled AKV.

```
# The API:
DELETE /api/security/azure-key-vaults

# The call:
curl -X DELETE 'https://<mgmt-ip>/api/security/azure-key-vaults/85619643-
9a06-11ea-8d52-005056bbeba5'
```

## Restoring the keys for a specific AKV configuration

The following example restores all the keys of a specific AKV configuration.

```
# The API:
POST security/azure-key-vaults/{uuid}/restore

# The call:
curl -X POST 'https://<mgmt-ip>/api/security/azure-key-vaults/85619643-9a06-11ea-8d52-005056bbeba5/restore'

# The response:
{
  "job": {
    "uuid": "6ab6946f-9a0c-11ea-8d52-005056bbeba5",
    "_links": {
      "self": {
        "href": "/api/cluster/jobs/6ab6946f-9a0c-11ea-8d52-005056bbeba5"
      }
    }
  }
}
```

---

### Rekeying the internal key for a specific AKV configuration

The following example rekeys the internal key of a specific AKV configuration.

```
# The API:
POST security/azure-key-vaults/{uuid}/rekey-internal

# The call:
curl -X POST 'https://<mgmt-ip>/api/security/azure-key-vaults/85619643-9a06-11ea-8d52-005056bbeba5/rekey-internal'

# The response:
{
  "job": {
    "uuid": "6ab6946f-9a0c-11ea-8d52-005056bbeba5",
    "_links": {
      "self": {
        "href": "/api/cluster/jobs/6ab6946f-9a0c-11ea-8d52-005056bbeba5"
      }
    }
  }
}
```

# Retrieve AKVs configured for all clusters and SVMs

GET /security/azure-key-vaults

**Introduced In:** 9.8

Retrieves AKVs configured for all clusters and SVMs.

## Related ONTAP commands

- `security key-manager external azure show`
- `security key-manager external azure check`

## Parameters

Name	Type	In	Required	Description
verify_host	boolean	query	False	Filter by verify_host <ul style="list-style-type: none"><li>• Introduced in: 9.14</li></ul>
enabled	boolean	query	False	Filter by enabled <ul style="list-style-type: none"><li>• Introduced in: 9.14</li></ul>
client_id	string	query	False	Filter by client_id
configuration.name	string	query	False	Filter by configuration.name <ul style="list-style-type: none"><li>• Introduced in: 9.14</li></ul>
configuration.uuid	string	query	False	Filter by configuration.uuid <ul style="list-style-type: none"><li>• Introduced in: 9.14</li></ul>
tenant_id	string	query	False	Filter by tenant_id
svm.uuid	string	query	False	Filter by svm.uuid
svm.name	string	query	False	Filter by svm.name

Name	Type	In	Required	Description
ekmip_reachability.message	string	query	False	Filter by ekmip_reachability.message
ekmip_reachability.node.name	string	query	False	Filter by ekmip_reachability.node.name
ekmip_reachability.node.uuid	string	query	False	Filter by ekmip_reachability.node.uuid
ekmip_reachability.reachable	boolean	query	False	Filter by ekmip_reachability.reachable
ekmip_reachability.code	string	query	False	Filter by ekmip_reachability.code
vault_host	string	query	False	Filter by vault_host  • Introduced in: 9.14
state.code	string	query	False	Filter by state.code
state.available	boolean	query	False	Filter by state.available
state.message	string	query	False	Filter by state.message
uuid	string	query	False	Filter by uuid
proxy_port	integer	query	False	Filter by proxy_port
proxy_username	string	query	False	Filter by proxy_username
proxy_type	string	query	False	Filter by proxy_type
proxy_host	string	query	False	Filter by proxy_host



Name	Type	In	Required	Description
authentication_method	string	query	False	Filter by authentication_method  • Introduced in: 9.10
azure_reachability_code	string	query	False	Filter by azure_reachability_code
azure_reachability_reachable	boolean	query	False	Filter by azure_reachability_reachable
azure_reachability_message	string	query	False	Filter by azure_reachability_message
scope	string	query	False	Filter by scope
verify_ip	boolean	query	False	Filter by verify_ip  • Introduced in: 9.14
key_id	string	query	False	Filter by key_id
port	integer	query	False	Filter by port  • Introduced in: 9.14
oauth_host	string	query	False	Filter by oauth_host  • Introduced in: 9.14
name	string	query	False	Filter by name
fields	array[string]	query	False	Specify the fields to return.
max_records	integer	query	False	Limit the number of records returned.

Name	Type	In	Required	Description
return_timeout	integer	query	False	<p>The number of seconds to allow the call to execute before returning. When iterating over a collection, the default is 15 seconds. ONTAP returns earlier if either max records or the end of the collection is reached.</p> <ul style="list-style-type: none"> <li>• Default value: 1</li> <li>• Max value: 120</li> <li>• Min value: 0</li> </ul>
return_records	boolean	query	False	<p>The default is true for GET calls. When set to false, only the number of records is returned.</p> <ul style="list-style-type: none"> <li>• Default value: 1</li> </ul>
order_by	array[string]	query	False	Order results by specified fields and optional [asc

## Response

Status: 200, Ok

Name	Type	Description
_links	<a href="#">_links</a>	
num_records	integer	Number of records
records	array[ <a href="#">azure_key_vault</a> ]	

## Example response

```
{
  "_links": {
    "next": {
      "href": "/api/resourcelink"
    },
    "self": {
      "href": "/api/resourcelink"
    }
  },
  "num_records": 1,
  "records": {
    "_links": {
      "self": {
        "href": "/api/resourcelink"
      }
    },
    "authentication_method": "client_secret",
    "azure_reachability": {
      "code": "346758",
      "message": "AKV service is not reachable from all nodes -
reason."
    },
    "client_certificate":
"MIIQKQIBAzCCD+8GCSqGSIB3DQEHAaCCD+AEgg/cMIIP2DCCBg8GCSqGSIB3DQEHbqCCBg
AwggX8AgEAMIIF9QYJKoZIhvcNAQcBMBwGCiqGSIb3DQEMAQYwDgQIWKY7ojViJDYCAggAg
IIFyJPjIfmM6yTCKVw5ep2oZLwvwRca8pKhISVjw+WjWngh/f6Py/Ty0CwCjDFUZPsUUdSm
k78E7SAz0CpQyBwmUuFJQShjZjftHLKRWld3O4sJKB8DzH9Yw1C7En94cyJ1rT4WYoVFmeJ
cmOXx6h+NFHc7njtXVsKwxc5BF88K3+3kHdV3WyVdXoeXe7yY/+EjFfjtBryp81juielX/N
Flh5kowhoj+yxn00c1/0OI1iV3mTIOTXD8qrZVp9ZhAxSTRBd5uDyWMfppqxW2L+9vCUU+Z
gmRxtU3VsRLOp/T140OP7Sn1Ch2OE0bIrbYYtcpi04QcUtfeJBMlbbTbJPHDAti02KIQKvi
ZL4QMZgho9NNg14MUpIbNSzDCbuIC+nNMXfgfs0nPZewY+b43H/tMmnZ8Q4kiCFwrUqbFbf
lBiPMOaJsS0eQaJhDmzM90QEgbesHWgPreAcfMUcN1+BaqHFLHUxLXDxQix6zYiCaDX6/E
KlirRh1TFpmFX2PBd+X6uODhmwm4ub9RKj3In8t5qgtN4q/mTBXjAVDAbTIEgobBRaXGSS
XCbc9W/jRed0DRZD9Bm8T/nV39sZNducwZa5ojYTX8fFMA0cfY6IFivXHjB00coHEEGdgCf
C0G8vAcqLbb+2NuhMJPtR7Ig50iAPUMc670Z5ItOTQhyYOZ/KagOtvV8sKPCzeAkcMoHlsm
189V79zt1fCJQTVWnaGiMj5Orcbskk6vCxdGGeU6q1kgvXJKXOYRF8/wIpv8Y7/rEpnGwE/
I0ZOXzdIDHXqA53B1zyOVem25ezWCD+kpoH89XJssY1NjIMJhjVRED61w/DbSXg2yFu/v3c
kGapVvTuyAiz5hWUNfl3ptda6GoekKnLqtL4G/RGXCnebLbXg838dlTGBznoCwGTVxXDeVY
afz8AjI10qYtTmcbN56ya9kK7IHSkrnFX24xQRQOfmD0Vob71pjdZ8r1aXKvD/1X2TkYJHo
eEHq0nWpU8vwdG/xhv4YgKJGN9qsEZgiTXETUh5gak8eltGNkP+fum+10q105oS+Swna5/e
B8eFeJ120i48Xi5UapaTRHPFP6kZfPXOu9cEjhILowRIi6glg7FUbmoJcu50vDIyP9JlyQk
lw2VtgNlm1QOIvzRenXmy18XnP50NTxx2cIwby8tIcdSn2C2qhj8Gk7q8oxVZGiBgtz4Bwy
zyKkypwm60BBRrHpAKLw6JM5RISeZnYQfIsId0tGgb61go0RJf0sFtbuvZcSvLI+2Onj8KH
1TlmMR4dbuCWE9Ym4sVRmD1D6/f6BoNH0DRg7TJkEFbOadJsNPGzHbKteLdaSMGTNUZ3hED
```

QeomakQMfvCgypbOLxrTTqfbenHRtN+iFNyW0zCUW6EJoAXp+lqFnwQL52I12QxwZike01P  
2k0GharzAJkXnNaFGnmHIIP6wJrCCSDZwDmr7GI2R5evDlRi17QUg2sulxQV0U8zezzwIUg  
Ee/Whf0ngGJv/QcsL2jyri/tSQbUWs4g+yep4S1E3iddhfqSJzI2iKdAE+HLiHGVO1z70fG  
Es06dPLnmh4eoWidgZi9N/SoBy1aT0JpIQ6z6N5ImpFDWu9Y6TWXUg1iyOIXGsxiQVIgUNo  
B5Ru/ApDxpYpFlk0fH9k9OnEWK5Im33puOQKLno1uwrOmdbG8+x1EY8wc9FvkHGH0Zh4Hyd  
iCVUcYSdiGWUxVmgm4OgyiYzcpB+Ar2dzikGc4pBg8fa1a1HN5Q3TK3w4h/HeOUlma4vWOY  
uV01H93ILGP6Pwfkg+1Tam6+8yD0W5meiz0UIZR8TF/9gDb4+4wTFnPwgfTrggEauA8tt8  
uJtiyBCrYexgZTXIZGTUj/86KXQaJKCreRr/kqwJOWqkNW4CGUVzw7LiI+sArOzqUp/Tsxn  
bNC73XCMNlPsnByb2zCeK13V26Crl84U9sDuqQTJRaIse01MN9AAjpa2QWEwggNBbgkqkhi  
G9w0BBwGgggmyBIIJrjCCCaowggmmBgsqhkig9w0BDAoBAqCCCW4wgg1qMBwGCiqGSib3DQ  
EMAQMwDgQIEjM88b1+pnkCAggABIIJSDD3P+vn1lSolmQvmYgZVfV37T3KpurJvMxQScPva  
lWiF7Q1Iwasf/+N0hKKNr2j/aGZLunLkaG6mLPeBP212LCwnUxDu5kyffVVE90WX/bXewBY  
QribwFNkNhUrSgen8BfhnRlvDrzBLoHIvDrUFszSVBCYh31Vwgu8p9SjC8K/XluncLdjSF  
ko85XpoK23euhowjWH+X0kRoYGzorcdNE8z03BKvfr61W2XWzTSaWQ6eZHG6UrnX5Fe/w5  
0U9tMIi3BCCCqgapUHVdmHqKkmWLiKX8LssUcN30JvekM2aJ9v4YO6CoegKAMVDs0tVSov3  
KbGC3GNX6lgHu4y1LOZPlPlfPxb0wDHqavlXK3zph18sIRZuX3HXSdEdenHYAkSV/IQZ89h  
+CZUkf0nu/og8eoA8ATDA5g7fj3HXpQ6cYdrUBaHc7ruxHOiWR0GcT4XK4TTz7zZTO1wWPV  
iprUo6ayw0dYZSG22MeDA027YirM044Ifosn9CsqnNLZoOWvA2ao4ippDoBRqv5Hv6n0I3f  
OAys5nPq3jJtKQ5neqUYo0MrAkoKHO0h6zn0BfvisyB88aM9N0mPD76ykbAERq7151biKbA  
2tk8bb9dy/sJmk2ojM/D/W1YtrNL4iM6azL2kVN5eiChxCof33/RuRpXfGR8YNeJtL7bq42  
wL70QKDBRoG1TPcLqdVqz74oshlRspfqvZsbsUatbASbt2T0YG4zfgfGh7sb2ezyougVvzd  
p77wAJ6n39dc/ZLDDyDzFkQb07984y8LlhIM1AcwFcmh43gWp6A8CJ02174ednirSqSVOPZ  
7K9dRw6Y0X8MB4/WGzEcvFeHYIGLBCxi1sBY5wjWnbeuhlWLiSkMDQRB6oGOvF7bJsilKx5  
PwgWbbqw8KUSuU01skbMAa5T8Hkm4OiSTf2a78E0zIKLGZg7yu9FDIItWYWokG96MXEBAdo  
uH+wWYmaEexh51ONrfFwKDuDMzh7MO20TTEQU8oQdjRRoAofXvTcj22GSMTY6XleskZX2ZK  
xSQdD1tCtkjGRKHSTYza3zLHbBiJTIJw4z6sw9FyTTApG66UakNtiMalr9nqTTNaxRWEXME  
QVRLzAL2F9aqjgW65xrbYXu/J9Y/SYTCyBx2SRA/JkQ+Y8F68KOoS1pvK1p5/FcEdvprTND  
S41f+aj3HNWuK5wOsrpBhMlb2If1uK/9QwPh9IC/RhHRfimyTPRXAf73cehNdp8DpKwLm+j  
r30vazFwICpvSbi6Etb6GXfPkKaX7ztpQBqG92m2/0g3LWfPtilzwrPHPBz8y1qQMU268Do  
o8YvWtI4KGaDAFb6XQhR6t6mqoq/3IP6/g//PZVENsYUVsPLDJLLF9fiOwTbMznaiscKv8S  
GEs//B9JkKrdSRRQRZcnnPjJnJLILblRVAZGuXpSKSYVPzYmOjUx3sSeLSiPoSoCqRIJ0X3  
s4ED092W3tR4ZXK3fnkFyrIVtRJsB3k/2smiQ6Pc1VuKhh1yTzYjXKRQcDaY3EDP9IWFtji  
UfZQoZcijMwt6YXim23m2aN2Ed8qIedikR6OjFHE4Kus/2yegTszSs5CrM7NamKWzeIeNnt  
h/cTcmTGdumsGNTBAsHHSq1KYpqLi4GKLHzU7WNCQRdAcIDEvMZH/CH1mZK7bzb9z038rPf  
/D5WZrcK1ttd5BjTJj7GerS0xLkvYIklAJqurjMdWYmQtT4JAHF90/zRKqFFVpSiW074bR  
Q+PfaLI5C+TwoX51YD+R91A0qyGKIkiFITa8hZFY+Up+rSuREqnpAvdAVL9/gLPP6I+5+D+s  
VBsGRbw2rFVRbCHdwaTQcAVPeJJy0f/+sOs/PXoejr3siORpf8iLLYOaziGYf1EtunFcCLj  
8PEOznaUyouJ+lM9YKPBSLULC/sVvY6XUARyFJfq0Ag31YXpJeWPbORxVP/VCM8d/sNjWTQ  
XGN/IjNZaZuliXNgq5nRkPBkWF23ZUYG4pLgPGROLup9nLSgEbpiDmN1Gq/IHSfI/8HpG/y  
RAoCdqUdre3yL/f9caj8RBBHRYbbfRxyQ9u2vsrqo1oZ7F+Mu+kjuc9BxCMvJ7JaKwvQJc  
kAkzTo6t10t6MzwiqJ7Au+2oOJ2Ukb/985+TFGS219fmqWfwisOfpuvSkjRj8vIDBBm9itK  
IS+pVpfz+Mg7k13WmkUrgF3yjTH5/C51uaSzK2KeEVoWPx/Ps2CX7ATo6AsETp8Na38dT6d  
+Dm4WM4sBieKt/yOEFhiBNkGPVKAqawKRvLW3U730IKC8VLFhhu+ogGxcUq5mZXvMbNDIa  
U2LvtmtPPo/qL0bOYu76TKc1ZXOR6AXkeImQgRPsdexPPANTW31a585oZbYxUXRfEIEKmc  
v3eSGnPCVesbxxd1SaIJe2j7H9MbHdjYkeFQuECnUhKxg63BVPL/qAEIO5+OKBz7ctuP8a  
peGWliHAueKzJXc5IeFS/3iwkfdLRkrGzBenILOIINo3CoGSvn95Z8+LhNSopyqt3uB4rQk

```
sUYIwXgkfrEVYujCO0T5dSkk5j10X7WlDm4DHZVLJH+GtL6v9A6xFJNDQfQF0hS+wLXkTkM
q7pUiX+Qohf8QRJZEyU5VWo2CesR63j1MFpkB3xybpbjt8oI47XC20GEn3uCjwMwq/3K4ib
Hnqi16pPPRgI/u3R9TVfvOC2e0xgllrFG6cKUfoguUaXoxHqP1KKjUw23bpd9L09LzSDdSHc
oDPokWzDee0ZP/Z6VH3rdjQR71kw4VBeT8nKfLP2dGBd0tpWDQhCFK7I9axxxthnv0v09x/
J7jhyoLRt5e8lMEfrqtnMWdqjFgYVEQndthZ+9/XvfNk6f5MD8fDheMuvbNThduFSZEcZCL
lW4GWKneVji4wdBrV3aCrzAzxy0H7y7nnkyCEvac503UDtr1bk1VJIVsYfYrN2S2DPbp3H2
E8r/n6jfbilwFyp3JTJvnRqQTcYHXDieW8Njq46JO6O6wsPwKQTKMfHGxxTRJdRe5yvJD54
xvFWw1YEJ/Q2c8cr1NNXEN32e5psfIJ7o48k6bsiyXnbHKSjK781Z5h8Hc3FbUF2U2p5JqL
wcD7+bknEunsbWSC37iMk7oweF3hMhKRMm9iYJ8tpxMRcWCot7ador+Y2fYWBSu/bwXwcRI
08TElMCMGCSqGSib3DQEJFTEWBBRymjnEbJmrRwh4sRnwudfSQP6KDAXMCEwCQYFKw4DAh
oFAAQU+YFhgKEYjfxN/cL70yRrJSHFgUwECHeCTQnUEU0BAgIIAA==",
  "client_id": "aaaaaaaa-bbbb-aaaa-bbbb-aaaaaaaaaaaa",
  "client_secret": "abcdef",
  "configuration": {
    "_links": {
      "self": {
        "href": "/api/resourcelink"
      }
    },
    "name": "default",
    "uuid": "1cd8a442-86d1-11e0-ae1c-123478563434"
  },
  "ekmip_reachability": {
    "code": "346758",
    "message": "embedded KMIP server status unavailable on node.",
    "node": {
      "_links": {
        "self": {
          "href": "/api/resourcelink"
        }
      },
      "name": "node1",
      "uuid": "1cd8a442-86d1-11e0-ae1c-123478563412"
    }
  },
  "key_id":
  "https://keyvault1.vault.azure.net/keys/key1/12345678901234567890123456
789012",
  "name": "https://kmip-akv-keyvault.vault.azure.net/",
  "oauth_host": "login.microsoftonline.com",
  "port": 443,
  "proxy_host": "proxy.eng.com",
  "proxy_password": "proxypassword",
  "proxy_port": 1234,
  "proxy_type": "http",
  "proxy_username": "proxyuser",
```

```

"scope": "svm",
"state": {
  "code": "346758",
  "message": "Top-level internal key protection key (KEK) is
unavailable on the following nodes with the associated reasons: Node:
nodel. Reason: No volumes created yet for the SVM. Wrapped KEK status
will be available after creating encrypted volumes."
},
"svm": {
  "_links": {
    "self": {
      "href": "/api/resourcelink"
    }
  },
  "name": "svm1",
  "uuid": "02c9e252-41be-11e9-81d5-00a0986138f7"
},
"tenant_id": "zzzzzzzz-yyyy-zzzz-yyyy-zzzzzzzzzzz",
"uuid": "1cd8a442-86d1-11e0-ae1c-123478563412",
"vault_host": "vault.azure.net",
"verify_host": "",
"verify_ip": ""
}
}

```

## Error

Status: Default, Error

Name	Type	Description
error	<a href="#">returned_error</a>	

## Example error

```
{
  "error": {
    "arguments": {
      "code": "string",
      "message": "string"
    },
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```

## Definitions

## See Definitions

href

Name	Type	Description
href	string	

\_links

Name	Type	Description
next	<a href="#">href</a>	
self	<a href="#">href</a>	

\_links

Name	Type	Description
self	<a href="#">href</a>	

azure\_reachability

Indicates whether or not the AKV service is reachable from all the nodes in the cluster. This is an advanced property; there is an added computational cost to retrieving its value. The property is not populated for either a collection GET or an instance GET unless it is explicitly requested using the `fields` query parameter or GET for all advanced properties is enabled.

Name	Type	Description
code	string	Code corresponding to the status message. Returns a 0 if AKV service is reachable from all nodes in the cluster.
message	string	Error message set when reachability is false.
reachable	boolean	Set to true when the AKV service is reachable from all nodes of the cluster.

configuration

Security keystore object reference.

Name	Type	Description
_links	<a href="#">_links</a>	
name	string	Name of the configuration.



Name	Type	Description
uuid	string	Keystore UUID.

node

Name	Type	Description
<a href="#">_links</a>	<a href="#">_links</a>	
name	string	
uuid	string	

ekmip\_reachability

Provides the connectivity status for the given SVM on the given node to all EKMIP servers configured on all nodes of the cluster. This is an advanced property; there is an added computational cost to retrieving its value. The property is not populated for either a collection GET or an instance GET unless it is explicitly requested using the `fields` query parameter or GET for all advanced properties is enabled.

Name	Type	Description
code	string	Code corresponding to the error message. Returns a 0 if a given SVM is able to communicate to the EKMIP servers of all of the nodes in the cluster.
message	string	Error message set when cluster-wide EKMIP server availability from the given SVM and node is false.
node	<a href="#">node</a>	
reachable	boolean	Set to true if the given SVM on the given node is able to communicate to all EKMIP servers configured on all nodes in the cluster.

state

Indicates whether or not the AKV wrapped internal key is available cluster wide. This is an advanced property; there is an added computational cost to retrieving its value. The property is not populated for either a collection GET or an instance GET unless it is explicitly requested using the `fields` query parameter or GET for all advanced properties is enabled.

Name	Type	Description
available	boolean	Set to true when an AKV wrapped internal key is present on all nodes of the cluster.
code	string	Code corresponding to the status message. Returns a 0 if AKV wrapped key is available on all nodes in the cluster.
message	string	Error message set when top-level internal key protection key (KEK) availability on cluster is false.

svm

SVM, applies only to SVM-scoped objects.

Name	Type	Description
<a href="#">_links</a>	<a href="#">_links</a>	
name	string	The name of the SVM. This field cannot be specified in a PATCH method.
uuid	string	The unique identifier of the SVM. This field cannot be specified in a PATCH method.

azure\_key\_vault

Name	Type	Description
<a href="#">_links</a>	<a href="#">_links</a>	
authentication_method	string	Authentication method for the AKV instance.

Name	Type	Description
azure_reachability	<a href="#">azure_reachability</a>	Indicates whether or not the AKV service is reachable from all the nodes in the cluster. This is an advanced property; there is an added computational cost to retrieving its value. The property is not populated for either a collection GET or an instance GET unless it is explicitly requested using the <code>fields</code> query parameter or GET for all advanced properties is enabled.
client_certificate	string	PKCS12 Certificate used by the application to prove its identity to AKV.
client_id	string	Application client ID of the deployed Azure application with appropriate access to an AKV.
client_secret	string	Secret used by the application to prove its identity to AKV.
configuration	<a href="#">configuration</a>	Security keystore object reference.
ekmip_reachability	array[ <a href="#">ekmip_reachability</a> ]	
enabled	boolean	Indicates whether the configuration is enabled.
key_id	string	Key Identifier of AKV key encryption key.
name	string	Name of the deployed AKV that will be used by ONTAP for storing keys. <ul style="list-style-type: none"> <li>• example: <a href="https://kmip-akv-keyvault.vault.azure.net/">https://kmip-akv-keyvault.vault.azure.net/</a></li> <li>• format: uri</li> <li>• Introduced in: 9.8</li> <li>• readCreate: 1</li> <li>• x-nullable: true</li> </ul>

Name	Type	Description
oauth_host	string	Open authorization server host name.
port	integer	Authorization server and vault port number.
proxy_host	string	Proxy host.
proxy_password	string	Proxy password. Password is not audited.
proxy_port	integer	Proxy port.
proxy_type	string	Type of proxy.
proxy_username	string	Proxy username.
scope	string	Set to "svm" for interfaces owned by an SVM. Otherwise, set to "cluster".
state	state	Indicates whether or not the AKV wrapped internal key is available cluster wide. This is an advanced property; there is an added computational cost to retrieving its value. The property is not populated for either a collection GET or an instance GET unless it is explicitly requested using the <code>fields</code> query parameter or GET for all advanced properties is enabled.
svm	svm	SVM, applies only to SVM-scoped objects.
tenant_id	string	Directory (tenant) ID of the deployed Azure application with appropriate access to an AKV.
uuid	string	A unique identifier for the Azure Key Vault (AKV).
vault_host	string	AKV host subdomain.

Name	Type	Description
verify_host	boolean	Verify the identity of the AKV host name.
verify_ip	boolean	Verify the identity of the AKV IP address.

error\_arguments

Name	Type	Description
code	string	Argument code
message	string	Message argument

returned\_error

Name	Type	Description
arguments	array[ <a href="#">error_arguments</a> ]	Message arguments
code	string	Error code
message	string	Error message
target	string	The target parameter that caused the error.

## Create an AKV configuration for all clusters and SVMs

POST /security/azure-key-vaults

**Introduced In:** 9.8

Configures the AKV configuration for all clusters and SVMs.

### Required properties:

- `svm.uuid` or `svm.name` - Existing SVM in which to create a AKV.
- `client_id` - Application (client) ID of the deployed Azure application with appropriate access to an AKV.
- `tenant_id` - Directory (tenant) ID of the deployed Azure application with appropriate access to an AKV.
- `client_secret` or `client_certificate` - Secret or PKCS12 Certificate used by the application to prove its identity to AKV.
- `key_id` - Key Identifier of AKV encryption key.

- `name` - Name of the deployed AKV used by ONTAP for storing keys.
- `configuration.name` - The configuration name is required if and only if the `create_inactive` flag is set to true.

### Optional properties:

- `port` - Authorization server and vault port number.
- `oauth_host` - Open authorization server host name.
- `vault_host` - AKV host subdomain.
- `proxy_type` - Type of proxy (http, https etc.) if proxy configuration is used.
- `proxy_host` - Proxy hostname if proxy configuration is used.
- `proxy_port` - Proxy port number if proxy configuration is used.
- `proxy_username` - Proxy username if proxy configuration is used.
- `proxy_password` - Proxy password if proxy configuration is used.

### Optional parameters:

- `create_inactive` - Create an AKV configuration without enabling it. This flag is set to "false" by default.

### Related ONTAP commands

- `security key-manager external azure enable`
- `security key-manager external azure create-config`
- `security key-manager external azure update-config`

### Parameters

Name	Type	In	Required	Description
<code>return_records</code>	boolean	query	False	The default is false. If set to true, the records are returned.  • Default value:

### Request Body

Name	Type	Description
<code>_links</code>	<a href="#">_links</a>	
<code>authentication_method</code>	string	Authentication method for the AKV instance.

Name	Type	Description
azure_reachability	<a href="#">azure_reachability</a>	Indicates whether or not the AKV service is reachable from all the nodes in the cluster. This is an advanced property; there is an added computational cost to retrieving its value. The property is not populated for either a collection GET or an instance GET unless it is explicitly requested using the <code>fields</code> query parameter or GET for all advanced properties is enabled.
client_certificate	string	PKCS12 Certificate used by the application to prove its identity to AKV.
client_id	string	Application client ID of the deployed Azure application with appropriate access to an AKV.
client_secret	string	Secret used by the application to prove its identity to AKV.
configuration	<a href="#">configuration</a>	Security keystore object reference.
ekmip_reachability	array[ <a href="#">ekmip_reachability</a> ]	
enabled	boolean	Indicates whether the configuration is enabled.
key_id	string	Key Identifier of AKV key encryption key.
name	string	Name of the deployed AKV that will be used by ONTAP for storing keys. <ul style="list-style-type: none"> <li>• example: <a href="https://kmip-akv-keyvault.vault.azure.net/">https://kmip-akv-keyvault.vault.azure.net/</a></li> <li>• format: uri</li> <li>• Introduced in: 9.8</li> <li>• readCreate: 1</li> <li>• x-nullable: true</li> </ul>
oauth_host	string	Open authorization server host name.

Name	Type	Description
port	integer	Authorization server and vault port number.
proxy_host	string	Proxy host.
proxy_password	string	Proxy password. Password is not audited.
proxy_port	integer	Proxy port.
proxy_type	string	Type of proxy.
proxy_username	string	Proxy username.
scope	string	Set to "svm" for interfaces owned by an SVM. Otherwise, set to "cluster".
state	<a href="#">state</a>	Indicates whether or not the AKV wrapped internal key is available cluster wide. This is an advanced property; there is an added computational cost to retrieving its value. The property is not populated for either a collection GET or an instance GET unless it is explicitly requested using the <code>fields</code> query parameter or GET for all advanced properties is enabled.
svm	<a href="#">svm</a>	SVM, applies only to SVM-scoped objects.
tenant_id	string	Directory (tenant) ID of the deployed Azure application with appropriate access to an AKV.
uuid	string	A unique identifier for the Azure Key Vault (AKV).
vault_host	string	AKV host subdomain.
verify_host	boolean	Verify the identity of the AKV host name.



<b>Name</b>	<b>Type</b>	<b>Description</b>
verify_ip	boolean	Verify the identity of the AKV IP address.

## Example request

```
{
  "_links": {
    "self": {
      "href": "/api/resourcelink"
    }
  },
  "authentication_method": "client_secret",
  "azure_reachability": {
    "code": "346758",
    "message": "AKV service is not reachable from all nodes - reason."
  },
  "client_certificate":
  "MI IQKQIBAzCCD+8GCSqGSIb3DQEHAaCCD+AEgg/cMIIP2DCCBg8GCSqGSIb3DQEHbqCCBg
  AwggX8AgEAMIIF9QYJKoZIhvcNAQcBMBwGCiqGSIb3DQEMAQYwDgQIWKY7ojViJDYCAggAg
  IIFyJPjIfmM6yTCKVw5ep2oZLwvRca8pKhISVjw+WjWngh/f6Py/Ty0CwCjDFUZPsUUdSm
  k78E7SAz0CpQyBwmUuFJQShjZjftHLKRWld3O4sJKB8DzH9Yw1C7En94cyJ1rT4WYoVFmeJ
  cmOXx6h+NFHc7njtXVsKwxc5BF88K3+3kHdV3WyVdXoeXe7yY/+EjFfjtBryp81juielX/N
  Flh5kowhoj+yxn00c1/0OI1iV3mTIOTXD8qrZVp9ZhAxSTRBd5uDyWMfppqxW2L+9vCUU+Z
  gmRxtU3VsRLOp/T140OP7Sn1Ch2OE0bIrbYYtcpi04QcUtefEJBMLbbTbJPHDAti02KIQKvi
  ZL4QMZgho9NNgL4MUpIbNSzDCbuIC+nNMXfgfs0nPZewY+b43H/tMmnZ8Q4kiCFwrUqbFbf
  lBiPMoaJsS0eQaJhDmzM90QEgbesHWgPreAcfMUcN1+BaqHFLHUxLXDxQix6zYiCAtdX6/E
  KlirRh1TFpmFX2PBd+X6uODhmwm4ub9RKj3In8t5qgtN4q/mTBXjAVDABTIIegobBRaXGSS
  XCBc9W/jRed0DRZD9Bm8T/nV39sZNducwZa5ojYTX8fFMA0cfY6IFivXHjB00coHEEGdgCf
  C0G8vACqLbb+2NuhMJPtR7Ig50iAPUmC670Z5ItOTQhyYOZ/KagOtvV8sKPCzeAkcMoHlsm
  l89V79zt1fCJQTVWnaGiMj50rcbskk6vCxdGeU6q1kgvXJKXOYRF8/wIvp8Y7/rEpnGwE/
  IOZOxzdIDHXqA53B1zyOVem25ezWCD+kpoH89XJssY1NjIMJhjVRED61w/DbSXg2yFu/v3c
  kGapVvTuyAiz5hWUNfl3ptda6GoekKnLqtL4G/RGXCnebLbXg838dlTGBznoCwGTVxXDeVY
  afz8AjI10qYtTmcbN56ya9kK7IHSkrnFX24xQRQOfmD0Vob71pjdZ8r1aXKvD/1X2TkYJHo
  eEHq0nWpU8vwdG/xhv4YgKJGN9qsEZgiTXETUh5gak8eltGNkP+fum+10q105oS+Swna5/e
  B8eFeJl2Oi48Xi5UapaTRHPFp6kZfPXOu9cEjhILowRIi6glg7FUbmoJcu50vDIyP9JlyQk
  lw2VtgNlm1QOIvzRenXmy18XnP50NTxx2cIwby8tIcdSn2C2qhj8Gk7q8oxVZGiBgtz4Bwy
  zyKkypwm60BBRrHpAKLw6JM5RISeZnYQfIsId0tGgb61go0Rjf0sFtbuvZcSvLI+2Onj8KH
  1TlmMR4dbuCWE9Ym4sVRmD1D6/f6BoNH0DRg7TJkEFbOadJsNPGzHbKteLdaSMGTNUZ3hED
  QeomakQMfvCgypbOLxrTTqfbenHRtN+iFNYW0zCUW6EJoAXp+lqFnwQL52Il2QxwZike01P
  2k0GharzAJkXnNaFGnmHIIP6wJrCCSDZwDmr7GI2R5evDlRi17QUg2sulxQV0U8zezzwIUg
  Ee/Whf0ngGJv/QcsL2jyri/tSQbUWs4g+yep4S1E3iddhfqSjzI2iKdAE+HLiHGVO1z70fG
  Es06dPLnmh4eoWidgZi9N/SoBy1aT0JpIQ6z6N5ImPfdWu9Y6TWXUg1iyOIXGsxiQVIgUNo
  B5Ru/ApDxpYpFLk0fH9k9OnEWK5Im33puOQKLno1uwrOmdbG8+x1EY8wc9FvkHGH0Zh4Hyd
  iCVUcYsdiGWUxVmgm4OgyiYzcpB+Ar2dzikGc4pBg8fa1a1HN5Q3TK3w4h/HeOUlMA4vWOY
  uV01H93ILGP6Pwfkgu+1Tam6+8yD0W5meiz0UIZR8TF/9gDb4+4wTFnPgwfTrggEauA8tt8
  uJtiyBCrYexgZTXIZGTUj/86KXQaJKCreRr/kqwJOWqkNW4CGUVzw7LiI+SArOZqUp/Tsxn
  bNC73XCMN1PsnByb2zCeK13V26Cr184U9sDuqQTJRaIse01MN9AAjpa2QWEwgggnBBgkqhki
  G9w0BBwGgggmyBIIJrjCCCAowggmmBgsqhkig9w0BDAoBAqCCCW4wgg1qMBwGCiqGSIb3DQ
  EMAQMwDgQIEjM88b1+pnkCAggABIIJSDD3P+vn1lSolmQvmYgZVfV37T3KpurJvMxQScPva
```

lWiF7Q1Iwasf/+N0hKKNr2j/aGZLunLkaG6mLPeBP212LCwnUxDu5kYffVVE90WX/bXewBY  
QribwFNkNhUrSgen8BfhnRlvDrzbBLoHIvDrUFszSVBCYh31Vwgu8p9SjC8K/XluncLdjSF  
ko85XpoK23euhowjWH+X0kRoYGzorcdNE8z03BKvfr61W2XWzTSaWQ6eZHG6UrnX5Fe/w5  
0U9tMIi3BCCCqgapUHVdmHqKkmWLiKX8LssUcN30JVekM2aJ9v4YO6CoegKAMVDs0tVSOv3  
KbGC3GNX6lgHu4y1LOZPlPlfPXb0wDHqavlXK3zPH18sIRZuX3HXSdEdenHYAkSV/IQZ89h  
+CZUkf0nu/og8eoA8ATDA5g7fj3HXpQ6cYdrUBaHc7ruxHOiWR0GcT4XK4TTz7zZTO1wWPV  
iprUo6ayw0dYZSG22MeDA027YirM044Ifosn9CsqnNLZoOWvA2ao4ippDoBRqv5Hv6n0I3f  
OAYS5nPq3jJtKQ5neqUYo0MrAkoKHO0h6zn0BfvisyB88aM9N0mPD76ykbAERq7151biKbA  
2tk8bb9dy/sJmk2ojM/D/W1YtrNL4iM6azL2kVN5eiChxCOF33/RuRpXfGR8YNeJTL7bq42  
wL70QKDBRoG1TPcLqdVqz74oshlRspfqvZsbsUatbASbt2T0YG4zfgfGh7sb2ezyougVvzd  
p77wAJ6n39dc/ZLDDyDzFkQb07984y8LlhIM1AcwFcmh43gWp6A8CJ02174ednirSqsVOPZ  
7K9dRw6Y0X8MB4/WGzEcvFeHYIGLBCxi1sBY5wjWnbeuhlWLiSkMDQRb6oGOvF7bJsilKx5  
PwgWbbqW8KUSuU01skbMAa5T8Hkm4OiSTf2a78E0zIKLGZg7yu9FDIIItWYwOKG96MXEBADo  
uH+wWYmaEexh51ONrffwKDuDMzh7MO20TTEQU8oQdjRRoAofXvTcj22GSMTY6XleskZX2ZK  
xSQdD1tCtkjGRKHSTYza3zLHbBiJTIJw4z6sw9FyTTApG66UAKntiMalr9nqTTNaxRWEXME  
QVRLzAL2F9aqjgW65xrbYXu/J9Y/SYTCyBx2SRA/JkQ+Y8F68KOoS1pvK1p5/FcEdvprTND  
S41f+aj3HNWuK5wOsrpBhMlb2IfluK/9QwPh9IC/RhHRfimyTPRXAf73cehNdp8DpKwLm+j  
r30vazFwICpvSbi6Etb6GXfPkKaX7ztpQBqG92m2/0g3LWfPtilzwrPHPBz8y1qQMU268Do  
o8YvWtI4KGaDAFb6XQhR6t6mqoq/3IP6/g//PZVENsYUVsPLDJLLF9fiOwTbMZnaiscKv8S  
GEs//B9JkKrdSRRQRZcnnPjJnJLILblRVAZGuXpSKSYVPzYmOjUx3sSeLSiPoSOcqRIJ0X3  
s4ED092W3tR4ZXK3fnkFyrIVtRJsB3k/2smiQ6Pc1VuKhh1yTzYjXKRQcDaY3EDP9IWftji  
UfZQoZcijMWT6YXim23m2aNEd8qIedikR6OjFHE4Kus/2yegTszSs5CrM7NamKWzeIeNnt  
h/cTcmTGDumsGNTBAShHsq1KYpqLi4GKLHzU7WNCQRdAcIDEvMZH/CH1mZK7bzb9z038rPf  
/D5WZrcK1ttd5BjTJjj7GerS0xLkvYIklAJqurjMdWYmQtT4JAHF90/zRKqFFVpSiW074bR  
Q+PfaLI5C+TwoX5lYD+R91A0qyGKIkiFITa8hZFY+Up+rSuREqnpAvdAVL9/gLpF6I+5+D+s  
VBsGRbw2rFVRbCHdwaTQcAVPeJjy0f/+sOs/PXoejr3siORpf8iLLYOaziGYf1EtunFcClj  
8PEOznaUyouJ+lM9YKPBsLULC/sVVY6XUARyFJfq0Ag31YXpJeWPbORxVP/VCm8d/sNjWTQ  
XGN/IjNZaZuliXNgq5nRkPBKwF23ZUYG4pLGPgROLup9nLSgEbpiDmN1Gq/IHSFI/8HpG/y  
RAoCdqUdre3yL/f9caj8RBBHRYbbfRxyQ9u2vsrqo1oZ7F+Mu+kjuc9BxCMvJ7JaKwvQJc  
kAkzTo6t10t6MzwiqJ7Au+2oOJ2Ukb/985+TFGS219fmqWfwisOfpuvSkjRj8vIDBm9itK  
IS+pVpfz+Mg7k13WmkUrgF3yjTH5/C51uaSzK2KeEvoWPx/Ps2CX7ATo6AsETp8Na38dT6d  
+Dm4WM4sBieKt/yOEFhiBNkGPVKAqawKRvLW3U73OIKC8VLFhhu+ogGxcUq5mZXvMbNDIa  
U2LvtmtPPo/qL0bOYu76TKc1ZX0R6AXkeImQgRPsdeXPPANtW31a585oZbYxUXRfEIEKmkc  
v3eSGnPCVesbxxd1SaIJe2j7H9MbHdjYkeFQuECnUhKxg63BVPl/qAEIO5+OKBzm7ctuP8a  
peGWliHAueKzJXc5IeFS/3iwkfdLRkrGzBeNIL0IINo3CoGSvn95Z8+LhNSopyqt3uB4rQk  
sUYIwXgkfrEVYujCO0T5dSkk5j10X7W1Dm4DHZVLJH+GtL6v9A6xFJNDQfQF0hS+wLXkTKM  
q7pUiX+Qohf8QRJZEyU5VWo2CesR63j1MFpkB3xybpbjt8oI47XC20GEn3uCjwMwq/3K4ib  
Hnqi16pPPRgI/u3R9TVfvOC2e0xgl1rFG6cKUfoguUaXoxHqP1KKjUw23bpd9L09LzSDdShc  
oDPokWzDee0ZP/Z6VH3rdjQR71kw4VBet8nKfLP2dGBd0tpWDQhCFK7I9axxxthnv0v09x/  
J7jhYoLRt5e8lMEfrqtnMwdqjFgYVEQndthZ+9/Xvfnk6f5MD8fDheMuvbnThduFSZEcZCL  
lW4GwkneVji4wdBrV3aCrzAzxy0H7y7nnkyCEvac503UDtr1bk1VJIVsYfYrN2S2DPbp3H2  
E8r/n6jfbilwFyp3JTJvnRqQTcYHXDieW8Njq46JO606wsPwKQTKMfHGxxTRJdRe5yvJD54  
xvFWw1YEJ/Q2c8cr1NNXEN32e5psfIJ7o48k6bsiyXnbHKSjK781Z5h8Hc3FbUF2U2p5JqL  
wcD7+bknEunsbWSC37imk7oweF3hMhKRMm9iYJ8tpxMRcWCot7ador+Y2fYWBSu/bwXwCRI  
08TElMCMGCSqGSib3DQEJFTEWBBRymjnjEbJmrRwh4sRnwudfSQP6KDAxMCEwCQYFKw4DAh  
oFAAQU+YFhgKEYjfxN/cL70yRrJSHFgUwECHeCTQnUEU0BAgiIAA==" ,

```

"client_id": "aaaaaaaa-bbbb-aaaa-bbbb-aaaaaaaaaaaa",
"client_secret": "abcdef",
"configuration": {
  "_links": {
    "self": {
      "href": "/api/resourcelink"
    }
  },
  "name": "default",
  "uuid": "1cd8a442-86d1-11e0-ae1c-123478563434"
},
"ekmip_reachability": {
  "code": "346758",
  "message": "embedded KMIP server status unavailable on node.",
  "node": {
    "_links": {
      "self": {
        "href": "/api/resourcelink"
      }
    },
    "name": "node1",
    "uuid": "1cd8a442-86d1-11e0-ae1c-123478563412"
  }
},
"key_id":
"https://keyvault1.vault.azure.net/keys/key1/12345678901234567890123456789012",
"name": "https://kmip-akv-keyvault.vault.azure.net/",
"oauth_host": "login.microsoftonline.com",
"port": 443,
"proxy_host": "proxy.eng.com",
"proxy_password": "proxypassword",
"proxy_port": 1234,
"proxy_type": "http",
"proxy_username": "proxyuser",
"scope": "svm",
"state": {
  "code": "346758",
  "message": "Top-level internal key protection key (KEK) is
unavailable on the following nodes with the associated reasons: Node:
node1. Reason: No volumes created yet for the SVM. Wrapped KEK status
will be available after creating encrypted volumes."
},
"svm": {
  "_links": {
    "self": {

```

```
    "href": "/api/resourcelink"
  }
},
"name": "svm1",
"uuid": "02c9e252-41be-11e9-81d5-00a0986138f7"
},
"tenant_id": "zzzzzzzz-yyyy-zzzz-yyyy-zzzzzzzzzzzz",
"uuid": "1cd8a442-86d1-11e0-ae1c-123478563412",
"vault_host": "vault.azure.net",
"verify_host": "",
"verify_ip": ""
}
```

## Response

Status: 201, Created

Name	Type	Description
<a href="#">_links</a>	<a href="#">_links</a>	
num_records	integer	Number of records
records	array[ <a href="#">azure_key_vault</a> ]	

## Example response

```
{
  "_links": {
    "next": {
      "href": "/api/resourcelink"
    },
    "self": {
      "href": "/api/resourcelink"
    }
  },
  "num_records": 1,
  "records": {
    "_links": {
      "self": {
        "href": "/api/resourcelink"
      }
    },
    "authentication_method": "client_secret",
    "azure_reachability": {
      "code": "346758",
      "message": "AKV service is not reachable from all nodes -
reason."
    },
    "client_certificate":
"MIIQKQIBAzCCD+8GCSqGSIB3DQEHAaCCD+AEgg/cMIIP2DCCBg8GCSqGSIB3DQEHbqCCBg
AwggX8AgEAMIIF9QYJKoZIhvcNAQcBMBwGCiqGSIb3DQEMAQYwDgQIWKY7ojViJDYCAggAg
IIFyJPjIfmM6yTCKVw5ep2oZLwvwRca8pKhISVjw+WjWngh/f6Py/Ty0CwCjDFUZPsUUdSm
k78E7SAz0CpQyBwmUuFJQShjZjftHLKRWld3O4sJKB8DzH9Yw1C7En94cyJ1rT4WYoVFmeJ
cmOXx6h+NFHc7njtXVsKwxc5BF88K3+3kHdV3WyVdXoeXe7yY/+EjFfjtBryp81juielX/N
Flh5kowhoj+yxn00c1/0OI1iV3mTIOTXD8qrZVp9ZhAxSTRBd5uDyWMfppqxW2L+9vCUU+Z
gmRxtU3VsRLOp/T140OP7Sn1Ch2OE0bIrbYYtcpi04QcUtfeJBMlbbTbJPHDAti02KIQKvi
ZL4QMZgho9NNg14MUpIbNSzDCbuIC+nNMXfgfs0nPZewY+b43H/tMmnZ8Q4kiCFwrUqbFbf
lBiPMOaJsS0eQaJhDmzM90QEgbesHWgPreAcfMUcN1+BaqHFLHUxLXDxQix6zYiCatDX6/E
KlirRh1TFpmFX2PBd+X6uODhmwm4ub9RKj3In8t5qgtN4q/mTBXjAVDAbTIIIEgobBRaXGSS
XCbc9W/jRed0DRZD9Bm8T/nV39sZNducwZa5ojYTX8fFMA0cfY6IFivXHjB00coHEEGdgCf
C0G8vAcqLbb+2NuhMJPtR7Ig50iAPUMc670Z5ItOTQhyYOZ/KagOtvV8sKPCzeAkcMoHlsm
189V79zt1fCJQTVWnaGiMj5Orcbskk6vCxdGGeU6q1kgvXJKXOYRF8/wIpv8Y7/rEpnGwE/
I0ZOXzdIDHXqA53B1zyOVem25ezWCD+kpoH89XJssY1NjIMJhjVRED61w/DbSXg2yFu/v3c
kGapVvTuyAiz5hWUNfl3ptda6GoekKnLqtL4G/RGXCnebLbXg838dlTGBznoCwGTVxXDeVY
afz8AjI10qYtTmcbN56ya9kK7IHSkrnFX24xQRQOfmD0Vob71pjdZ8r1aXKvD/1X2TkYJHo
eEHq0nWpU8vwdG/xhv4YgKJGN9qsEZgiTXETUh5gak8eltGNkP+fum+10q105oS+Swna5/e
B8eFeJ120i48Xi5UapaTRHPFP6kZfPXOu9cEjhILowRIi6glg7FUbmoJcu50vDIyP9JlyQk
lw2VtgNlm1QOIvzRenXmy18XnP50NTxx2cIwby8tIcdSn2C2qhj8Gk7q8oxVZGiBgtz4Bwy
zyKkypwm60BBRrHpAKLw6JM5RISeZnYQfIsId0tGgb61go0RJf0sFtbuvZcSvLI+2Onj8KH
1TlmMR4dbuCWE9Ym4sVRmD1D6/f6BoNH0DRg7TJkEFbOadJsNPGzHbKteLdaSMGTNUZ3hED
```

QeomakQMfvCgypbOLxrTTqfbenHRtN+iFNyW0zCUW6EJoAXp+lqFnwQL52I12QxwZike01P  
2k0GharzAJkXnNaFGnmHIIP6wJrCCSDZwDmr7GI2R5evDlRi17QUg2sulxQV0U8zezzwIUg  
Ee/Whf0ngGJv/QcsL2jyri/tSQbUWs4g+yep4S1E3iddhfqSJzI2iKdAE+HLiHGVO1z70fG  
Es06dPLnmh4eoWidgZi9N/SoBy1aT0JpIQ6z6N5ImpFDWu9Y6TWXUg1iyOIXGsxiQVIgUNo  
B5Ru/ApDxpYpFlk0fH9k9OnEWK5Im33puOQKLno1uwrOmdbG8+x1EY8wc9FvkHGh0Zh4Hyd  
iCVUcYSdiGWUxVmgm4OgyiYzcpB+Ar2dzikGc4pBg8fa1a1HN5Q3TK3w4h/HeOUlMA4vWOY  
uV01H93ILGP6Pwfkg+1Tam6+8yD0W5meiz0UIZR8TF/9gDb4+4wTFnPwgftTrggEauA8tt8  
uJtiyBCrYexgzTXIZGTUj/86KXQaJKCreRr/kqwJOWqkNW4CGUVzw7LiI+sArOZqUp/Tsxn  
bNC73XCMNlPsnByb2zCeK13V26Crl84U9sDuqQTJRaIse01MN9AAjpa2QWEwggNBbgkqkhi  
G9w0BBwGgggmyBIIJrjCCCaowggmmBgsqhkig9w0BDAoBAqCCCW4wgg1qMBwGCiqGSib3DQ  
EMAQMwDgQIEjM88b1+pnkCAggABIIJSDD3P+vn1lSolmQvmYgZVfV37T3KpurJvMxQScPva  
lWiF7Q1Iwasf/+N0hKKNr2j/aGZLunLkaG6mLPeBP212LCwnUxDu5kyffVVE90WX/bXewBY  
QribwFNkNhUrSgen8BfhnRlvDrzBLoHIvDrUFszSVBCYh31Vwgu8p9SjC8K/XluncLdjSF  
ko85XpoK23euhowjWH+X0kRoYGzorcdNE8z03BKvfr61W2XWzTSaWQ6eZHG6UrnX5Fe/w5  
0U9tMIi3BCCCqgapUHVdmHqKkmWLiKX8LssUcN30JvekM2aJ9v4YO6CoegKAMVDS0tVSov3  
KbGC3GNX6lgHu4y1LOZPlPlfPxb0wDHqavlXK3zph18sIRZuX3HXSdEdenHYAkSV/IQZ89h  
+CZUkf0nu/og8eoA8ATDA5g7fj3HXpQ6cYdrUBaHc7ruxHOiWR0GcT4XK4TTz7zZTO1wWPV  
iprUo6ayw0dYZSG22MeDA027YirM044Ifosn9CsqnNLZoOwvA2ao4ippDoBRqv5Hv6n0I3f  
OAys5nPq3jJtKQ5neqUYo0MrAkoKHO0h6zn0BfvisyB88aM9N0mPD76ykbAERq7151biKbA  
2tk8bb9dy/sJmk2ojM/D/W1YtrNL4iM6azL2kVn5eiChxCof33/RuRpXfGR8YNeJtL7bq42  
wL70QKDBRoG1TPcLqdVqz74oshlRspfqvZsbsUatBASbt2T0YG4zfgfGh7sb2ezyougVvzd  
p77wAJ6n39dc/ZLDDYDzFkQb07984y8LlhIM1AcwFcmh43gWp6A8CJ02174ednirSqSVOPZ  
7K9dRw6Y0X8MB4/WGzEcvFeHYIGLBCxi1sBY5wjWnbeuhlWLiSkMDQRB6oGOvF7bJsilKx5  
PwgWbbqw8KUSuU01skbMAa5T8Hkm4OiSTf2a78E0zIKLGZg7yu9FDIItWYwOKG96MXEBAdO  
uH+wWYmaEexh51ONrfFwKDuDMzh7MO20TTEQU8oQdjRRoAofXvTcj22GSMTY6XleskZX2ZK  
xSQdD1tCtkjGRKHSTYza3zLHbBiJTIJw4z6sw9FyTTApG66UakNtiMalr9nqTTNaxRWEXME  
QVRLzAL2F9aqjgW65xrbYXu/J9Y/SYTCyBx2SRA/JkQ+Y8F68KOoS1pvK1p5/FcEdvprTND  
S4lf+aj3HNWuK5wOsrpBhMlb2If1uK/9QwPh9IC/RhHRfimyTPRXAf73cehNdp8DpKwLm+j  
r30vazFwICpvSbi6Etb6GXfPkKaX7ztpQBqG92m2/0g3LWfPtilzwrPHPBz8y1qQMU268Do  
o8YvWtI4KGaDAFb6XQhR6t6mqoq/3IP6/g//PZVENsYUVsPLDJLLF9fiOwTbMznaiscKv8S  
GEs//B9JkKrdSRRQRZcnnPjJnJLILblRVAZGuXpSKSYVPzYmOjUx3sSeLSiPoSoCqRIJ0X3  
s4ED092W3tR4ZXK3fnkFyrIVtRJsB3k/2smiQ6Pc1VuKhh1yTzYjXKRQcDaY3EDP9IWFtji  
UfzQoZcijMwt6YXim23m2aN2Ed8qIedikR6OjFHE4Kus/2yegTszSs5CrM7NamKWzeIeNnt  
h/cTcmTGdumsGNTBAShHSq1KYpqLi4GKLHzU7WNCQRdAcIDEvMZH/CH1mZK7bzb9z038rPf  
/D5WZrcK1ttd5BjTJjj7GerS0xLkvYIklAJqurjMdwYmQtT4JAHF90/zRKqFFVpSiW074bR  
Q+PfaLI5C+TwoX51YD+R91A0qyGKIkiFITa8hZFY+Up+rSuREqnpAvdAVL9/gLPP6I+5+D+s  
VBsGRbw2rFVRbCHdwaTQcAVPeJJy0f/+sOs/PXoejr3siORpf8iLLYOaziGYf1EtunFcCLj  
8PEOznaUyouJ+lM9YKPBsLULC/sVvY6XUARyFJfq0Ag31YXpJeWPbORxVP/VCM8d/sNjWTQ  
XGN/IjNZaZuliXNgq5nRkPBkWF23ZUYG4pLGPgROLup9nLSgEbpiDmN1Gq/IHSfI/8HpG/y  
RAoCdqUdre3yL/f9caj8RBBHRYbbfRxyQ9u2vsrqo1oZ7F+Mu+kjuc9BxCMvJ7JaKwvQJc  
kAkzTo6t10t6MzwiqJ7Au+2oOJ2Ukb/985+TFGS219fmqWfwisOfpuvSkjRj8vIDBBm9itK  
IS+pVpfz+Mg7k13WmkUrgF3yjTH5/C51uaSzK2KeEVoWPx/Ps2CX7ATo6AsETp8Na38dT6d  
+Dm4WM4sBieKt/yOEFhiBNkGPVKAqawKRvLW3U730IKC8VLFhhnU+ogGxcUq5mZXvMbNDIa  
U2LvtmtPPo/qL0bOYu76TKc1ZXOR6AXkeImQgRPsdexPPANTW31a585oZbYxUXRfEIEKmkc  
v3eSGnPCVesbxxd1SaIJe2j7H9MbHdjYkeFQuECnUhKxg63BVPL/qAEIO5+OKBz7ctU8a  
peGWliHAueKzJXc5IeFS/3iwkfdLRkrGzBeNIL0IINo3CoGSvn95Z8+LhNSopyqt3uB4rQk



```
sUYIwXgkfrEVYujCO0T5dSkk5j10X7WlDm4DHZVLJH+GtL6v9A6xFJNDQfQF0hS+wLXkTkM
q7pUiX+Qohf8QRJZEyU5VWo2CesR63j1MFpkB3xybpbjt8oI47XC20GEn3uCjwMwq/3K4ib
Hnqi16pPPRgI/u3R9TVfvOC2e0xgllrFG6cKUfoguUaXoxHqP1KKjUw23bpd9L09LzSDdSHc
oDPokWzDee0ZP/Z6VH3rdjQR71kw4VBeT8nKfLP2dGBd0tpWDQhCFK7I9axxxthnv0v09x/
J7jhyoLRt5e8lMEfrqtnMWdqjFgYVEQndthZ+9/XvfNk6f5MD8fDheMuvbNThduFSZEcZCL
lW4GWNkVji4wdBrV3aCrzAzxy0H7y7nnkyCEvac503UDtr1bk1VJIVsYfYrN2S2DPbp3H2
E8r/n6jfBilwFyp3JTJvnRqQTcYHXDieW8Njq46JO6O6wsPwKQTKMfHGxxTRJdRe5yvJD54
xvFWw1YEJ/Q2c8cr1NNXEN32e5psfIJ7o48k6bsiyXnbHKSjK781Z5h8Hc3FbUF2U2p5JqL
wcD7+bknEunsbWSC37iMk7oweF3hMhKRMm9iYJ8tpxMRcWCot7ador+Y2fYWBSu/bwXwcRI
08TElMCMGCSqGSIB3DQEJFTEWBBRymjnEbJmrRwh4sRnwudfSQP6KDAXMCEwCQYFKw4DAh
oFAAQU+YFhgKEYjfxN/cL70yRrJSHFgUwECHeCTQnUEU0BAgIIAA==",
  "client_id": "aaaaaaaa-bbbb-aaaa-bbbb-aaaaaaaaaaaa",
  "client_secret": "abcdef",
  "configuration": {
    "_links": {
      "self": {
        "href": "/api/resourcelink"
      }
    },
    "name": "default",
    "uuid": "1cd8a442-86d1-11e0-ae1c-123478563434"
  },
  "ekmip_reachability": {
    "code": "346758",
    "message": "embedded KMIP server status unavailable on node.",
    "node": {
      "_links": {
        "self": {
          "href": "/api/resourcelink"
        }
      },
      "name": "node1",
      "uuid": "1cd8a442-86d1-11e0-ae1c-123478563412"
    }
  },
  "key_id":
  "https://keyvault1.vault.azure.net/keys/key1/12345678901234567890123456
  789012",
  "name": "https://kmip-akv-keyvault.vault.azure.net/",
  "oauth_host": "login.microsoftonline.com",
  "port": 443,
  "proxy_host": "proxy.eng.com",
  "proxy_password": "proxypassword",
  "proxy_port": 1234,
  "proxy_type": "http",
  "proxy_username": "proxyuser",
```



```

"scope": "svm",
"state": {
  "code": "346758",
  "message": "Top-level internal key protection key (KEK) is
unavailable on the following nodes with the associated reasons: Node:
nodel. Reason: No volumes created yet for the SVM. Wrapped KEK status
will be available after creating encrypted volumes."
},
"svm": {
  "_links": {
    "self": {
      "href": "/api/resourcelink"
    }
  },
  "name": "svm1",
  "uuid": "02c9e252-41be-11e9-81d5-00a0986138f7"
},
"tenant_id": "zzzzzzzz-yyyy-zzzz-yyyy-zzzzzzzzzzz",
"uuid": "1cd8a442-86d1-11e0-ae1c-123478563412",
"vault_host": "vault.azure.net",
"verify_host": "",
"verify_ip": ""
}
}

```

## Headers

Name	Description	Type
Location	Useful for tracking the resource location	string

## Error

Status: Default

## ONTAP Error Response Codes

Error Code	Description
3735553	Failed to create self-signed certificate.
3735664	The specified key size is not supported in FIPS mode.
3735665	The specified hash function is not supported in FIPS mode.

Error Code	Description
3735700	The specified key size is not supported.
52559972	The certificates start date is later than the current date.
65537500	A key manager has already been configured for this SVM.
65537504	Internal error. Failed to store configuration in internal database.
65537505	One or more volume encryption keys of the given SVM are stored on a key manager configured for the admin SVM.
65537506	AKV is not supported in MetroCluster configurations.
65537512	AKV cannot be configured for the given SVM as not all nodes in the cluster can enable the Azure Key Vault feature.
65537514	Failed to check if the Azure Key Vault feature is enabled.
65537518	Failed to find an interface with Cluster role.
65537523	Invalid key ID format. Example key ID format:" "https://mykeyvault.vault.azure.net/keys/key1/a8e619f d8f234db3b0b95c59540e2a74".
65537526	Failed to enable Azure Key Vault feature.
65537567	No authentication method provided.
65537573	Invalid client certificate.
65537589	The specified configuration.name already exists on the given SVM.
65537592	The configuration.name field requires an ECV of 9.14.0 or greater.
65537593	The create_inactive flag requires an effective cluster version of 9.14.0 or greater.
65537594	The configuration.name field is required when the create_inactive flag is set to true.
65537595	The configuration.name field can only be specified when the create_inactive flag is set to true.
65538902	The configuration.name is reserved for use by the system.
65538903	The configuration.name field cannot be an empty string.

Also see the table of common errors in the [Response body](#) overview section of this documentation.

Name	Type	Description
error	<a href="#">returned_error</a>	

### Example error

```
{
  "error": {
    "arguments": {
      "code": "string",
      "message": "string"
    },
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```

### Definitions

## See Definitions

href

Name	Type	Description
href	string	

\_links

Name	Type	Description
self	<a href="#">href</a>	

azure\_reachability

Indicates whether or not the AKV service is reachable from all the nodes in the cluster. This is an advanced property; there is an added computational cost to retrieving its value. The property is not populated for either a collection GET or an instance GET unless it is explicitly requested using the `fields` query parameter or GET for all advanced properties is enabled.

Name	Type	Description
code	string	Code corresponding to the status message. Returns a 0 if AKV service is reachable from all nodes in the cluster.
message	string	Error message set when reachability is false.
reachable	boolean	Set to true when the AKV service is reachable from all nodes of the cluster.

configuration

Security keystore object reference.

Name	Type	Description
_links	<a href="#">_links</a>	
name	string	Name of the configuration.
uuid	string	Keystore UUID.

node

Name	Type	Description
_links	<a href="#">_links</a>	

Name	Type	Description
name	string	
uuid	string	

#### ekmip\_reachability

Provides the connectivity status for the given SVM on the given node to all EKMIP servers configured on all nodes of the cluster. This is an advanced property; there is an added computational cost to retrieving its value. The property is not populated for either a collection GET or an instance GET unless it is explicitly requested using the `fields` query parameter or GET for all advanced properties is enabled.

Name	Type	Description
code	string	Code corresponding to the error message. Returns a 0 if a given SVM is able to communicate to the EKMIP servers of all of the nodes in the cluster.
message	string	Error message set when cluster-wide EKMIP server availability from the given SVM and node is false.
node	<a href="#">node</a>	
reachable	boolean	Set to true if the given SVM on the given node is able to communicate to all EKMIP servers configured on all nodes in the cluster.

#### state

Indicates whether or not the AKV wrapped internal key is available cluster wide. This is an advanced property; there is an added computational cost to retrieving its value. The property is not populated for either a collection GET or an instance GET unless it is explicitly requested using the `fields` query parameter or GET for all advanced properties is enabled.

Name	Type	Description
available	boolean	Set to true when an AKV wrapped internal key is present on all nodes of the cluster.
code	string	Code corresponding to the status message. Returns a 0 if AKV wrapped key is available on all nodes in the cluster.

Name	Type	Description
message	string	Error message set when top-level internal key protection key (KEK) availability on cluster is false.

svm

SVM, applies only to SVM-scoped objects.

Name	Type	Description
<a href="#">_links</a>	<a href="#">_links</a>	
name	string	The name of the SVM. This field cannot be specified in a PATCH method.
uuid	string	The unique identifier of the SVM. This field cannot be specified in a PATCH method.

azure\_key\_vault

Name	Type	Description
<a href="#">_links</a>	<a href="#">_links</a>	
authentication_method	string	Authentication method for the AKV instance.
azure_reachability	<a href="#">azure_reachability</a>	Indicates whether or not the AKV service is reachable from all the nodes in the cluster. This is an advanced property; there is an added computational cost to retrieving its value. The property is not populated for either a collection GET or an instance GET unless it is explicitly requested using the <code>fields</code> query parameter or GET for all advanced properties is enabled.
client_certificate	string	PKCS12 Certificate used by the application to prove its identity to AKV.
client_id	string	Application client ID of the deployed Azure application with appropriate access to an AKV.

Name	Type	Description
client_secret	string	Secret used by the application to prove its identity to AKV.
configuration	<a href="#">configuration</a>	Security keystore object reference.
ekmip_reachability	array[ <a href="#">ekmip_reachability</a> ]	
enabled	boolean	Indicates whether the configuration is enabled.
key_id	string	Key Identifier of AKV key encryption key.
name	string	Name of the deployed AKV that will be used by ONTAP for storing keys. <ul style="list-style-type: none"> <li>• example: <a href="https://kmip-akv-keyvault.vault.azure.net/">https://kmip-akv-keyvault.vault.azure.net/</a></li> <li>• format: uri</li> <li>• Introduced in: 9.8</li> <li>• readCreate: 1</li> <li>• x-nullable: true</li> </ul>
oauth_host	string	Open authorization server host name.
port	integer	Authorization server and vault port number.
proxy_host	string	Proxy host.
proxy_password	string	Proxy password. Password is not audited.
proxy_port	integer	Proxy port.
proxy_type	string	Type of proxy.
proxy_username	string	Proxy username.
scope	string	Set to "svm" for interfaces owned by an SVM. Otherwise, set to "cluster".

Name	Type	Description
state	<a href="#">state</a>	Indicates whether or not the AKV wrapped internal key is available cluster wide. This is an advanced property; there is an added computational cost to retrieving its value. The property is not populated for either a collection GET or an instance GET unless it is explicitly requested using the <code>fields</code> query parameter or GET for all advanced properties is enabled.
svm	<a href="#">svm</a>	SVM, applies only to SVM-scoped objects.
tenant_id	string	Directory (tenant) ID of the deployed Azure application with appropriate access to an AKV.
uuid	string	A unique identifier for the Azure Key Vault (AKV).
vault_host	string	AKV host subdomain.
verify_host	boolean	Verify the identity of the AKV host name.
verify_ip	boolean	Verify the identity of the AKV IP address.

#### `_links`

Name	Type	Description
next	<a href="#">href</a>	
self	<a href="#">href</a>	

#### `error_arguments`

Name	Type	Description
code	string	Argument code
message	string	Message argument

#### `returned_error`



Name	Type	Description
arguments	array[ <a href="#">error_arguments</a> ]	Message arguments
code	string	Error code
message	string	Error message
target	string	The target parameter that caused the error.

## Re-key the external key in the key hierarchy

POST /security/azure-key-vaults/{azure\_key\_vault.uuid}/rekey-external

**Introduced In:** 9.11

Rekeys the external key in the key hierarchy for an SVM with an AKV configuration.

### Required properties

- `key_id` - Key identifier of the new AKV key encryption key.

### Related ONTAP commands

- `security key-manager external azure rekey-external`

### Parameters

Name	Type	In	Required	Description
azure_key_vault.uuid	string	path	True	UUID of the existing AKV configuration.

Name	Type	In	Required	Description
return_timeout	integer	query	False	<p>The number of seconds to allow the call to execute before returning. When doing a POST, PATCH, or DELETE operation on a single record, the default is 0 seconds. This means that if an asynchronous operation is started, the server immediately returns HTTP code 202 (Accepted) along with a link to the job. If a non-zero value is specified for POST, PATCH, or DELETE operations, ONTAP waits that length of time to see if the job completes so it can return something other than 202.</p> <ul style="list-style-type: none"> <li>• Default value: 1</li> <li>• Max value: 120</li> <li>• Min value: 0</li> </ul>
return_records	boolean	query	False	<p>The default is false. If set to true, the records are returned.</p> <ul style="list-style-type: none"> <li>• Default value:</li> </ul>

## Request Body

Name	Type	Description
key_id	string	Key identifier of the AKV key encryption key.

## Example request

```
{
  "key_id":
  "https://keyvault1.vault.azure.net/keys/key1/12345678901234567890123456789012"
}
```

## Response

Status: 202, Accepted

Name	Type	Description
job	job_link	

## Example response

```
{
  "job": {
    "_links": {
      "self": {
        "href": "/api/resourcelink"
      }
    },
    "uuid": "string"
  }
}
```

## Response

Status: 201, Created

## Error

Status: Default

## ONTAP Error Response Codes

Error Code	Description
65537120	Azure Key Vault is not configured for the given SVM.
65537547	One or more volume encryption keys for encrypted volumes of this data SVM are stored in the key manager configured for the admin SVM. Use the REST API POST method to migrate this data SVM's keys from the admin SVM's key manager to this data SVM's key manager before running the rekey operation.

Also see the table of common errors in the [Response body](#) overview section of this documentation.

Name	Type	Description
error	<a href="#">returned_error</a>	

### Example error

```
{
  "error": {
    "arguments": {
      "code": "string",
      "message": "string"
    },
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```

## Definitions

## See Definitions

azure\_key\_vault\_key

Name	Type	Description
key_id	string	Key identifier of the AKV key encryption key.

href

Name	Type	Description
href	string	

\_links

Name	Type	Description
self	<a href="#">href</a>	

job\_link

Name	Type	Description
_links	<a href="#">_links</a>	
uuid	string	The UUID of the asynchronous job that is triggered by a POST, PATCH, or DELETE operation.

error\_arguments

Name	Type	Description
code	string	Argument code
message	string	Message argument

returned\_error

Name	Type	Description
arguments	array[ <a href="#">error_arguments</a> ]	Message arguments
code	string	Error code
message	string	Error message

Name	Type	Description
target	string	The target parameter that caused the error.

## Delete an AKV configuration

DELETE /security/azure-key-vaults/{uuid}

**Introduced In:** 9.8

Deletes an AKV configuration.

### Related ONTAP commands

- security key-manager external azure disable

### Parameters

Name	Type	In	Required	Description
uuid	string	path	True	AKV UUID

### Response

Status: 200, Ok

### Error

Status: Default

#### ONTAP Error Response Codes

Error Code	Description
65536242	One or more self-encrypting drives are assigned an authentication key.
65536243	Cannot determine authentication key presence on one or more self-encrypting drives.
65536817	Internal error. Failed to determine if key manager is safe to disable.
65536827	Internal error. Failed to determine if the given SVM has any encrypted volumes.

Error Code	Description
65536834	Internal error. Failed to get existing key-server details for the given SVM.
65536867	Volume encryption keys (VEK) for one or more encrypted volumes are stored on the key manager configured for the given SVM.
65536883	Internal error. Volume encryption key is missing for a volume.
65536884	Internal error. Volume encryption key is invalid for a volume.
65536924	Cannot remove key manager that still contains one or more NSE authentication keys.
65537120	Azure Key Vault is not configured for the given SVM.
196608080	One or more nodes in the cluster have the root volume encrypted using NVE (NetApp Volume Encryption).
196608301	Internal error. Failed to get encryption type.
196608305	NAE aggregates found in the cluster.

Also see the table of common errors in the [Response body](#) overview section of this documentation.

Name	Type	Description
error	<a href="#">returned_error</a>	

### Example error

```
{
  "error": {
    "arguments": {
      "code": "string",
      "message": "string"
    },
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```

## Definitions

## See Definitions

error\_arguments

Name	Type	Description
code	string	Argument code
message	string	Message argument

returned\_error

Name	Type	Description
arguments	array[ <a href="#">error_arguments</a> ]	Message arguments
code	string	Error code
message	string	Error message
target	string	The target parameter that caused the error.

## Retrieve the AKV configuration for an SVM specified by the UUID

GET /security/azure-key-vaults/{uuid}

**Introduced In:** 9.8

Retrieves the AKV configuration for the SVM specified by the UUID.

### Related ONTAP commands

- `security key-manager external azure show`
- `security key-manager external azure check`

### Parameters

Name	Type	In	Required	Description
uuid	string	path	True	AKV UUID
fields	array[string]	query	False	Specify the fields to return.



## Response

Status: 200, Ok

Name	Type	Description
_links	<a href="#">_links</a>	
authentication_method	string	Authentication method for the AKV instance.
azure_reachability	<a href="#">azure_reachability</a>	Indicates whether or not the AKV service is reachable from all the nodes in the cluster. This is an advanced property; there is an added computational cost to retrieving its value. The property is not populated for either a collection GET or an instance GET unless it is explicitly requested using the <code>fields</code> query parameter or GET for all advanced properties is enabled.
client_certificate	string	PKCS12 Certificate used by the application to prove its identity to AKV.
client_id	string	Application client ID of the deployed Azure application with appropriate access to an AKV.
client_secret	string	Secret used by the application to prove its identity to AKV.
configuration	<a href="#">configuration</a>	Security keystore object reference.
ekmip_reachability	<a href="#">array[ekmip_reachability]</a>	
enabled	boolean	Indicates whether the configuration is enabled.
key_id	string	Key Identifier of AKV key encryption key.

Name	Type	Description
name	string	Name of the deployed AKV that will be used by ONTAP for storing keys. <ul style="list-style-type: none"> <li>• example: <a href="https://kmip-akv-keyvault.vault.azure.net/">https://kmip-akv-keyvault.vault.azure.net/</a></li> <li>• format: uri</li> <li>• Introduced in: 9.8</li> <li>• readCreate: 1</li> <li>• x-nullable: true</li> </ul>
oauth_host	string	Open authorization server host name.
port	integer	Authorization server and vault port number.
proxy_host	string	Proxy host.
proxy_password	string	Proxy password. Password is not audited.
proxy_port	integer	Proxy port.
proxy_type	string	Type of proxy.
proxy_username	string	Proxy username.
scope	string	Set to "svm" for interfaces owned by an SVM. Otherwise, set to "cluster".
state	<a href="#">state</a>	Indicates whether or not the AKV wrapped internal key is available cluster wide. This is an advanced property; there is an added computational cost to retrieving its value. The property is not populated for either a collection GET or an instance GET unless it is explicitly requested using the <code>fields</code> query parameter or GET for all advanced properties is enabled.

<b>Name</b>	<b>Type</b>	<b>Description</b>
svm	svm	SVM, applies only to SVM-scoped objects.
tenant_id	string	Directory (tenant) ID of the deployed Azure application with appropriate access to an AKV.
uuid	string	A unique identifier for the Azure Key Vault (AKV).
vault_host	string	AKV host subdomain.
verify_host	boolean	Verify the identity of the AKV host name.
verify_ip	boolean	Verify the identity of the AKV IP address.

## Example response

```
{
  "_links": {
    "self": {
      "href": "/api/resourcelink"
    }
  },
  "authentication_method": "client_secret",
  "azure_reachability": {
    "code": "346758",
    "message": "AKV service is not reachable from all nodes - reason."
  },
  "client_certificate":
  "MIIQKQIBAzCCD+8GCSqGSIb3DQEHAaCCD+AEgg/cMIIP2DCCBg8GCSqGSIb3DQEHbqCCBg
  AwggX8AgEAMIIF9QYJKoZIhvcNAQcBMBwGCiqGSIb3DQEMAQYwDgQIWKY7ojViJDYCAggAg
  IIFyJPjIfmM6yTCKVw5ep2oZLwvRca8pKhISVjw+WjWngh/f6Py/Ty0CwCjDFUZPsUUdSm
  k78E7SAz0CpQyBwmUuFJQShjZjftHLKRWld3O4sJKB8DzH9Yw1C7En94cyJ1rT4WYoVFmeJ
  cmOXx6h+NFHc7njtXVsKwxc5BF88K3+3kHdV3WyVdXoeXe7yY/+EjFfjtBryp81juielX/N
  Flh5kowhoj+yxn00c1/0OI1iV3mTIOTXD8qrZVp9ZhAxSTRBd5uDyWMfppqxW2L+9vCUU+Z
  gmRxtU3VsRLOp/T140OP7Sn1Ch2OE0bIrbYYtcpi04QcUtefEJBMLbbTbJPHDAti02KIQKvi
  ZL4QMZgho9NNgL4MUpIbNSzDCbuIC+nNMXfgfs0nPZewY+b43H/tMmnZ8Q4kiCFwrUqbFbf
  lBiPMoaJsS0eQaJhDmzM90QEgbesHWgPreAcfMUcN1+BaqHFLHUxLXDxQix6zYiCAtDX6/E
  KlirRh1TFpmFX2PBd+X6uODhmwm4ub9RKj3In8t5qgtN4q/mTBXjAVDABTIIegobBRaXGSS
  XCBc9W/jRed0DRZD9Bm8T/nV39sZNducwZa5ojYTX8fFMA0cfY6IFivXHjB00coHEEGdgCf
  C0G8vACqLbb+2NuhMJPtR7Ig50iAPUmC670Z5ItOTQhyYOZ/KagOtvV8sKPCzeAkcMoHlsm
  l89V79zt1fCJQTVWnaGiMj50rcbskk6vCxdGeU6q1kgvXJKXOYRF8/wIvp8Y7/rEpnGwE/
  IOZOXzdIDHXqA53B1zyOVem25ezWCD+kpoH89XJssY1NjIMJhjVRED61w/DbSXg2yFu/v3c
  kGapVvTuyAiz5hWUNfl3ptda6GoekKnLqtL4G/RGXCnebLbXg838dlTGBznoCwGTVxXDeVY
  afz8AjI10qYtTmcbN56ya9kK7IHSkrnFX24xQRQOfmD0Vob71pjdZ8r1aXKvD/1X2TkYJHo
  eEHq0nWpU8vwdG/xhv4YgKJGN9qsEZgiTXETUh5gak8eltGNkP+fum+10q105oS+Swna5/e
  B8eFeJ12Oi48Xi5UapaTRHPFp6kZfPXOu9cEjhILowRIi6glg7FUbmoJcu50vDIyP9JlyQk
  lw2VtgNlm1QOIvzRenXmy18XnP50NTxx2cIwby8tIcdSn2C2qhj8Gk7q8oxVZGiBgtz4Bwy
  zyKkypwm60BBRrHpAKLw6JM5RISeZnYQfIsId0tGgb61go0Rjf0sFtbuvZcSvLI+2Onj8KH
  1TlmMR4dbuCWE9Ym4sVRmD1D6/f6BoNH0DRg7TJkEFbOadJsNPGzHbKteLdaSMGTNUZ3hED
  QeomakQMfvCgypbOLxrtTqfbenHRtN+iFNYW0zCUW6EJoAXp+lqFnwQL52Il2QxwZike01P
  2k0GharzAJkXnNaFGnmHIIP6wJrCCSDZwDmr7GI2R5evDlRi17QUg2sulxQV0U8zezzwIUg
  Ee/Whf0ngGJv/QcsL2jyri/tSQbUWs4g+yep4S1E3iddhfqSjzI2iKdAE+HLiHGVO1z70fG
  Es06dPLnmh4eoWidgZi9N/SoBy1aT0JpIQ6z6N5ImpfdWu9Y6TWXUg1iyOIXGsxiQVIgUNo
  B5Ru/ApDxpYpFLk0fH9k9OnEWK5Im33puOQKLno1uwrOmdB8+x1EY8wc9FvkHGH0Zh4Hyd
  iCVUcYsdiGWUxVmgm4OgyiYzcpB+Ar2dzikGc4pBg8fa1a1HN5Q3TK3w4h/HeOUlMA4vWOY
  uV01H93ILGP6Pwfkgu+1Tam6+8yD0W5meiz0UIZR8TF/9gDb4+4wTFnPgwfTrggEauA8tt8
  uJtiyBCrYexgZTXIZGTUj/86KXQaJKCreRr/kqwJOWqkNW4CGUVzw7LiI+SArOZqUp/Tsxn
  bNC73XCMN1PsnByb2zCeK13V26Cr184U9sDuqQTJRaIse01MN9AAjpa2QWEwgggnBBgkqhki
  G9w0BBwGgggmyBIIJrjCCCAowggmmBgsqhkig9w0BDAoBAqCCCW4wgg1qMBwGCiqGSIb3DQ
  EMAQMwDgQIEjM88b1+pnkCAggABIIJSDD3P+vn1lSolmQvmYgZVfV37T3KpurJvMxQScPva
```

lWiF7Q1Iwasf/+N0hKKNr2j/aGZLunLkaG6mLPeBP212LCwnUxDu5kYffVVE90WX/bXewBY  
QribwFNkNhUrSgen8BfhnRlvDrzbBLoHIvDrUFszSVBCYh31Vwgu8p9SjC8K/XluncLdjSF  
ko85XpoK23euhowjWH+X0kRoYGzorcdNE8z03BKvfr61W2XWzTSaWQ6eZHG6UrnX5Fe/w5  
0U9tMIi3BCCCqgapUHVdmHqKkmWLiKX8LssUcN30JVekM2aJ9v4YO6CoegKAMVDs0tVSOv3  
KbGC3GNX6lgHu4y1LOZPlPlfPXb0wDHqavlXK3zpH18sIRZuX3HXSdEdenHYAkSV/IQZ89h  
+CZUkf0nu/og8eoA8ATDA5g7fj3HXpQ6cYdrUBaHc7ruxHOiWR0GcT4XK4TTz7zZTO1wWPV  
iprUo6ayw0dYZSG22MeDA027YirM044Ifosn9CsqnNLZoOWvA2ao4ippDoBRqv5Hv6n0I3f  
OAYS5nPq3jJtKQ5neqUYo0MrAkoKHO0h6zn0BfvisyB88aM9N0mPD76ykbAERq7151biKbA  
2tk8bb9dy/sJmk2ojM/D/W1YtrNL4iM6azL2kVN5eiChxCOF33/RuRpXfGR8YNeJTL7bq42  
wL70QKDBRoG1TPcLqdVqz74oshlRspfqvZsbsUatbASbt2T0YG4zfgfGh7sb2ezyougVvzd  
p77wAJ6n39dc/ZLDDyDzFkQb07984y8LlhIM1AcwFcmh43gWp6A8CJ02174ednirSgSVOPZ  
7K9dRw6Y0X8MB4/WGzEcvFeHYIGLBCxi1sBY5wjWnbeuhlWLiSkMDQRb6oGOvF7bJsilKx5  
PwgWbbqW8KUSuU01skbMAa5T8Hkm4OiSTf2a78E0zIKLGZg7yu9FDIIItWYWokG96MXEBADo  
uH+wWYmaEexh51ONrffwKDuDMZh7MO20TTEQU8oQdjRRoAofXvTcj22GSMTY6XleskZX2ZK  
xSQdD1tCtkjGRKHSTYza3zLHbBiJTIJw4z6sw9FyTTApG66UAKntiMalr9nqTTNaxRWEXME  
QVRLzAL2F9aqjgW65xrbYXu/J9Y/SYTCyBx2SRA/JkQ+Y8F68K0oS1pvK1p5/FcEdvprTND  
S41f+aj3HNWuK5wOsrpBhMlb2IfluK/9QwPh9IC/RhHRfimyTPRXAf73cehNdp8DpKwLm+j  
r30vazFwICpvSbi6Etb6GXfPkKaX7ztpQBqG92m2/0g3LWfPtilzwrPHPBz8y1qQMU268Do  
o8YvWtI4KGaDAFb6XQhR6t6mqoq/3IP6/g//PZVENsYUVsPLDJLLF9fiOwTbMZnaiscKv8S  
GEs//B9JkKrdSRRQRZcnnPjJnJLILblRVAZGuXpSKSYVPzYmOjUx3sSeLSiPoSOcqRIJ0X3  
s4ED092W3tR4ZXK3fnkFyrIVtRJsB3k/2smiQ6Pc1VuKhh1yTzYjXKRQcDaY3EDP9IWftji  
UfZQoZcijMWT6YXim23m2aN2Ed8qIedikR6OjFHE4Kus/2yegTszSs5CrM7NamKWzeIeNnt  
h/cTcmTGDumsGNTBAShHSq1KYpqLi4GKLHzU7WNCQRdAcIDEvMZH/CHlmZK7bzb9z038rPf  
/D5WZrcK1ttd5BjTJjj7GerS0xLkvYiklAJqurjMdWYmQtT4JAHF90/zRKqFFVpSiW074bR  
Q+PfaLI5C+TwoX5lYD+R91A0qyGKIkiFITa8hZFY+Up+rSuREqnpAvdAVL9/gLpF6I+5+D+s  
VBsGRbw2rFVRbCHdwaTQcAVPeJjy0f/+sOs/PXoejr3siORpf8iLLYOaziGYf1EtunFcClj  
8PEOznaUyouJ+lM9YKPBsLULC/sVVY6XUARyFJfq0Ag31YXpJeWPbORxVP/VCM8d/sNjWTQ  
XGN/IjNZaZuliXNgq5nRkPBKwF23ZUYG4pLGPgROLup9nLSgEbpiDmN1Gq/IHSFI/8HpG/y  
RAoCdqUdre3yL/f9caj8RBBHRYbbfRxyQ9u2vsrqo1oZ7F+Mu+kjuc9BxCMvJ7JaKwvQJc  
kAkzTo6t10t6MzwiqJ7Au+2oOJ2Ukb/985+TFGS219fmqWfwisOfpuvSkjRj8vIDBm9itK  
IS+pVpfz+Mg7k13WmkUrgF3yjTH5/C51uaSzK2KeEVoWPx/Ps2CX7ATo6AsETp8Na38dT6d  
+Dm4WM4sBieKt/yOEFhiBNkGPVKAqawKRvLW3U73OIKC8VLFhhu+ogGxcUq5mZXvMbNDIa  
U2LvtmtPPo/qL0bOYu76TKc1ZX0R6AXkeImQgRPsdeXPPANtW31a585oZbYxUXRfEIEKmc  
v3eSGnPCVesbxxd1SaIJe2j7H9MbHdjYkeFQuECnUhKxg63BVPl/qAEIO5+OKBzm7ctuP8a  
peGWliHAueKzJXc5IeFS/3iwkfdLRkrGzBeNIL0IINo3CoGSvn95Z8+LhNSopyqt3uB4rQk  
sUYIwXgkfrEVYujCO0T5dSkk5j10X7W1Dm4DHZVLJH+GtL6v9A6xFJNDQfQF0hS+wLXkTKM  
q7pUiX+Qohf8QRJZEyU5VWo2CesR63j1MFpkB3xybpbjt8oI47XC20GEn3uCjwMwq/3K4ib  
Hnqi16pPPRgI/u3R9TVfvOC2e0xgl1rFG6cKUfoguUaXoxHqP1KKjUw23bpd9L09LzSDdShc  
oDPokWzDee0ZP/Z6VH3rdjQR71kw4VBet8nKfLP2dGBd0tpWDQhCFK7I9axxxtHnv0v09x/  
J7jhyoLRt5e8lMEfrqtnMwdqjFgYVEQndthZ+9/Xvfnk6f5MD8fDheMuvbnThduFSZEcZCL  
lW4GwkneVji4wdBrV3aCrzAzxy0H7y7nnkyCEvac503UDtr1bk1VJIVsYfYrN2S2DPbp3H2  
E8r/n6jfbilwFyp3JTJvnRqQTcYHXDieW8Njq46JO606wsPwKQTKMfHGxxTRJdRe5yvJD54  
xvFWw1YEJ/Q2c8cr1NNXEN32e5psfIJ7o48k6bsiyXnbHKSjK781Z5h8Hc3FbUF2U2p5JqL  
wcD7+bknEunsbWSC37imk7oweF3hMhKRMm9iYJ8tpxMRcWCot7ador+Y2fYWBSu/bwXwCRI  
08TElMCMGCSqGSib3DQEJFTEWBBRymjnjEbJmrRwh4sRnwudfSQP6KDAxMCEwCQYFKw4DAh  
oFAAQU+YFhgKEYjfxN/cL70yRrJSHFgUwECHeCTQnUEU0BAgiIAA==" ,

```

"client_id": "aaaaaaaa-bbbb-aaaa-bbbb-aaaaaaaaaaaa",
"client_secret": "abcdef",
"configuration": {
  "_links": {
    "self": {
      "href": "/api/resourcelink"
    }
  },
  "name": "default",
  "uuid": "1cd8a442-86d1-11e0-ae1c-123478563434"
},
"ekmip_reachability": {
  "code": "346758",
  "message": "embedded KMIP server status unavailable on node.",
  "node": {
    "_links": {
      "self": {
        "href": "/api/resourcelink"
      }
    },
    "name": "node1",
    "uuid": "1cd8a442-86d1-11e0-ae1c-123478563412"
  }
},
"key_id":
"https://keyvault1.vault.azure.net/keys/key1/12345678901234567890123456789012",
"name": "https://kmip-akv-keyvault.vault.azure.net/",
"oauth_host": "login.microsoftonline.com",
"port": 443,
"proxy_host": "proxy.eng.com",
"proxy_password": "proxypassword",
"proxy_port": 1234,
"proxy_type": "http",
"proxy_username": "proxyuser",
"scope": "svm",
"state": {
  "code": "346758",
  "message": "Top-level internal key protection key (KEK) is
unavailable on the following nodes with the associated reasons: Node:
node1. Reason: No volumes created yet for the SVM. Wrapped KEK status
will be available after creating encrypted volumes."
},
"svm": {
  "_links": {
    "self": {

```

```

        "href": "/api/resourcelink"
      }
    },
    "name": "svm1",
    "uuid": "02c9e252-41be-11e9-81d5-00a0986138f7"
  },
  "tenant_id": "zzzzzzzz-yyyy-zzzz-yyyy-zzzzzzzzzzzz",
  "uuid": "1cd8a442-86d1-11e0-ae1c-123478563412",
  "vault_host": "vault.azure.net",
  "verify_host": "",
  "verify_ip": ""
}

```

## Error

Status: Default, Error

Name	Type	Description
error	<a href="#">returned_error</a>	

### Example error

```

{
  "error": {
    "arguments": {
      "code": "string",
      "message": "string"
    },
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}

```

## Definitions

## See Definitions

href

Name	Type	Description
href	string	

\_links

Name	Type	Description
self	<a href="#">href</a>	

azure\_reachability

Indicates whether or not the AKV service is reachable from all the nodes in the cluster. This is an advanced property; there is an added computational cost to retrieving its value. The property is not populated for either a collection GET or an instance GET unless it is explicitly requested using the `fields` query parameter or GET for all advanced properties is enabled.

Name	Type	Description
code	string	Code corresponding to the status message. Returns a 0 if AKV service is reachable from all nodes in the cluster.
message	string	Error message set when reachability is false.
reachable	boolean	Set to true when the AKV service is reachable from all nodes of the cluster.

configuration

Security keystore object reference.

Name	Type	Description
_links	<a href="#">_links</a>	
name	string	Name of the configuration.
uuid	string	Keystore UUID.

node

Name	Type	Description
_links	<a href="#">_links</a>	



Name	Type	Description
name	string	
uuid	string	

#### ekmip\_reachability

Provides the connectivity status for the given SVM on the given node to all EKMIP servers configured on all nodes of the cluster. This is an advanced property; there is an added computational cost to retrieving its value. The property is not populated for either a collection GET or an instance GET unless it is explicitly requested using the `fields` query parameter or GET for all advanced properties is enabled.

Name	Type	Description
code	string	Code corresponding to the error message. Returns a 0 if a given SVM is able to communicate to the EKMIP servers of all of the nodes in the cluster.
message	string	Error message set when cluster-wide EKMIP server availability from the given SVM and node is false.
node	<a href="#">node</a>	
reachable	boolean	Set to true if the given SVM on the given node is able to communicate to all EKMIP servers configured on all nodes in the cluster.

#### state

Indicates whether or not the AKV wrapped internal key is available cluster wide. This is an advanced property; there is an added computational cost to retrieving its value. The property is not populated for either a collection GET or an instance GET unless it is explicitly requested using the `fields` query parameter or GET for all advanced properties is enabled.

Name	Type	Description
available	boolean	Set to true when an AKV wrapped internal key is present on all nodes of the cluster.
code	string	Code corresponding to the status message. Returns a 0 if AKV wrapped key is available on all nodes in the cluster.

Name	Type	Description
message	string	Error message set when top-level internal key protection key (KEK) availability on cluster is false.

svm

SVM, applies only to SVM-scoped objects.

Name	Type	Description
<a href="#">_links</a>	<a href="#">_links</a>	
name	string	The name of the SVM. This field cannot be specified in a PATCH method.
uuid	string	The unique identifier of the SVM. This field cannot be specified in a PATCH method.

error\_arguments

Name	Type	Description
code	string	Argument code
message	string	Message argument

returned\_error

Name	Type	Description
arguments	array[ <a href="#">error_arguments</a> ]	Message arguments
code	string	Error code
message	string	Error message
target	string	The target parameter that caused the error.

## Update the AKV configuration

PATCH /security/azure-key-vaults/{uuid}

Introduced In: 9.8

Updates the AKV configuration.

## Optional properties

- `client_secret` or `client_certificate` - New secret or new PKCS12 certificate used to prove the application's identity to the AKV.
- `proxy_type` - Type of proxy (http, https etc.) if proxy configuration is used.
- `proxy_host` - Proxy hostname if proxy configuration is used.
- `proxy_port` - Proxy port number if proxy configuration is used.
- `port` - Authorization server and vault port number.
- `oauth_host` - Open authorization server host name.
- `vault_host` - AKV host subdomain.
- `verify_host` - Verify the identity of the AKV host name.
- `verify_ip` - Verify the identity of the AKV IP address.
- `proxy_username` - Proxy username if proxy configuration is used.
- `proxy_password` - Proxy password if proxy configuration is used.
- `client_id` - Application (client) ID of the deployed Azure application with appropriate access to an AKV.
- `tenant_id` - Directory (tenant) ID of the deployed Azure application with appropriate access to an AKV.

## Related ONTAP commands

- `security key-manager external azure update-client-secret`
- `security key-manager external azure update-credentials`
- `security key-manager external azure update-config`

## Parameters

Name	Type	In	Required	Description
<code>uuid</code>	string	path	True	AKV UUID

Name	Type	In	Required	Description
return_timeout	integer	query	False	<p>The number of seconds to allow the call to execute before returning. When doing a POST, PATCH, or DELETE operation on a single record, the default is 0 seconds. This means that if an asynchronous operation is started, the server immediately returns HTTP code 202 (Accepted) along with a link to the job. If a non-zero value is specified for POST, PATCH, or DELETE operations, ONTAP waits that length of time to see if the job completes so it can return something other than 202.</p> <ul style="list-style-type: none"> <li>• Default value: 1</li> <li>• Max value: 120</li> <li>• Min value: 0</li> </ul>

## Request Body

Name	Type	Description
_links	<a href="#">_links</a>	
authentication_method	string	Authentication method for the AKV instance.

Name	Type	Description
azure_reachability	<a href="#">azure_reachability</a>	Indicates whether or not the AKV service is reachable from all the nodes in the cluster. This is an advanced property; there is an added computational cost to retrieving its value. The property is not populated for either a collection GET or an instance GET unless it is explicitly requested using the <code>fields</code> query parameter or GET for all advanced properties is enabled.
client_certificate	string	PKCS12 Certificate used by the application to prove its identity to AKV.
client_id	string	Application client ID of the deployed Azure application with appropriate access to an AKV.
client_secret	string	Secret used by the application to prove its identity to AKV.
configuration	<a href="#">configuration</a>	Security keystore object reference.
ekmip_reachability	array[ <a href="#">ekmip_reachability</a> ]	
enabled	boolean	Indicates whether the configuration is enabled.
key_id	string	Key Identifier of AKV key encryption key.
name	string	Name of the deployed AKV that will be used by ONTAP for storing keys. <ul style="list-style-type: none"> <li>• example: <a href="https://kmip-akv-keyvault.vault.azure.net/">https://kmip-akv-keyvault.vault.azure.net/</a></li> <li>• format: uri</li> <li>• Introduced in: 9.8</li> <li>• readCreate: 1</li> <li>• x-nullable: true</li> </ul>
oauth_host	string	Open authorization server host name.

Name	Type	Description
port	integer	Authorization server and vault port number.
proxy_host	string	Proxy host.
proxy_password	string	Proxy password. Password is not audited.
proxy_port	integer	Proxy port.
proxy_type	string	Type of proxy.
proxy_username	string	Proxy username.
scope	string	Set to "svm" for interfaces owned by an SVM. Otherwise, set to "cluster".
state	<a href="#">state</a>	Indicates whether or not the AKV wrapped internal key is available cluster wide. This is an advanced property; there is an added computational cost to retrieving its value. The property is not populated for either a collection GET or an instance GET unless it is explicitly requested using the <code>fields</code> query parameter or GET for all advanced properties is enabled.
svm	<a href="#">svm</a>	SVM, applies only to SVM-scoped objects.
tenant_id	string	Directory (tenant) ID of the deployed Azure application with appropriate access to an AKV.
uuid	string	A unique identifier for the Azure Key Vault (AKV).
vault_host	string	AKV host subdomain.
verify_host	boolean	Verify the identity of the AKV host name.

<b>Name</b>	<b>Type</b>	<b>Description</b>
verify_ip	boolean	Verify the identity of the AKV IP address.

## Example request

```
{
  "_links": {
    "self": {
      "href": "/api/resourcelink"
    }
  },
  "authentication_method": "client_secret",
  "azure_reachability": {
    "code": "346758",
    "message": "AKV service is not reachable from all nodes - reason."
  },
  "client_certificate":
  "MIIQKQIBAzCCD+8GCSqGSIb3DQEHAaCCD+AEgg/cmIIP2DCCBg8GCSqGSIb3DQEHBqCCBg
  AwggX8AgEAMIIF9QYJKoZIhvcNAQcBMBwGCiqGSIb3DQEMAQYwDgQIWKY7ojViJDYCAggAg
  IIFyJPjIfmM6yTCKVw5ep2oZLwvRca8pKhISVjw+WjWngh/f6Py/Ty0CwCjDFUZPsUUdSm
  k78E7SAz0CpQyBwmUuFJQShjZjftHLKRWld3O4sJKB8DzH9Yw1C7En94cyJ1rT4WYoVFmeJ
  cmOXx6h+NFHc7njtXVsKwxc5BF88K3+3kHdV3WyVdXoeXe7yY/+EjFfjtBryp81juielX/N
  Flh5kowhoj+yxn00c1/0OI1iV3mTIOTXD8qrZVp9ZhAxSTRBd5uDyWMfppqxW2L+9vCUU+Z
  gmRxtU3VsRLOp/T140OP7Sn1Ch2OE0bIrbYYtcpi04QcUtefEJBMLbbTbJPHDAti02KIQKvi
  ZL4QMZgho9NNgL4MUpIbNSzDCbuIC+nNMXfgfs0nPZewY+b43H/tMmnZ8Q4kiCFwrUqbFbf
  lBiPMoaJsS0eQaJhDmzM90QEgbesHWgPreAcfMUcN1+BaqHFLHUxLXDxQix6zYiCAtdX6/E
  KlirRh1TFpmFX2PBd+X6uODhmwm4ub9RKj3In8t5qgtN4q/mTBXjAVDAbTIIegobBRaXGSS
  XCBc9W/jRed0DRZD9Bm8T/nV39sZNducwZa5ojYTX8fFMA0cfY6IFivXHjB00coHEEGdgCf
  C0G8vACqLbb+2NuhMJPtR7Ig50iAPUmC670Z5ItOTQhyYOZ/KagOtvV8sKPCzeAkcMoHlsm
  l89V79zt1fCJQTVWnaGiMj50rcbskk6vCxdGeU6q1kgvXJKXOYRF8/wIvp8Y7/rEpnGwE/
  IOZOxzdIDHXqA53B1zyOVem25ezWCD+kpoH89XJssY1NjIMJhjVRED6lw/DbSXg2yFu/v3c
  kGapVvTuyAiz5hWUNfl3ptda6GoekKnLqtL4G/RGXCnebLbXg838dlTGBznoCwGTVxXDeVY
  afz8AjI10qYtTmcbN56ya9kK7IHSkrnFX24xQRQOfmD0Vob71pjdZ8r1aXKvD/1X2TkYJHo
  eEHq0nWpU8vwdG/xhv4YgKJGN9qsEZgiTXETUh5gak8eltGNkP+fum+10q105oS+Swna5/e
  B8eFeJ12Oi48Xi5UapaTRHPFp6kZfPXOu9cEjhILowRIi6glg7FUbmoJcu50vDIyP9JlyQk
  lw2VtgNlm1QOIvzRenXmy18XnP50NTxx2cIwby8tIcdSn2C2qhj8Gk7q8oxVZGiBgtz4Bwy
  zyKkypwm60BBRRhPakLw6JM5RISeZnYQfIsId0tGgb61go0Rjf0sFtbuvZcSvLI+2Onj8KH
  1TlmMR4dbuCWE9Ym4sVRmD1D6/f6BoNH0DRg7TJkEFbOadJsNPGzHbKteLdaSMGTNUZ3hED
  QeomakQMfvCgypbOLxrtTqfbenHRtN+iFNYW0zCUW6EJoAXp+lqFnwQL52I12QxwZike01P
  2k0GharzAJkXnNaFGnmHIIP6wJrCCSDZwDmr7GI2R5evDlRi17QUg2sulxQV0U8zezzwIUg
  Ee/Whf0ngGJv/QcsL2jyri/tSQbUWs4g+yep4S1E3iddhfqSjzI2iKdAE+HLiHGVO1z70fG
  Es06dPLnmh4eoWidgZi9N/SoBy1aT0JpIQ6z6N5ImpfdWu9Y6TWXUg1iyOIXGsxiQVIgUNo
  B5Ru/ApDxpYpFLk0fH9k9OnEWK5Im33puOQKLno1uwrOmdB8+x1EY8wc9FvkHGh0Zh4Hyd
  iCVUcYsdiGWUxVmgm4OgyiYzcpB+Ar2dzikGc4pBg8fa1a1HN5Q3TK3w4h/HeOUlMA4vWOY
  uV01H93ILGP6Pwfkgu+1Tam6+8yD0W5meiz0UIZR8TF/9gDb4+4wTFnPgwfTrggEauA8tt8
  uJtiyBCrYexgZTXIZGTUj/86KXQaJKCreRr/kqwJOWqkNW4CGUVzw7LiI+SArOZqUp/Tsxn
  bNC73XCMN1PsnByb2zCeK13V26Cr184U9sDuqQTJRaIse01MN9AAjpa2QWEwggNBBgkqhki
  G9w0BBwGgggmyBIIJrjCCCAowggmmBgsqhkig9w0BDAoBAqCCCW4wgg1qMBwGCiqGSIb3DQ
  EMAQMwDgQIEjM88b1+pnkCAggABIIJSDD3P+vn1lSolmQvmYgZVfV37T3KpurJvMxQScPva
```



lWiF7Q1Iwasf/+N0hKKNr2j/aGZLunLkaG6mLPeBP212LCwnUxDu5kYffVVE90WX/bXewBY  
QribwFNkNhUrSgen8BfhnRlvDrzbBLoHIvDrUFszSVBCYh31Vwgu8p9SjC8K/XluncLdjSF  
ko85XpoK23euhowjWH+X0kRoYGzorcdNE8z03BKvfr61W2XWzTSaWQ6eZHG6UrnX5Fe/w5  
0U9tMIi3BCCCqgapUHVdmHqKkmWLiKX8LssUcN30JVekM2aJ9v4YO6CoegKAMVDs0tVSOv3  
KbGC3GNX6lgHu4y1LOZPlPlfPXb0wDHqavlXK3zPH18sIRZuX3HXSdEdenHYAkSV/IQZ89h  
+CZUkf0nu/og8eoA8ATDA5g7fj3HXpQ6cYdrUBaHc7ruxHOiWR0GcT4XK4TTz7zZTO1wWPV  
iprUo6ayw0dYZSG22MeDA027YirM044Ifosn9CsqnNLZoOWvA2ao4ippDoBRqv5Hv6n0I3f  
OAYS5nPq3jJtKQ5neqUYo0MrAkoKHO0h6zn0BfvisyB88aM9N0mPD76ykbAERq7151biKbA  
2tk8bb9dy/sJmk2ojM/D/W1YtrNL4iM6azL2kVN5eiChxCOF33/RuRpXfGR8YNeJTL7bq42  
wL70QKDBROG1TPcLqdVqz74oshlRspfqvZsbsUatbASbt2T0YG4zfgfGh7sb2ezyougVvzd  
p77wAJ6n39dc/ZLDDyDzFkQb07984y8LlhIM1AcwFcmh43gWp6A8CJ02174ednirSqsVOPZ  
7K9dRw6Y0X8MB4/WGzEcvFeHYIGLBCxi1sBY5wjWnbeuhlWLiSkMDQRb6oGOvF7bJsilKx5  
PwgWbbqW8KUSuU01skbMAa5T8Hkm4OiSTf2a78E0zIKLGZg7yu9FDIIItWYWokG96MXEBADo  
uH+wWYmaEexh51ONrffwKDuDMzh7MO20TTEQU8oQdjRRoAofXvTcj22GSMTY6XleskZX2ZK  
xSQdD1tCtkjGRKHSTYza3zLHbBiJTIJw4z6sw9FyTTApG66UAkNtiMalr9nqTTNaxRWEXME  
QVRLzAL2F9aqjgW65xrbYXu/J9Y/SYTCyBx2SRA/JkQ+Y8F68KOoS1pvK1p5/FcEdvprTND  
S41f+aj3HNWuK5wOsrpBhMlb2IfluK/9QwPh9IC/RhHRfimyTPRXAf73cehNdp8DpKwLm+j  
r30vazFwICpvSbi6Etb6GXfPkKaX7ztpQBqG92m2/0g3LWfPtilzwrPHPBz8y1qQMU268Do  
o8YvWtI4KGaDAFb6XQhR6t6mqoq/3IP6/g//PZVENsYUVsPLDJLLF9fiOwTbMZnaiscKv8S  
GEs//B9JkKrdSRRQRZcnnPjJnJLILblRVAZGuXpSKSYVPzYmOjUx3sSeLSiPoSOcqRIJ0X3  
s4ED092W3tR4ZXK3fnkFyrIVtrJsb3k/2smiQ6Pc1VuKhh1yTzYjXKRQcDaY3EDP9IWftji  
UfZQoZcijMWT6YXim23m2aNEd8qIedikR6OjFHE4Kus/2yegTszSs5CrM7NamKWzeIeNnt  
h/cTcmTGDumsGNTBAShHsq1KYpqLi4GKLHzU7WNCQRdAcIDEvMZH/CHlmZK7bzb9z038rPf  
/D5WZrcK1ttD5BjTjJj7GerS0xLkvYiklAJqurjMdWYmQtT4JAHF90/zRKqFFVpSiW074bR  
Q+PfaLI5C+TwoX5lYD+R91A0qyGKIkiFITa8hZFY+Up+rSuREqnpAvdAVL9/gLpF6I+5+D+s  
VBsGRbw2rFVRbCHdwaTQcAVPeJjy0f/+sOs/PXoejr3siORpf8iLLYOaziGYf1EtunFcClj  
8PEOznaUyouJ+lM9YKPBSLULC/sVVY6XUARyFJfq0Ag31YXpJeWPbORxVP/VCm8d/sNjWTQ  
XGN/IjNZaZuliXNgq5nRkPBKwF23ZUYG4pLGPgROLup9nLSgEbpiDmN1Gq/IHSFI/8HpG/y  
RAoCdqUdre3yL/f9caj8RBBHRYbbfRxyQ9u2vsrqo1oZ7F+Mu+kjuc9BxCMvJ7JaKwvQJc  
kAkzTo6t10t6MzwiqJ7Au+2oOJ2Ukb/985+TFGS219fmqWfwisOfpuvSkjRj8vIDBBm9itK  
IS+pVpfz+Mg7k13WmkUrgF3yjTH5/C51uaSzK2KeEVoWPx/Ps2CX7ATo6AsETp8Na38dT6d  
+Dm4WM4sBieKt/yOEFhiBNkGPVKAqawKRvLW3U73OIKC8VLFhhu+ogGxcUq5mZXvMbNDIa  
U2LvtmtPPo/qL0bOYu76TKc1ZX0R6AXkeImQgRPsdeXPPANtW31a585oZbYxUXRfEIEKmkc  
v3eSGnPCVesbxxd1SaIJe2j7H9MbHdjYkeFQuECnUhKxg63BVPl/qAEIO5+OKBzm7ctuP8a  
peGWliHAueKzJXc5IeFS/3iwkfdLRkrGzBenILOIINo3CoGSvn95Z8+LhNSopyqt3uB4rQk  
sUYIwXgkfrEVYujCO0T5dSkk5j10X7W1Dm4DHZVLJH+GtL6v9A6xFJNDQfQF0hS+wLXkTKM  
q7pUiX+Qohf8QRJZEyU5VWo2CesR63j1MFpkB3xybpbjt8oI47XC20GEn3uCjwMwq/3K4ib  
Hnqi16pPPRgI/u3R9TVfvOC2e0xgl1rFG6cKUfoguUaXoxHqP1KKjUw23bpd9L09LzSDdShc  
oDPokWzDee0ZP/Z6VH3rdjQR71kw4VBet8nKfLP2dGBd0tpWDQhCFK7I9axxxtHnv0v09x/  
J7jhyoLRt5e8lMEfrqtnMwdqjFgYVEQndthZ+9/Xvfnk6f5MD8fDheMuvbNThduFSZEcZCL  
lW4GwkneVji4wdBrV3aCrzAzxy0H7y7nnkyCEvac503UDtr1bk1VJIVsYfYrN2S2DPbp3H2  
E8r/n6jfbilwFyp3JTJvnRqQTcYHXDieW8Njq46JO606wsPwKQTKMfHGxxTRJdRe5yvJD54  
xvFWw1YEJ/Q2c8cr1NNXEN32e5psfIJ7o48k6bsiyXnbHKSjK781Z5h8Hc3FbUF2U2p5JqL  
wcD7+bknEunsbWSC37imk7oweF3hMhKRMm9iYJ8tpxMRcWCot7ador+Y2fYWBSu/bwXwcRI  
08TElMCMGCSqGSib3DQEJFTEWBBRymjnJebJmrRwh4sRnwudfSQP6KDAxMCEwCQYFKw4DAh  
oFAAQU+YFhgKEYjfxN/cL70yRrJSHFgUwECHeCTQnUEU0BAgiIAA==" ,

```

"client_id": "aaaaaaaa-bbbb-aaaa-bbbb-aaaaaaaaaaaa",
"client_secret": "abcdef",
"configuration": {
  "_links": {
    "self": {
      "href": "/api/resourcelink"
    }
  },
  "name": "default",
  "uuid": "1cd8a442-86d1-11e0-ae1c-123478563434"
},
"ekmip_reachability": {
  "code": "346758",
  "message": "embedded KMIP server status unavailable on node.",
  "node": {
    "_links": {
      "self": {
        "href": "/api/resourcelink"
      }
    },
    "name": "node1",
    "uuid": "1cd8a442-86d1-11e0-ae1c-123478563412"
  }
},
"key_id":
"https://keyvault1.vault.azure.net/keys/key1/12345678901234567890123456789012",
"name": "https://kmip-akv-keyvault.vault.azure.net/",
"oauth_host": "login.microsoftonline.com",
"port": 443,
"proxy_host": "proxy.eng.com",
"proxy_password": "proxypassword",
"proxy_port": 1234,
"proxy_type": "http",
"proxy_username": "proxyuser",
"scope": "svm",
"state": {
  "code": "346758",
  "message": "Top-level internal key protection key (KEK) is
unavailable on the following nodes with the associated reasons: Node:
node1. Reason: No volumes created yet for the SVM. Wrapped KEK status
will be available after creating encrypted volumes."
},
"svm": {
  "_links": {
    "self": {

```

```

        "href": "/api/resourcelink"
    }
},
"name": "svm1",
"uuid": "02c9e252-41be-11e9-81d5-00a0986138f7"
},
"tenant_id": "zzzzzzzz-yyyy-zzzz-yyyy-zzzzzzzzzzzz",
"uuid": "1cd8a442-86d1-11e0-ae1c-123478563412",
"vault_host": "vault.azure.net",
"verify_host": "",
"verify_ip": ""
}

```

## Response

Status: 200, Ok

## Response

Status: 202, Accepted

## Error

Status: Default

### ONTAP Error Response Codes

Error Code	Description
65537120	Azure Key Vault is not configured for the given SVM.
65537504	Internal error. Failed to store configuration in internal database.
65537517	The field "client_secret" must be specified.
65537540	Invalid client secret.
65537541	No inputs were provided for the patch request.

Error Code	Description
65537547	One or more volume encryption keys for encrypted volumes of this data SVM are stored in the key manager configured for the admin SVM. Use the REST API POST method to migrate this data SVM's keys from the admin SVM's key manager to this data SVM's key manager before running the rekey operation.
65537573	Invalid client certificate.
65537577	The AKV certificate authentication method cannot be configured for the given SVM as not all nodes in the cluster support the AKV certificate authentication.

Also see the table of common errors in the [Response body](#) overview section of this documentation.

Name	Type	Description
error	<a href="#">returned_error</a>	

### Example error

```
{
  "error": {
    "arguments": {
      "code": "string",
      "message": "string"
    },
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```

## Definitions

## See Definitions

href

Name	Type	Description
href	string	

\_links

Name	Type	Description
self	<a href="#">href</a>	

azure\_reachability

Indicates whether or not the AKV service is reachable from all the nodes in the cluster. This is an advanced property; there is an added computational cost to retrieving its value. The property is not populated for either a collection GET or an instance GET unless it is explicitly requested using the `fields` query parameter or GET for all advanced properties is enabled.

Name	Type	Description
code	string	Code corresponding to the status message. Returns a 0 if AKV service is reachable from all nodes in the cluster.
message	string	Error message set when reachability is false.
reachable	boolean	Set to true when the AKV service is reachable from all nodes of the cluster.

configuration

Security keystore object reference.

Name	Type	Description
_links	<a href="#">_links</a>	
name	string	Name of the configuration.
uuid	string	Keystore UUID.

node

Name	Type	Description
_links	<a href="#">_links</a>	

Name	Type	Description
name	string	
uuid	string	

#### ekmip\_reachability

Provides the connectivity status for the given SVM on the given node to all EKMIP servers configured on all nodes of the cluster. This is an advanced property; there is an added computational cost to retrieving its value. The property is not populated for either a collection GET or an instance GET unless it is explicitly requested using the `fields` query parameter or GET for all advanced properties is enabled.

Name	Type	Description
code	string	Code corresponding to the error message. Returns a 0 if a given SVM is able to communicate to the EKMIP servers of all of the nodes in the cluster.
message	string	Error message set when cluster-wide EKMIP server availability from the given SVM and node is false.
node	<a href="#">node</a>	
reachable	boolean	Set to true if the given SVM on the given node is able to communicate to all EKMIP servers configured on all nodes in the cluster.

#### state

Indicates whether or not the AKV wrapped internal key is available cluster wide. This is an advanced property; there is an added computational cost to retrieving its value. The property is not populated for either a collection GET or an instance GET unless it is explicitly requested using the `fields` query parameter or GET for all advanced properties is enabled.

Name	Type	Description
available	boolean	Set to true when an AKV wrapped internal key is present on all nodes of the cluster.
code	string	Code corresponding to the status message. Returns a 0 if AKV wrapped key is available on all nodes in the cluster.

Name	Type	Description
message	string	Error message set when top-level internal key protection key (KEK) availability on cluster is false.

svm

SVM, applies only to SVM-scoped objects.

Name	Type	Description
<a href="#">_links</a>	<a href="#">_links</a>	
name	string	The name of the SVM. This field cannot be specified in a PATCH method.
uuid	string	The unique identifier of the SVM. This field cannot be specified in a PATCH method.

azure\_key\_vault

Name	Type	Description
<a href="#">_links</a>	<a href="#">_links</a>	
authentication_method	string	Authentication method for the AKV instance.
azure_reachability	<a href="#">azure_reachability</a>	Indicates whether or not the AKV service is reachable from all the nodes in the cluster. This is an advanced property; there is an added computational cost to retrieving its value. The property is not populated for either a collection GET or an instance GET unless it is explicitly requested using the <code>fields</code> query parameter or GET for all advanced properties is enabled.
client_certificate	string	PKCS12 Certificate used by the application to prove its identity to AKV.
client_id	string	Application client ID of the deployed Azure application with appropriate access to an AKV.

Name	Type	Description
client_secret	string	Secret used by the application to prove its identity to AKV.
configuration	<a href="#">configuration</a>	Security keystore object reference.
ekmip_reachability	array[ <a href="#">ekmip_reachability</a> ]	
enabled	boolean	Indicates whether the configuration is enabled.
key_id	string	Key Identifier of AKV key encryption key.
name	string	Name of the deployed AKV that will be used by ONTAP for storing keys. <ul style="list-style-type: none"> <li>• example: <a href="https://kmip-akv-keyvault.vault.azure.net/">https://kmip-akv-keyvault.vault.azure.net/</a></li> <li>• format: uri</li> <li>• Introduced in: 9.8</li> <li>• readCreate: 1</li> <li>• x-nullable: true</li> </ul>
oauth_host	string	Open authorization server host name.
port	integer	Authorization server and vault port number.
proxy_host	string	Proxy host.
proxy_password	string	Proxy password. Password is not audited.
proxy_port	integer	Proxy port.
proxy_type	string	Type of proxy.
proxy_username	string	Proxy username.
scope	string	Set to "svm" for interfaces owned by an SVM. Otherwise, set to "cluster".



Name	Type	Description
state	<a href="#">state</a>	Indicates whether or not the AKV wrapped internal key is available cluster wide. This is an advanced property; there is an added computational cost to retrieving its value. The property is not populated for either a collection GET or an instance GET unless it is explicitly requested using the <code>fields</code> query parameter or GET for all advanced properties is enabled.
svm	<a href="#">svm</a>	SVM, applies only to SVM-scoped objects.
tenant_id	string	Directory (tenant) ID of the deployed Azure application with appropriate access to an AKV.
uuid	string	A unique identifier for the Azure Key Vault (AKV).
vault_host	string	AKV host subdomain.
verify_host	boolean	Verify the identity of the AKV host name.
verify_ip	boolean	Verify the identity of the AKV IP address.

#### error\_arguments

Name	Type	Description
code	string	Argument code
message	string	Message argument

#### returned\_error

Name	Type	Description
arguments	array[ <a href="#">error_arguments</a> ]	Message arguments
code	string	Error code

Name	Type	Description
message	string	Error message
target	string	The target parameter that caused the error.

## Re-key the internal key in the key hierarchy for an SVM

POST /security/azure-key-vaults/{uuid}/rekey-internal

**Introduced In:** 9.10

Rekeys the internal key in the key hierarchy for an SVM with an AKV configuration.

### Related ONTAP commands

- `security key-manager external azure rekey-internal`

### Parameters

Name	Type	In	Required	Description
uuid	string	path	True	UUID of the existing AKV configuration.

Name	Type	In	Required	Description
return_timeout	integer	query	False	<p>The number of seconds to allow the call to execute before returning. When doing a POST, PATCH, or DELETE operation on a single record, the default is 0 seconds. This means that if an asynchronous operation is started, the server immediately returns HTTP code 202 (Accepted) along with a link to the job. If a non-zero value is specified for POST, PATCH, or DELETE operations, ONTAP waits that length of time to see if the job completes so it can return something other than 202.</p> <ul style="list-style-type: none"> <li>• Default value: 1</li> <li>• Max value: 120</li> <li>• Min value: 0</li> </ul>
return_records	boolean	query	False	<p>The default is false. If set to true, the records are returned.</p> <ul style="list-style-type: none"> <li>• Default value:</li> </ul>

## Response

Status: 202, Accepted

Name	Type	Description
job	<a href="#">job_link</a>	

## Example response

```
{
  "job": {
    "_links": {
      "self": {
        "href": "/api/resourcelink"
      }
    },
    "uuid": "string"
  }
}
```

## Response

Status: 201, Created

## Error

Status: Default

### ONTAP Error Response Codes

Error Code	Description
65537120	Azure Key Vault is not configured for the given SVM.
65537547	One or more volume encryption keys for encrypted volumes of this data SVM are stored in the key manager configured for the admin SVM. Use the REST API POST method to migrate this data SVM's keys from the admin SVM's key manager to this data SVM's key manager before running the rekey operation.
65537559	There are no existing internal keys for the SVM. A rekey operation is allowed for an SVM with one or more encryption keys.

Also see the table of common errors in the [Response body](#) overview section of this documentation.

Name	Type	Description
error	<a href="#">returned_error</a>	

## Example error

```
{
  "error": {
    "arguments": {
      "code": "string",
      "message": "string"
    },
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```

## Definitions

## See Definitions

href

Name	Type	Description
href	string	

\_links

Name	Type	Description
self	<a href="#">href</a>	

job\_link

Name	Type	Description
_links	<a href="#">_links</a>	
uuid	string	The UUID of the asynchronous job that is triggered by a POST, PATCH, or DELETE operation.

error\_arguments

Name	Type	Description
code	string	Argument code
message	string	Message argument

returned\_error

Name	Type	Description
arguments	array[ <a href="#">error_arguments</a> ]	Message arguments
code	string	Error code
message	string	Error message
target	string	The target parameter that caused the error.

## Restore keys for an SVM from a configured AKV

POST /security/azure-key-vaults/{uuid}/restore

**Introduced In:** 9.10

Restore the keys for an SVM from a configured AKV.

## Related ONTAP commands

- `security key-manager external azure restore`

## Parameters

Name	Type	In	Required	Description
uuid	string	path	True	UUID of the existing AKV configuration.
return_timeout	integer	query	False	<p>The number of seconds to allow the call to execute before returning. When doing a POST, PATCH, or DELETE operation on a single record, the default is 0 seconds. This means that if an asynchronous operation is started, the server immediately returns HTTP code 202 (Accepted) along with a link to the job. If a non-zero value is specified for POST, PATCH, or DELETE operations, ONTAP waits that length of time to see if the job completes so it can return something other than 202.</p> <ul style="list-style-type: none"><li>• Default value: 1</li><li>• Max value: 120</li><li>• Min value: 0</li></ul>

Name	Type	In	Required	Description
return_records	boolean	query	False	The default is false. If set to true, the records are returned. <ul style="list-style-type: none"> <li>• Default value:</li> </ul>

## Response

Status: 202, Accepted

Name	Type	Description
job	<a href="#">job_link</a>	

## Example response

```
{
  "job": {
    "_links": {
      "self": {
        "href": "/api/resourcelink"
      }
    },
    "uuid": "string"
  }
}
```

## Response

Status: 201, Created

## Error

Status: Default

## ONTAP Error Response Codes



Error Code	Description
65537120	Azure Key Vault is not configured for the given SVM.
65537515	Failed to restore keys on some nodes in the cluster.
65537544	Missing wrapped top-level internal key protection key (KEK) from internal database.

Also see the table of common errors in the [Response body](#) overview section of this documentation.

Name	Type	Description
error	<a href="#">returned_error</a>	

### Example error

```
{
  "error": {
    "arguments": {
      "code": "string",
      "message": "string"
    },
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```

### Definitions

## See Definitions

href

Name	Type	Description
href	string	

\_links

Name	Type	Description
self	<a href="#">href</a>	

job\_link

Name	Type	Description
_links	<a href="#">_links</a>	
uuid	string	The UUID of the asynchronous job that is triggered by a POST, PATCH, or DELETE operation.

error\_arguments

Name	Type	Description
code	string	Argument code
message	string	Message argument

returned\_error

Name	Type	Description
arguments	array[ <a href="#">error_arguments</a> ]	Message arguments
code	string	Error code
message	string	Error message
target	string	The target parameter that caused the error.

## Copyright information

Copyright © 2024 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

## Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.