



Manage S3 bucket snapshots

ONTAP REST API reference

NetApp

February 27, 2025

Table of Contents

- Manage S3 bucket snapshots 1
 - Protocols S3 services svm.uuid buckets s3_bucket.uuid snapshots endpoint overview 1
 - Overview 1
 - Snapshot APIs 1
 - Examples 1
- Retrieve a collection of S3 bucket snapshots 6
 - Related ONTAP commands 6
 - Learn more 6
 - Parameters 7
 - Response 8
 - Error 9
 - Definitions 10
- Create an S3 bucket snapshot 12
 - Required properties 13
 - Related ONTAP commands 13
 - Learn more 13
 - Parameters 13
 - Request Body 14
 - Response 15
 - Response 16
 - Error 16
 - Definitions 17
- Delete an S3 bucket snapshot 19
 - Related ONTAP commands 20
 - Learn more 20
 - Parameters 20
 - Response 20
 - Error 20
 - Definitions 21
- Retrieve details of a specific S3 bucket snapshot 22
 - Related ONTAP commands 22
 - Learn more 22
 - Parameters 22
 - Response 22
 - Error 23
 - Definitions 24

Manage S3 bucket snapshots

Protocols S3 services svm.uuid buckets s3_bucket.uuid snapshots endpoint overview

Overview

An S3 bucket snapshot is an image of the bucket as it exists at the time when the snapshot is created.

S3 bucket snapshots can be created using scheduled snapshot policies set on the bucket, or user requested snapshot creations.

S3 bucket snapshot APIs allow you to create, delete, and retrieve snapshots.

Snapshot APIs

The following APIs are used to perform operations related to snapshots.

– POST /api/protocols/s3/services/{svm.uuid}/buckets/{s3_bucket.uuid}/snapshots

– GET /api/protocols/s3/services/{svm.uuid}/buckets/{s3_bucket.uuid}/snapshots

– GET /api/protocols/s3/services/{svm.uuid}/buckets/{s3_bucket.uuid}/snapshots/{uuid}

– DELETE /api/protocols/s3/services/{svm.uuid}/buckets/{s3_bucket.uuid}/snapshots/{uuid}

Examples

Creating an S3 bucket snapshot

The POST operation is used to create an S3 bucket snapshot with the specified name.

```
# The API:
/api/protocols/s3/services/{svm.uuid}/buckets/{s3_bucket.uuid}/snapshots:

# The call:
curl -X POST -k "https://<mgmt-
ip>/api/protocols/s3/services/{svm.uuid}/buckets/{s3_bucket.uuid}/snapshot
s" -H "accept: application/json" -d '{"name" : "ss1"}'

# The response:
{
  "job": {
    "uuid": "af10a4d1-60b3-11ef-82cf-005056ae1130",
    "_links": {
      "self": {
        "href": "/api/cluster/jobs/af10a4d1-60b3-11ef-82cf-005056ae1130"
      }
    }
  }
}
```

```

    }
  }
}

# The Job:
{
  "uuid": "af10a4d1-60b3-11ef-82cf-005056ae1130",
  "description": "POST /api/protocols/s3/services/148b9bbd-58d8-11ef-b7ca-005056ae1130/buckets/2aec8270-58e3-11ef-861e-005056ae1130/snapshots/?name=ss1",
  "state": "success",
  "message": "success",
  "code": 0,
  "start_time": "2024-08-22T14:23:52-04:00",
  "end_time": "2024-08-22T14:23:54-04:00",
  "svm": {
    "name": "vs0",
    "uuid": "148b9bbd-58d8-11ef-b7ca-005056ae1130",
    "_links": {
      "self": {
        "href": "/api/svm/svms/148b9bbd-58d8-11ef-b7ca-005056ae1130"
      }
    }
  },
  "_links": {
    "self": {
      "href": "/api/cluster/jobs/af10a4d1-60b3-11ef-82cf-005056ae1130"
    }
  }
}

```

Retrieving S3 bucket snapshots

The GET operation is used to retrieve all S3 bucket snapshots for a specific bucket.

```
# The API:
/api/protocols/s3/services/{svm.uuid}/buckets/{s3_bucket.uuid}/snapshots:

# The call:
curl -X GET -k "https://<mgmt-
ip>/api/protocols/s3/services/{svm.uuid}/buckets/{s3_bucket.uuid}/snapshot
s" -H "accept: application/json"

# The response:
{
  "records": [
    {
      "uuid": "20837456-3c8b-405a-aa3a-5300c048f87d",
      "name": "ss1"
    },
    {
      "uuid": "c67cd056-d386-477a-8378-fcc06987bedf",
      "name": "ss2"
    }
  ],
  "num_records": 2
}
```

Retrieving S3 bucket snapshots and all snapshot attributes

The GET operation is used to retrieve all S3 bucket snapshots for a specific bucket along with all the snapshot attributes.

```

# The API:
/api/protocols/s3/services/{svm.uuid}/buckets/{s3_bucket.uuid}/snapshots:

# The call:
curl -X GET -k "https://<mgmt-
ip>/api/protocols/s3/services/{svm.uuid}/buckets/{s3_bucket.uuid}/snapshot
s?fields=*" -H "accept: application/json"

# The response:
{
  "records": [
    {
      "svm": {
        "uuid": "148b9bbd-58d8-11ef-b7ca-005056ae1130"
      },
      "bucket": {
        "uuid": "2aec8270-58e3-11ef-861e-005056ae1130"
      },
      "uuid": "20837456-3c8b-405a-aa3a-5300c048f87d",
      "name": "ss1",
      "create_time": "2024-08-22T14:23:54-04:00"
    },
    {
      "svm": {
        "uuid": "148b9bbd-58d8-11ef-b7ca-005056ae1130"
      },
      "bucket": {
        "uuid": "2aec8270-58e3-11ef-861e-005056ae1130"
      },
      "uuid": "c67cd056-d386-477a-8378-fcc06987bedf",
      "name": "ss2",
      "create_time": "2024-08-22T14:30:42-04:00"
    }
  ],
  "num_records": 2
}

```

Retrieving the attributes of a specific S3 bucket snapshot

The GET operation is used to retrieve the attributes of a specific S3 bucket snapshot.

```

# The API:
/api/protocols/s3/services/{svm.uuid}/buckets/{s3_bucket.uuid}/snapshots/{
uuid}:

# The call:
curl -X GET -k "https://<mgmt-
ip>/api/protocols/s3/services/{svm.uuid}/buckets/{s3_bucket.uuid}/snapshot
s/{uuid}" -H "accept: application/json"

# The response:
{
"svm": {
  "uuid": "148b9bbd-58d8-11ef-b7ca-005056ae1130"
},
"bucket": {
  "uuid": "2aec8270-58e3-11ef-861e-005056ae1130"
},
"uuid": "c67cd056-d386-477a-8378-fcc06987bedf",
"name": "ss2",
"create_time": "2024-08-22T14:30:42-04:00"
}

```

Deleting an S3 bucket snapshot

The DELETE operation is used to delete an S3 bucket snapshot.

```

# The API:
/api/protocols/s3/services/{svm.uuid}/buckets/{s3_bucket.uuid}/snapshots/{
uuid}:

# The call:
curl -X DELETE -k "https://<mgmt-
ip>/api/protocols/s3/services/{svm.uuid}/buckets/{s3_bucket.uuid}/snapshot
s/{uuid}" -H "accept: application/json"

# The response:
{
"job": {
  "uuid": "94f97fa9-60b7-11ef-82cf-005056ae1130",
  "_links": {
    "self": {
      "href": "/api/cluster/jobs/94f97fa9-60b7-11ef-82cf-005056ae1130"
    }
  }
}
}

```

```

}

# The Job:
{
  "uuid": "94f97fa9-60b7-11ef-82cf-005056ae1130",
  "description": "DELETE /api/protocols/s3/services/148b9bbd-58d8-11ef-b7ca-005056ae1130/buckets/2aec8270-58e3-11ef-861e-005056ae1130/snapshots/c67cd056-d386-477a-8378-fcc06987bedf",
  "state": "success",
  "message": "success",
  "code": 0,
  "start_time": "2024-08-22T14:51:46-04:00",
  "end_time": "2024-08-22T14:51:47-04:00",
  "svm": {
    "name": "vs0",
    "uuid": "148b9bbd-58d8-11ef-b7ca-005056ae1130",
    "_links": {
      "self": {
        "href": "/api/svm/svms/148b9bbd-58d8-11ef-b7ca-005056ae1130"
      }
    }
  },
  "_links": {
    "self": {
      "href": "/api/cluster/jobs/94f97fa9-60b7-11ef-82cf-005056ae1130"
    }
  }
}

```

Retrieve a collection of S3 bucket snapshots

GET /protocols/s3/services/{svm.uuid}/buckets/{s3_bucket.uuid}/snapshots

Introduced In: 9.16

Retrieves a collection of S3 bucket snapshots.

Related ONTAP commands

- `vserver object-store-server bucket snapshot show`

Learn more

- [DOC /protocols/s3/services/{svm.uuid}/buckets/{s3_bucket.uuid}/snapshots](#)

Parameters

Name	Type	In	Required	Description
s3_bucket.uuid	string	path	True	The unique identifier of the bucket.
uuid	string	query	False	Filter by uuid
bucket_uuid	string	query	False	Filter by bucket_uuid
create_time	string	query	False	Filter by create_time
name	string	query	False	Filter by name
svm.name	string	query	False	Filter by svm.name
svm.uuid	string	path	True	UUID of the SVM to which this object belongs.
fields	array[string]	query	False	Specify the fields to return.
max_records	integer	query	False	Limit the number of records returned.
return_records	boolean	query	False	The default is true for GET calls. When set to false, only the number of records is returned. <ul style="list-style-type: none">• Default value: 1

Name	Type	In	Required	Description
return_timeout	integer	query	False	<p>The number of seconds to allow the call to execute before returning. When iterating over a collection, the default is 15 seconds. ONTAP returns earlier if either max records or the end of the collection is reached.</p> <ul style="list-style-type: none"> • Default value: 1 • Max value: 120 • Min value: 0
order_by	array[string]	query	False	Order results by specified fields and optional [asc

Response

Status: 200, Ok

Name	Type	Description
_links	collection_links	
num_records	integer	Number of records
records	array[s3_bucket_snapshot]	

Example response

```
{
  "_links": {
    "next": {
      "href": "/api/resourcelink"
    },
    "self": {
      "href": "/api/resourcelink"
    }
  },
  "num_records": 1,
  "records": [
    {
      "_links": {
        "self": {
          "href": "/api/resourcelink"
        }
      },
      "bucket_uuid": "2aec8270-58e3-11ef-861e-005056ae1130",
      "create_time": "2024-08-21 20:18:04 -0400",
      "name": "snap1",
      "svm": {
        "_links": {
          "self": {
            "href": "/api/resourcelink"
          }
        },
        "name": "svm1",
        "uuid": "02c9e252-41be-11e9-81d5-00a0986138f7"
      },
      "uuid": "522b29a1-3b26-11e9-bd58-0050568ea321"
    }
  ]
}
```

Error

Status: Default, Error

Name	Type	Description
error	returned_error	

Example error

```
{
  "error": {
    "arguments": [
      {
        "code": "string",
        "message": "string"
      }
    ],
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```

Definitions

See Definitions

href

Name	Type	Description
href	string	

collection_links

Name	Type	Description
next	href	
self	href	

_links

Name	Type	Description
self	href	

svm

Specifies the name of the SVM where this bucket exists.

Name	Type	Description
_links	_links	
name	string	The name of the SVM. This field cannot be specified in a PATCH method.
uuid	string	The unique identifier of the SVM. This field cannot be specified in a PATCH method.

s3_bucket_snapshot

Information about an S3 bucket snapshot.

Name	Type	Description
_links	_links	
bucket_uuid	string	The unique identifier of the bucket.
create_time	string	Creation time of the snapshot. It is the storage unit access time when the snapshot was created.

Name	Type	Description
name	string	The name of the snapshot. Snapshot names must start with a lowercase letter, a number, or a hyphen, must end with a lowercase letter or a number, and cannot exceed 30 characters.
svm	svm	Specifies the name of the SVM where this bucket exists.
uuid	string	The UUID of the snapshot in the bucket that uniquely identifies the snapshot in that bucket.

error_arguments

Name	Type	Description
code	string	Argument code
message	string	Message argument

returned_error

Name	Type	Description
arguments	array[error_arguments]	Message arguments
code	string	Error code
message	string	Error message
target	string	The target parameter that caused the error.

Create an S3 bucket snapshot

POST /protocols/s3/services/{svm.uuid}/buckets/{s3_bucket.uuid}/snapshots

Introduced In: 9.16

Creates an S3 bucket snapshot.

Required properties

- `name` - Name of the S3 bucket snapshot to be created.

Related ONTAP commands

- `vserver object-store-server bucket snapshot create`

Learn more

- [DOC /protocols/s3/services/{svm.uuid}/buckets/{s3_bucket.uuid}/snapshots](#)

Parameters

Name	Type	In	Required	Description
<code>s3_bucket.uuid</code>	string	path	True	Unique identifier of a bucket.
<code>return_timeout</code>	integer	query	False	<p>The number of seconds to allow the call to execute before returning. When doing a POST, PATCH, or DELETE operation on a single record, the default is 0 seconds. This means that if an asynchronous operation is started, the server immediately returns HTTP code 202 (Accepted) along with a link to the job. If a non-zero value is specified for POST, PATCH, or DELETE operations, ONTAP waits that length of time to see if the job completes so it can return something other than 202.</p> <ul style="list-style-type: none">• Default value: 1• Max value: 120• Min value: 0

Name	Type	In	Required	Description
return_records	boolean	query	False	The default is false. If set to true, the records are returned. <ul style="list-style-type: none"> • Default value:
svm.uuid	string	path	True	UUID of the SVM to which this object belongs.

Request Body

Name	Type	Description
_links	_links	
bucket_uuid	string	The unique identifier of the bucket.
create_time	string	Creation time of the snapshot. It is the storage unit access time when the snapshot was created.
name	string	The name of the snapshot. Snapshot names must start with a lowercase letter, a number, or a hyphen, must end with a lowercase letter or a number, and cannot exceed 30 characters.
svm	svm	Specifies the name of the SVM where this bucket exists.
uuid	string	The UUID of the snapshot in the bucket that uniquely identifies the snapshot in that bucket.

Example request

```
{
  "_links": {
    "self": {
      "href": "/api/resourcelink"
    }
  },
  "bucket_uuid": "2aec8270-58e3-11ef-861e-005056ae1130",
  "create_time": "2024-08-21 20:18:04 -0400",
  "name": "snap1",
  "svm": {
    "_links": {
      "self": {
        "href": "/api/resourcelink"
      }
    },
    "name": "svm1",
    "uuid": "02c9e252-41be-11e9-81d5-00a0986138f7"
  },
  "uuid": "522b29a1-3b26-11e9-bd58-0050568ea321"
}
```

Response

Status: 202, Accepted

Name	Type	Description
job	job_link	

Example response

```
{
  "job": {
    "_links": {
      "self": {
        "href": "/api/resourcelink"
      }
    },
    "uuid": "string"
  }
}
```

Headers

Name	Description	Type
Location	Useful for tracking the resource location	string

Response

Status: 201, Created

Error

Status: Default

ONTAP Error Response Codes

Error code	Message
92405861	"The specified SVM UUID or bucket UUID does not exist.";
92406249	"Failed to create S3 bucket snapshot "{snapshot name}" for S3 bucket "{bucket name}" in SVM "{svm name}". Reason: {Reason for failure} ";

Name	Type	Description
error	returned_error	

Example error

```
{
  "error": {
    "arguments": [
      {
        "code": "string",
        "message": "string"
      }
    ],
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```

Definitions

See Definitions

href

Name	Type	Description
href	string	

_links

Name	Type	Description
self	href	

svm

Specifies the name of the SVM where this bucket exists.

Name	Type	Description
_links	_links	
name	string	The name of the SVM. This field cannot be specified in a PATCH method.
uuid	string	The unique identifier of the SVM. This field cannot be specified in a PATCH method.

s3_bucket_snapshot

Information about an S3 bucket snapshot.

Name	Type	Description
_links	_links	
bucket_uuid	string	The unique identifier of the bucket.
create_time	string	Creation time of the snapshot. It is the storage unit access time when the snapshot was created.
name	string	The name of the snapshot. Snapshot names must start with a lowercase letter, a number, or a hyphen, must end with a lowercase letter or a number, and cannot exceed 30 characters.

Name	Type	Description
svm	svm	Specifies the name of the SVM where this bucket exists.
uuid	string	The UUID of the snapshot in the bucket that uniquely identifies the snapshot in that bucket.

job_link

Name	Type	Description
_links	_links	
uuid	string	The UUID of the asynchronous job that is triggered by a POST, PATCH, or DELETE operation.

error_arguments

Name	Type	Description
code	string	Argument code
message	string	Message argument

returned_error

Name	Type	Description
arguments	array[error_arguments]	Message arguments
code	string	Error code
message	string	Error message
target	string	The target parameter that caused the error.

Delete an S3 bucket snapshot

DELETE

/protocols/s3/services/{svm.uuid}/buckets/{s3_bucket.uuid}/snapshots/{uuid}

Introduced In: 9.16

Deletes S3 bucket snapshot.

Related ONTAP commands

- `vserver object-store-server bucket snapshot delete`

Learn more

- [DOC /protocols/s3/services/{svm.uuid}/buckets/{s3_bucket.uuid}/snapshots](#)

Parameters

Name	Type	In	Required	Description
s3_bucket.uuid	string	path	True	The unique identifier of the bucket.
uuid	string	path	True	The unique identifier of the S3 bucket snapshot.
svm.uuid	string	path	True	UUID of the SVM to which this object belongs.

Response

Status: 200, Ok

Error

Status: Default

ONTAP Error Response Codes

Error code	Message
92405861	"The specified SVM UUID or bucket UUID does not exist.";
92406250	"Failed to delete S3 bucket snapshot "{snapshot name}" for S3 bucket "{bucket name}" in SVM "{svm name}". Reason: {Reason for failure} ";
92406278	"Failed to delete S3 bucket snapshot with UUID "{snapshot uuid}" for S3 bucket "{bucket name}" in SVM "{svm name}". Reason: {Reason for failure} ";

Name	Type	Description
error	returned_error	

Example error

```

{
  "error": {
    "arguments": [
      {
        "code": "string",
        "message": "string"
      }
    ],
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}

```

Definitions

See Definitions

error_arguments

Name	Type	Description
code	string	Argument code
message	string	Message argument

returned_error

Name	Type	Description
arguments	array[error_arguments]	Message arguments
code	string	Error code
message	string	Error message
target	string	The target parameter that caused the error.

Retrieve details of a specific S3 bucket snapshot

GET /protocols/s3/services/{svm.uuid}/buckets/{s3_bucket.uuid}/snapshots/{uuid}

Introduced In: 9.16

Retrieves details of a specific S3 bucket snapshot.

Related ONTAP commands

- `vserver object-store-server bucket snapshot show`

Learn more

- [DOC /protocols/s3/services/{svm.uuid}/buckets/{s3_bucket.uuid}/snapshots](#)

Parameters

Name	Type	In	Required	Description
s3_bucket.uuid	string	path	True	The unique identifier of the bucket.
uuid	string	path	True	The unique identifier of the S3 bucket snapshot.
svm.uuid	string	path	True	UUID of the SVM to which this object belongs.
fields	array[string]	query	False	Specify the fields to return.

Response

Status: 200, Ok

Name	Type	Description
_links	_links	
bucket_uuid	string	The unique identifier of the bucket.
create_time	string	Creation time of the snapshot. It is the storage unit access time when the snapshot was created.

Name	Type	Description
name	string	The name of the snapshot. Snapshot names must start with a lowercase letter, a number, or a hyphen, must end with a lowercase letter or a number, and cannot exceed 30 characters.
svm	svm	Specifies the name of the SVM where this bucket exists.
uuid	string	The UUID of the snapshot in the bucket that uniquely identifies the snapshot in that bucket.

Example response

```
{
  "_links": {
    "self": {
      "href": "/api/resourcelink"
    }
  },
  "bucket_uuid": "2aec8270-58e3-11ef-861e-005056ae1130",
  "create_time": "2024-08-21 20:18:04 -0400",
  "name": "snap1",
  "svm": {
    "_links": {
      "self": {
        "href": "/api/resourcelink"
      }
    },
    "name": "svm1",
    "uuid": "02c9e252-41be-11e9-81d5-00a0986138f7"
  },
  "uuid": "522b29a1-3b26-11e9-bd58-0050568ea321"
}
```

Error

Status: Default, Error

Name	Type	Description
error	returned_error	

Example error

```
{
  "error": {
    "arguments": [
      {
        "code": "string",
        "message": "string"
      }
    ],
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```

Definitions

See Definitions

href

Name	Type	Description
href	string	

_links

Name	Type	Description
self	href	

svm

Specifies the name of the SVM where this bucket exists.

Name	Type	Description
_links	_links	
name	string	The name of the SVM. This field cannot be specified in a PATCH method.
uuid	string	The unique identifier of the SVM. This field cannot be specified in a PATCH method.

error_arguments

Name	Type	Description
code	string	Argument code
message	string	Message argument

returned_error

Name	Type	Description
arguments	array[error_arguments]	Message arguments
code	string	Error code
message	string	Error message
target	string	The target parameter that caused the error.

Copyright information

Copyright © 2025 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.