



Manage WebAuthn credentials

ONTAP REST API reference

NetApp
February 27, 2025

Table of Contents

- Manage WebAuthn credentials 1
 - Security webauthn credentials endpoint overview 1
 - Overview 1
 - Examples 1
 - Retrieve all WebAuthn credentials entries 2
 - Related ONTAP commands 3
 - Parameters 3
 - Response 3
 - Error 6
 - Definitions 6
 - Delete a WebAuthn credentials entry 9
 - Required properties 9
 - Related ONTAP commands 9
 - Parameters 9
 - Response 10
 - Error 10
 - Definitions 10
 - Retrieve a WebAuthn credentials entry 11
 - Related ONTAP commands 11
 - Parameters 11
 - Response 12
 - Error 13
 - Definitions 14

Manage WebAuthn credentials

Security webauthn credentials endpoint overview

Overview

This API is used to retrieve all WebAuthn credentials entries.

Examples

Retrieving all Webauthn credentials entries

The following output shows all WebAuthn credentials entries.

```

## The API:
/api/security/webauthn/credentials

## The call:
curl -X GET "https://<mgmt-ip>/api/security/webauthn/credentials"

# The response:
{
  "records": [
    {
      "owner": {
        "uuid": "389758ee-40cd-11ef-bb21-005056aeae31",
        "_links": {
          "self": {
            "href": "/api/svm/svms/389758ee-40cd-11ef-bb21-005056aeae31"
          }
        }
      },
      "username": "user_1",
      "index": 0,
      "relying_party": {
        "id": "ontap1.example.com",
        "name": "ontap1.example.com"
      },
      "_links": {
        "self": {
          "href": "/api/security/webauthn/credentials/389758ee-40cd-11ef-bb21-005056aeae31/user_1/0/ontap1.example.com"
        }
      }
    }
  ],
  "num_records": 1,
  "_links": {
    "self": {
      "href": "/api/security/webauthn/credentials/"
    }
  }
}

```

Retrieve all WebAuthn credentials entries

GET /security/webauthn/credentials

Introduced In: 9.16

Retrieves all WebAuthn credentials entries.

Related ONTAP commands

- `security webauthn credentials show`

Parameters

Name	Type	In	Required	Description
fields	array[string]	query	False	Specify the fields to return.
max_records	integer	query	False	Limit the number of records returned.
return_records	boolean	query	False	The default is true for GET calls. When set to false, only the number of records is returned. <ul style="list-style-type: none">• Default value: 1
return_timeout	integer	query	False	The number of seconds to allow the call to execute before returning. When iterating over a collection, the default is 15 seconds. ONTAP returns earlier if either max records or the end of the collection is reached. <ul style="list-style-type: none">• Default value: 1• Max value: 120• Min value: 0
order_by	array[string]	query	False	Order results by specified fields and optional [asc

Response

Status: 200, Ok

Name	Type	Description
_links	collection_links	
num_records	integer	Number of records.
records	array[webauthn_credentials]	


```
    "scope": "string",
    "username": "admin"
  }
]
}
```

Error

Status: Default, Error

Name	Type	Description
error	returned_error	

Example error

```
{
  "error": {
    "arguments": [
      {
        "code": "string",
        "message": "string"
      }
    ],
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```

Definitions

See Definitions

href

Name	Type	Description
href	string	

collection_links

Name	Type	Description
next	href	
self	href	

self_link

Name	Type	Description
self	href	

credential

Name	Type	Description
id_sha	string	SHA-256 Hashed representation of Credential ID.
type	string	Credential type.

_links

Name	Type	Description
self	href	

svm_reference

SVM, applies only to SVM-scoped objects.

Name	Type	Description
_links	_links	
name	string	The name of the SVM. This field cannot be specified in a PATCH method.
uuid	string	The unique identifier of the SVM. This field cannot be specified in a PATCH method.

public_key

Name	Type	Description
algorithm	string	Public key algorithm.
value	string	Public key value.

relying_party

Name	Type	Description
id	string	Relying Party ID.
name	string	Relying Party Name.

webauthn_credentials

Name	Type	Description
_links	self_link	
creation_time	string	Date and time indicating when this entry was created.
credential	credential	
display_name	string	Display name.
index	integer	Index.
last_used_time	string	Date and time indicating when this entry was last used.
owner	svm_reference	SVM, applies only to SVM-scoped objects.
public_key	public_key	
relying_party	relying_party	
scope	string	Scope of the entity. Set to "cluster" for cluster owned objects and to "svm" for SVM owned objects.
username	string	Username.

error_arguments

Name	Type	Description
code	string	Argument code
message	string	Message argument

returned_error

Name	Type	Description
arguments	array[error_arguments]	Message arguments
code	string	Error code
message	string	Error message
target	string	The target parameter that caused the error.

Delete a WebAuthn credentials entry

DELETE

/security/webauthn/credentials/{owner.uuid}/{username}/{index}/{relying_party.id}

Introduced In: 9.16

Deletes a WebAuthn credentials entry.

Required properties

- owner.uuid
- username
- index
- relying_party.id

Related ONTAP commands

- security webauthn credentials delete

Parameters

Name	Type	In	Required	Description
owner.uuid	string	path	True	Used to identify a cluster or an SVM.

Name	Type	In	Required	Description
username	string	path	True	Username.
index	integer	path	True	Index.
relying_party.id	string	path	True	Relying Party ID.
fields	array[string]	query	False	Specify the fields to return.

Response

Status: 200, Ok

Error

Status: Default, Error

Name	Type	Description
error	returned_error	

Example error

```
{
  "error": {
    "arguments": [
      {
        "code": "string",
        "message": "string"
      }
    ],
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```

Definitions

See Definitions

error_arguments

Name	Type	Description
code	string	Argument code
message	string	Message argument

returned_error

Name	Type	Description
arguments	array[error_arguments]	Message arguments
code	string	Error code
message	string	Error message
target	string	The target parameter that caused the error.

Retrieve a WebAuthn credentials entry

GET

/security/webauthn/credentials/{owner.uuid}/{username}/{index}/{relying_party.id}

Introduced In: 9.16

Retrieves a WebAuthn credentials entry.

Related ONTAP commands

- `security webauthn credentials show`

Parameters

Name	Type	In	Required	Description
owner.uuid	string	path	True	Used to identify a cluster or an SVM.
username	string	path	True	Username.
index	integer	path	True	Index.

Name	Type	In	Required	Description
relying_party.id	string	path	True	Relying Party ID.
fields	array[string]	query	False	Specify the fields to return.

Response

Status: 200, Ok

Name	Type	Description
_links	self_link	
creation_time	string	Date and time indicating when this entry was created.
credential	credential	
display_name	string	Display name.
index	integer	Index.
last_used_time	string	Date and time indicating when this entry was last used.
owner	svm_reference	SVM, applies only to SVM-scoped objects.
public_key	public_key	
relying_party	relying_party	
scope	string	Scope of the entity. Set to "cluster" for cluster owned objects and to "svm" for SVM owned objects.
username	string	Username.

Example response

```
{
  "_links": {
    "self": {
      "href": "/api/resourcelink"
    }
  },
  "creation_time": "2024-08-05 22:38:55 -0400",
  "credential": {
    "id_sha":
    "xxxxxxxxxxxxxxxxxxxxebfb30f20bf6db74xxxxxxxxxxxxxxxxxxxxxxxxxxxx",
    "type": "string"
  },
  "display_name": "admin",
  "index": 0,
  "last_used_time": "2024-08-05 22:48:55 -0400",
  "owner": {
    "_links": {
      "self": {
        "href": "/api/resourcelink"
      }
    },
    "name": "svml",
    "uuid": "02c9e252-41be-11e9-81d5-00a0986138f7"
  },
  "public_key": {
    "algorithm": "ES-256",
    "value":
    "xxxxxxxxxxxxxxxxxxxxe5sZohRRv2B10JjjALXmGRmEfFIxxxxxxxxxxxxxxxxxxxxx
    xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxYr2+w=="
  },
  "relying_party": {
    "id": "example.com",
    "name": "example.com"
  },
  "scope": "string",
  "username": "admin"
}
```

Error

Status: Default, Error

Name	Type	Description
error	returned_error	

Example error

```
{
  "error": {
    "arguments": [
      {
        "code": "string",
        "message": "string"
      }
    ],
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```

Definitions

See Definitions

href

Name	Type	Description
href	string	

self_link

Name	Type	Description
self	href	

credential

Name	Type	Description
id_sha	string	SHA-256 Hashed representation of Credential ID.
type	string	Credential type.

_links

Name	Type	Description
self	href	

svm_reference

SVM, applies only to SVM-scoped objects.

Name	Type	Description
_links	_links	
name	string	The name of the SVM. This field cannot be specified in a PATCH method.
uuid	string	The unique identifier of the SVM. This field cannot be specified in a PATCH method.

public_key

Name	Type	Description
algorithm	string	Public key algorithm.

Name	Type	Description
value	string	Public key value.

relying_party

Name	Type	Description
id	string	Relying Party ID.
name	string	Relying Party Name.

error_arguments

Name	Type	Description
code	string	Argument code
message	string	Message argument

returned_error

Name	Type	Description
arguments	array[error_arguments]	Message arguments
code	string	Error code
message	string	Error message
target	string	The target parameter that caused the error.

Copyright information

Copyright © 2025 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.