



# **Manage cluster-wide storage**

## **ONTAP 9.14.1 REST API reference**

NetApp  
May 08, 2024

This PDF was generated from [https://docs.netapp.com/us-en/ontap-restapi/ontap/storage\\_cluster\\_endpoint\\_overview.html](https://docs.netapp.com/us-en/ontap-restapi/ontap/storage_cluster_endpoint_overview.html) on May 08, 2024. Always check docs.netapp.com for the latest.

# Table of Contents

- Manage cluster-wide storage ..... 1
  - Storage cluster endpoint overview ..... 1
  - Report cluster-wide storage details across different tiers ..... 3

# Manage cluster-wide storage

## Storage cluster endpoint overview

Retrieves cluster-wide storage details across the different tiers. Storage details include storage efficiency, block storage and cloud storage information.

### Example

#### Retrieving cluster-wide storage details

The following example shows the details returned for a GET request on cluster-wide storage:

```
# The API:
/api/storage/cluster

# The call:
curl -X GET "https://<mgmt-ip>/api/storage/cluster" -H "accept:
application/hal+json"

# The response:
{
  "efficiency": {
    "savings": 143360,
    "ratio": 1.134099616858238,
    "logical_used": 1212416
  },
  "efficiency_without_snapshots": {
    "savings": 0,
    "ratio": 1,
    "logical_used": 167936
  },
  "efficiency_without_snapshots_flexclones": {
    "savings": 0,
    "ratio": 1,
    "logical_used": 167936
  },
  "block_storage": {
    "used": 6269812736,
    "size": 56125612032,
    "available": 49855799296,
    "physical_used": 1838284800,
    "inactive_data": 0,
```

```

"medias": [
  {
    "type": "ssd",
    "size": 9891430400,
    "available": 3728039936,
    "used": 6163390464,
    "physical_used": 1832886272,
    "efficiency": {
      "savings": 0,
      "ratio": 1,
      "logical_used": 0
    },
    "efficiency_without_snapshots": {
      "savings": 0,
      "ratio": 1,
      "logical_used": 0
    },
    "efficiency_without_snapshots_flexclones": {
      "savings": 0,
      "ratio": 1,
      "logical_used": 0
    }
  },
  {
    "type": "vmdisk",
    "size": 46234181632,
    "available": 46127759360,
    "used": 106422272,
    "physical_used": 5398528,
    "efficiency": {
      "savings": 282624,
      "ratio": 1.303964757709251,
      "logical_used": 1212416
    },
    "efficiency_without_snapshots": {
      "savings": 0,
      "ratio": 1,
      "logical_used": 167936
    },
    "efficiency_without_snapshots_flexclones": {
      "savings": 0,
      "ratio": 1,
      "logical_used": 167936
    }
  }
]

```

```
}  
}
```

## Report cluster-wide storage details across different tiers

GET /storage/cluster

**Introduced In:** 9.6

Retrieves cluster-wide storage details across the different tiers. By default, this endpoint returns all fields. Storage details include storage efficiency, block storage and cloud storage information. Supports the following roles: admin, and readonly.

### Parameters

Name	Type	In	Required	Description
cloud_storage.used	integer	query	False	Filter by cloud_storage.used  • Introduced in: 9.14
efficiency.savings	integer	query	False	Filter by efficiency.savings  • Introduced in: 9.14
efficiency.logical_used	integer	query	False	Filter by efficiency.logical_used  • Introduced in: 9.14
efficiency.ratio	number	query	False	Filter by efficiency.ratio  • Introduced in: 9.14
efficiency_without_snapshots.savings	integer	query	False	Filter by efficiency_without_snapshots.savings  • Introduced in: 9.14

Name	Type	In	Required	Description
efficiency_without_snapshots.logical_used	integer	query	False	Filter by efficiency_without_snapshots.logical_used  • Introduced in: 9.14
efficiency_without_snapshots.ratio	number	query	False	Filter by efficiency_without_snapshots.ratio  • Introduced in: 9.14
efficiency_without_snapshots.flexclones.savings	integer	query	False	Filter by efficiency_without_snapshots.flexclones.savings  • Introduced in: 9.14
efficiency_without_snapshots.flexclones.logical_used	integer	query	False	Filter by efficiency_without_snapshots.flexclones.logical_used  • Introduced in: 9.14
efficiency_without_snapshots.flexclones.ratio	number	query	False	Filter by efficiency_without_snapshots.flexclones.ratio  • Introduced in: 9.14
block_storage.media_s.used	integer	query	False	Filter by block_storage.media_s.used  • Introduced in: 9.14

Name	Type	In	Required	Description
block_storage.media s.available	integer	query	False	Filter by block_storage.media s.available  • Introduced in: 9.14
block_storage.media s.efficiency.savings	integer	query	False	Filter by block_storage.media s.efficiency.savings  • Introduced in: 9.14
block_storage.media s.efficiency.logical_u sed	integer	query	False	Filter by block_storage.media s.efficiency.logical_u sed  • Introduced in: 9.14
block_storage.media s.efficiency.ratio	number	query	False	Filter by block_storage.media s.efficiency.ratio  • Introduced in: 9.14
block_storage.media s.efficiency_without_ snapshots.savings	integer	query	False	Filter by block_storage.media s.efficiency_without_ snapshots.savings  • Introduced in: 9.14
block_storage.media s.efficiency_without_ snapshots.logical_us ed	integer	query	False	Filter by block_storage.media s.efficiency_without_ snapshots.logical_u sed  • Introduced in: 9.14

Name	Type	In	Required	Description
block_storage.media s.efficiency_without_ snapshots.ratio	number	query	False	Filter by block_storage.media s.efficiency_without_ snapshots.ratio  • Introduced in: 9.14
block_storage.media s.size	integer	query	False	Filter by block_storage.media s.size  • Introduced in: 9.14
block_storage.media s.efficiency_without_ snapshots_flexclone s.savings	integer	query	False	Filter by block_storage.media s.efficiency_without_ snapshots_flexclone s.savings  • Introduced in: 9.14
block_storage.media s.efficiency_without_ snapshots_flexclone s.logical_used	integer	query	False	Filter by block_storage.media s.efficiency_without_ snapshots_flexclone s.logical_used  • Introduced in: 9.14
block_storage.media s.efficiency_without_ snapshots_flexclone s.ratio	number	query	False	Filter by block_storage.media s.efficiency_without_ snapshots_flexclone s.ratio  • Introduced in: 9.14
block_storage.media s.type	string	query	False	Filter by block_storage.media s.type  • Introduced in: 9.14



Name	Type	In	Required	Description
block_storage.media s.physical_used	integer	query	False	Filter by block_storage.media s.physical_used  • Introduced in: 9.14
block_storage.inactiv e_data	integer	query	False	Filter by block_storage.inacti ve_data  • Introduced in: 9.14
block_storage.physic al_used	integer	query	False	Filter by block_storage.physi cal_used  • Introduced in: 9.14
block_storage.size	integer	query	False	Filter by block_storage.size  • Introduced in: 9.14
block_storage.used	integer	query	False	Filter by block_storage.used  • Introduced in: 9.14
block_storage.availa ble	integer	query	False	Filter by block_storage.availa ble  • Introduced in: 9.14
fields	array[string]	query	False	Specify the fields to return.

## Response

Status: 200, Ok

Name	Type	Description
block_storage	<a href="#">block_storage</a>	Configuration information for the locally attached portion of all the aggregates across the cluster. When a cloud store is also used by an aggregate, this is referred to as the performance tier.
cloud_storage	<a href="#">cloud_storage</a>	Configuration information for the cloud storage portion of all the aggregates across the cluster. This is referred to as the capacity tier.
efficiency	<a href="#">efficiency</a>	Storage efficiency.
efficiency_without_snapshots	<a href="#">efficiency_without_snapshots</a>	Storage efficiency that does not include the savings provided by Snapshot copies.
efficiency_without_snapshots_flexclones	<a href="#">efficiency_without_snapshots_flexclones</a>	Storage efficiency that does not include the savings provided by Snapshot copies and FlexClones.

## Example response

```
{
  "block_storage": {
    "medias": {
      "efficiency": {
        "logical_used": 0,
        "ratio": 0,
        "savings": 0
      },
      "efficiency_without_snapshots": {
        "logical_used": 0,
        "ratio": 0,
        "savings": 0
      },
      "efficiency_without_snapshots_flexclones": {
        "logical_used": 0,
        "ratio": 0,
        "savings": 0
      },
      "type": "hdd"
    }
  },
  "cloud_storage": {
    "used": 0
  },
  "efficiency": {
    "logical_used": 0,
    "ratio": 0,
    "savings": 0
  },
  "efficiency_without_snapshots": {
    "logical_used": 0,
    "ratio": 0,
    "savings": 0
  },
  "efficiency_without_snapshots_flexclones": {
    "logical_used": 0,
    "ratio": 0,
    "savings": 0
  }
}
```

## Error

Status: Default, Error

Name	Type	Description
error	<a href="#">returned_error</a>	

### Example error

```
{
  "error": {
    "arguments": {
      "code": "string",
      "message": "string"
    },
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```

## Definitions

## See Definitions

efficiency

Storage efficiency.

Name	Type	Description
logical_used	integer	Logical used
ratio	number	Data reduction ratio (logical_used / used)
savings	integer	Space saved by storage efficiencies (logical_used - used)

efficiency\_without\_snapshots

Storage efficiency that does not include the savings provided by Snapshot copies.

Name	Type	Description
logical_used	integer	Logical used
ratio	number	Data reduction ratio (logical_used / used)
savings	integer	Space saved by storage efficiencies (logical_used - used)

efficiency\_without\_snapshots\_flexclones

Storage efficiency that does not include the savings provided by Snapshot copies and FlexClones.

Name	Type	Description
logical_used	integer	Logical used
ratio	number	Data reduction ratio (logical_used / used)
savings	integer	Space saved by storage efficiencies (logical_used - used)

medias

Name	Type	Description
available	integer	Available space of all the aggregates based on media type.
efficiency	<a href="#">efficiency</a>	Storage efficiency.
efficiency_without_snapshots	<a href="#">efficiency_without_snapshots</a>	Storage efficiency that does not include the savings provided by Snapshot copies.
efficiency_without_snapshots_flex_clones	<a href="#">efficiency_without_snapshots_flex_clones</a>	Storage efficiency that does not include the savings provided by Snapshot copies and FlexClones.
physical_used	integer	Total physical used space of all the aggregates based on media type.
size	integer	Total space of all the aggregates based on media type.
type	string	The type of media being used.
used	integer	Used space of all the aggregates based on media type.

#### block\_storage

Configuration information for the locally attached portion of all the aggregates across the cluster. When a cloud store is also used by an aggregate, this is referred to as the performance tier.

Name	Type	Description
available	integer	Available space of all aggregates across the cluster.
inactive_data	integer	Inactive data of all aggregates across the cluster.
medias	array[ <a href="#">medias</a> ]	Configuration information based on type of media. For example, SSD media type information includes the sum of all the SSD aggregates across the cluster.
physical_used	integer	Total physical used space of all aggregates across the cluster.

Name	Type	Description
size	integer	Total space of all aggregates across the cluster.
used	integer	Used space (includes volume reserves) of the all aggregates across the cluster.

#### cloud\_storage

Configuration information for the cloud storage portion of all the aggregates across the cluster. This is referred to as the capacity tier.

Name	Type	Description
used	integer	Total space used in cloud.

#### error\_arguments

Name	Type	Description
code	string	Argument code
message	string	Message argument

#### returned\_error

Name	Type	Description
arguments	array[ <a href="#">error_arguments</a> ]	Message arguments
code	string	Error code
message	string	Error message
target	string	The target parameter that caused the error.

## Copyright information

Copyright © 2024 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

## Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.