



Manage the anti-ransomware package

REST API reference

NetApp
February 11, 2026

This PDF was generated from https://docs.netapp.com/us-en/ontap-restapi/security_anti-ransomware_endpoint_overview.html on February 11, 2026. Always check docs.netapp.com for the latest.

Table of Contents

Manage the anti-ransomware package	1
Manage the anti-ransomware package	1
Overview	1
Examples	1
Retrieve the anti-ransomware version of the nodes in the cluster	3
Related ONTAP commands	3
Parameters	3
Response	4
Error	5
Definitions	5
Update the anti-ransomware package on the cluster	6
Required properties	6
Related ONTAP commands	6
Parameters	7
Request Body	7
Response	8
Response	8
Error	8
Definitions	9

Manage the anti-ransomware package

Manage the anti-ransomware package

Overview

This API displays and manages the anti-ransomware package version.

Examples

Retrieving the anti-ransomware package version of all nodes in the cluster.

The following example shows how to retrieve anti-ransomware package version.

```
# The API:  
GET /security/anti-ransomware  
  
# The call:  
curl -X GET "https://<mgmt-ip>/api/security/anti-ransomware" -H "accept:  
application/hal+json"  
  
# The response:  
{  
  "nodes": [  
    {  
      "name": "still-vsim-ucs573i",  
      "version": "1.0"  
    },  
    {  
      "name": "still-vsim-ucs573j",  
      "version": "1.0"  
    }  
  ],  
  "_links": {  
    "self": {  
      "href": "/api/security/anti-ransomware/"  
    }  
  }  
}
```

Updating the anti-ransomware package

The following example shows how to update the anti-ransomware package on the cluster.

```

# The API:
PATCH /security/anti-ransomware

# The call:
curl -X PATCH "https://<mgmt-ip>/api/security/anti-ransomware" -H "accept: application/hal+json" -d '{"uri": "http://server/package"}'

# The response:
{
  "job": {
    "uuid": "74d0faef-3e1a-11ef-af89-005056ac6d8a",
    "_links": {
      "self": {
        "href": "/api/cluster/jobs/74d0faef-3e1a-11ef-af89-005056ac6d8a"
      }
    }
  }
}

```

The call to update the anti-ransomware package returns the job UUID, including a HAL link to retrieve details about the job. The job object includes a state field and a message to indicate the progress of the job. When the job is complete and the application is fully created, the message indicates success and the job state field is set to success.

```

# The API:
/api/cluster/jobs/{uuid}

# The call:
curl -X GET "https://<mgmt-ip>/api/cluster/jobs/74d0faef-3e1a-11ef-af89-
005056ac6d8a" -H "accept: application/hal+json"

# The response:
{
  "uuid": "74d0faef-3e1a-11ef-af89-005056ac6d8a",
  "description": "PATCH /api/security/anti-ransomware",
  "state": "success",
  "message": "success",
  "code": 0,
  "_links": {
    "self": {
      "href": "/api/cluster/jobs/74d0faef-3e1a-11ef-af89-005056ac6d8a"
    }
  }
}

```

Retrieve the anti-ransomware version of the nodes in the cluster

GET /security/anti-ransomware

Introduced In: 9.16

Retrieves the anti-ransomware package version of the nodes in the cluster.

Related ONTAP commands

- `security anti-ransomware show`

Parameters

Name	Type	In	Required	Description
fields	array[string]	query	False	Specify the fields to return.

Name	Type	In	Required	Description
return_timeout	integer	query	False	<p>The number of seconds to allow the call to execute before returning. When iterating over a collection, the default is 15 seconds. ONTAP returns earlier if either max records or the end of the collection is reached.</p> <ul style="list-style-type: none"> • Default value: 15 • Max value: 120 • Min value: 0

Response

Status: 200, Ok

Name	Type	Description
nodes	array[anti_ransomware_node]	
uri	string	URI of the anti-ransomware package through a server

Example response

```
{
  "nodes": [
    {
      "name": "node1",
      "version": "1.0"
    }
  ],
  "uri": "http://server/package"
}
```

Error

Status: Default

ONTAP Error Response Codes

Error Code	Description
917775	Operation is not supported on offline volumes.
203161606	Failed to check the "anti-ransomware-state" of the volume.
203162108	Operation is not supported on volumes that contain LUNs or namespaces.
203162109	Operation is not supported on an anti-ransomware disable-in-progress volume.

Also see the table of common errors in the [Response body](#) overview section of this documentation.

Name	Type	Description
error	returned_error	

Example error

```
{  
  "error": {  
    "arguments": [  
      {  
        "code": "string",  
        "message": "string"  
      }  
    ],  
    "code": "4",  
    "message": "entry doesn't exist",  
    "target": "uuid"  
  }  
}
```

Definitions

See Definitions

anti_ransomware_node

Name	Type	Description
name	string	Name of the node.
version	string	Anti-ransomware version.

error_arguments

Name	Type	Description
code	string	Argument code
message	string	Message argument

returned_error

Name	Type	Description
arguments	array[error_arguments]	Message arguments
code	string	Error code
message	string	Error message
target	string	The target parameter that caused the error.

Update the anti-ransomware package on the cluster

PATCH /security/anti-ransomware

Introduced In: 9.16

Updates the anti-ransomware package on the cluster.

Required properties

- uri - URI of the anti-ransomware package

Related ONTAP commands

- security anti-ransomware update-package-from-uri

Parameters

Name	Type	In	Required	Description
return_timeout	integer	query	False	<p>The number of seconds to allow the call to execute before returning. When doing a POST, PATCH, or DELETE operation on a single record, the default is 0 seconds. This means that if an asynchronous operation is started, the server immediately returns HTTP code 202 (Accepted) along with a link to the job. If a non-zero value is specified for POST, PATCH, or DELETE operations, ONTAP waits that length of time to see if the job completes so it can return something other than 202.</p> <ul style="list-style-type: none">• Default value: 0• Max value: 120• Min value: 0

Request Body

Name	Type	Description
nodes	array[anti_ransomware_node]	
uri	string	URI of the anti-ransomware package through a server

Example request

```
{  
  "nodes": [  
    {  
      "name": "node1",  
      "version": "1.0"  
    }  
  ],  
  "uri": "http://server/package"  
}
```

Response

Status: 200, Ok

Name	Type	Description
job	job_link	

Example response

```
{  
  "job": {  
    "uuid": "string"  
  }  
}
```

Response

Status: 202, Accepted

Error

Status: Default

ONTAP Error Response Codes

Error Code	Description
203161684	Autonomous Ransomware Protection (ARP) package file must be either a .tar or .tgz file.
203161685	Autonomous Ransomware Protection (ARP) package file download failed.
203161686	Autonomous Ransomware Protection (ARP) package file unzip failed.
203161687	Autonomous Ransomware Protection (ARP) package file untar failed.
203161688	Autonomous Ransomware Protection (ARP) package archive invalid. No ARP version file found.
203161689	Internal error. Filesystem error while installing Autonomous Ransomware Protection (ARP) package file.
203161690	Autonomous Ransomware Protection (ARP) package update requires an effective cluster version of 9.16.1 or later.
203161691	Autonomous Ransomware Protection (ARP) package file is invalid. The checksum verification of the ARP configuration files failed.
203161692	Autonomous Ransomware Protection (ARP) package update failed because one or more nodes are not healthy.
203161694	Failed to update the Autonomous Ransomware Protection (ARP) package file because the <code>uri</code> property was not specified.

Also see the table of common errors in the [Response body](#) overview section of this documentation.

Definitions

See Definitions

anti_ransomware_node

Name	Type	Description
name	string	Name of the node.
version	string	Anti-ransomware version.

anti_ransomware

Name	Type	Description
nodes	array[anti_ransomware_node]	
uri	string	URI of the anti-ransomware package through a server

href

Name	Type	Description
href	string	

_links

job_link

Name	Type	Description
uuid	string	The UUID of the asynchronous job that is triggered by a POST, PATCH, or DELETE operation.

error_arguments

Name	Type	Description
code	string	Argument code
message	string	Message argument

returned_error

Name	Type	Description
arguments	array[error_arguments]	Message arguments

Name	Type	Description
code	string	Error code
message	string	Error message
target	string	The target parameter that caused the error.

Copyright information

Copyright © 2026 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.