



Restore source directory

ONTAP 9.15.1 REST API reference

NetApp
June 13, 2024

This PDF was generated from https://docs.netapp.com/us-en/ontap-restapi/ontap/storage_directory-restore_endpoint_overview.html on June 13, 2024. Always check docs.netapp.com for the latest.

Table of Contents

- Restore source directory 1
 - Storage directory-restore endpoint overview 1
 - Restore the source directory from the volume Snapshot copy on the destination directory 1

Restore source directory

Storage directory-restore endpoint overview

Overview

You can use this API to restore a directory from a volume Snapshot copy without having to use data copy. The directory in the Snapshot copy contains sub-directories and files.

When a directory from a volume Snapshot copy is restored, all the directory entries (dentries) in the source should remain as they are (except for the junction path inodes). The dentries in the restored directory contain new inodes which are in the AFS (Active File System).

The newly created inodes in the AFS have the same attributes as those in the source Snapshot copy.

Directory restore API

The following API is used to perform the following operations:

– POST /api/storage/directory-restore

Restore the source directory from the volume Snapshot copy on the destination directory

POST /storage/directory-restore

Introduced In: 9.15

Restores the source directory from the volume Snapshot copy on the destination directory.

Required Properties

- `vserver`
- `volume.name`
- `snapshot.name`
- `source_path`
- `restore_path`

Related ONTAP commands

- `volume snapshot directory-restore start`

```
# The API:
/api/storage/directory-restore

# The call:
curl -X POST "https://<mgmt_ip>/api/storage/directory-restore" -H "accept:
application/hal+json" -d '{"svm":"vs1", "volume": "vol1", "snapshot":
"sp1", "path": "/aaaa", "restore_path": "/bbbb"}'

# The response:
{
  "job": {
    "uuid": "23b5ff3a-4743-11ee-a08d-005056bb9d00",
    "_links": {
      "self": {
        "href": "/api/cluster/jobs/23b5ff3a-4743-11ee-a08d-005056bb9d00"
      }
    }
  }
}
```

Parameters

Name	Type	In	Required	Description
return_timeout	integer	query	False	<p>The number of seconds to allow the call to execute before returning. When doing a POST, PATCH, or DELETE operation on a single record, the default is 0 seconds. This means that if an asynchronous operation is started, the server immediately returns HTTP code 202 (Accepted) along with a link to the job. If a non-zero value is specified for POST, PATCH, or DELETE operations, ONTAP waits that length of time to see if the job completes so it can return something other than 202.</p> <ul style="list-style-type: none"> • Default value: 1 • Max value: 120 • Min value: 0
return_records	boolean	query	False	<p>The default is false. If set to true, the records are returned.</p> <ul style="list-style-type: none"> • Default value:

Request Body

Name	Type	Description
path	string	Source from where the directory is restored.
restore_path	string	Destination directory where the new directory tree is created.

Name	Type	Description
snapshot	string	Name of the volume Snapshot copy from which the directory is restored.
volume	string	Name of the volume from which the Snapshot copy is used for directory restore.
vserver	string	Name of the SVM.

Example request

```
{
  "path": "src_file1, dir1/src_file2, ../.snapshot/snap1/src_file3",
  "restore_path": "dest_file1, dir1/dest_file2",
  "snapshot": "string",
  "volume": "string",
  "vserver": "string"
}
```

Response

Status: 202, Accepted

Name	Type	Description
path	string	Source from where the directory is restored.
restore_path	string	Destination directory where the new directory tree is created.
snapshot	string	Name of the volume Snapshot copy from which the directory is restored.
volume	string	Name of the volume from which the Snapshot copy is used for directory restore.
vserver	string	Name of the SVM.

Example response

```
{
  "path": "src_file1, dir1/src_file2, ../.snapshot/snap1/src_file3",
  "restore_path": "dest_file1, dir1/dest_file2",
  "snapshot": "string",
  "volume": "string",
  "vserver": "string"
}
```

Headers

Name	Description	Type
Location	Useful for tracking the resource location	string

Response

Status: 201, Created

Error

Status: Default

ONTAP Error Response Codes

Error Code	Description
6488112	Directory restore can only be started on a directory.
6488113	Directory restore requires an effective cluster version of 9.15.1 or later.
6488114	Directory restore is not supported on FlexGroup constituent volumes.
6488115	Internal error. Failed to get node information for the volume with DSID "volume.dsid".
6488116	Directory restore is not supported on root directory. Use the "volume snapshot restore" command instead.

Also see the table of common errors in the [Response body](#) overview section of this documentation.

Name	Type	Description
error	returned_error	

Example error

```
{
  "error": {
    "arguments": [
      {
        "code": "string",
        "message": "string"
      }
    ],
    "code": "4",
    "message": "entry doesn't exist",
    "target": "uuid"
  }
}
```

Definitions

See Definitions

directory_restore

Restores a directory from a volume Snapshot copy.

Name	Type	Description
path	string	Source from where the directory is restored.
restore_path	string	Destination directory where the new directory tree is created.
snapshot	string	Name of the volume Snapshot copy from which the directory is restored.
volume	string	Name of the volume from which the Snapshot copy is used for directory restore.
vserver	string	Name of the SVM.

error_arguments

Name	Type	Description
code	string	Argument code
message	string	Message argument

returned_error

Name	Type	Description
arguments	array[error_arguments]	Message arguments
code	string	Error code
message	string	Error message
target	string	The target parameter that caused the error.

Copyright information

Copyright © 2024 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.