



Name mapping

System Manager Classic

NetApp
January 13, 2022

Table of Contents

- Name mapping 1
- Name mapping conversion rules 1
- Name Mapping window 1

Name mapping

You can use System Manager to specify name mapping entries to map users from different platforms.

Related information

[SMB/CIFS management](#)

Name mapping conversion rules

An ONTAP system keeps a set of conversion rules for each SVM. Each rule consists of two pieces: a *pattern* and a *replacement*. Conversions start at the beginning of the appropriate list and perform a substitution based on the first matching rule. The pattern is a UNIX-style regular expression. The replacement is a string containing escape sequences representing subexpressions from the pattern, as in the UNIX `sed` program.

Name Mapping window

You can use the Name Mapping window to specify the name mapping entries to map users from different platforms.

Name Mappings

You can create and use name mappings to map your UNIX users to Windows users, Windows users to UNIX users, or Kerberos users to UNIX users.

Command buttons

- **Add**

Opens the Add Name Mapping Entry dialog box, which enables you to create a name mapping on storage virtual machines (SVMs).

- **Edit**

Opens the Edit Name Mapping Entry dialog box, which enables you to edit a name mapping on SVMs.

- **Delete**

Opens the Delete Name Mapping Entries dialog box, which enables you to delete a name mapping entry.

- **Swap**

Opens the Swap Name Mapping Entries dialog box, which enables you to interchange positions of the two selected name mapping entries.

- **Refresh**

Updates the information in the window.

Name mappings list

- **Position**

Specifies the name mapping's position in the priority list. Name mappings are applied in the order in which they occur in the priority list.

- **Pattern**

Specifies the user name pattern that must be matched.

- **Replacement**

Specifies the replacement pattern for the user name.

- **Direction**

Specifies the direction of the name mapping. Possible values are `krb_unix` for a Kerberos-to-UNIX name mapping, `win_unix` for a Windows-to-UNIX name mapping, and `unix_win` for a UNIX-to-Windows name mapping.

Command buttons

- **Add**

Opens the Add Group Mapping Entry dialog box, which enables you to create a group mapping on SVMs.

- **Edit**

Opens the Edit Group Mapping Entry dialog box, which enables you to edit the group mapping on SVMs.

- **Delete**

Opens the Delete Group Mapping Entries dialog box, which enables you to delete a group mapping entry.

- **Swap**

Opens the Swap Group Mapping Entries dialog box, which enables you to interchange positions of the two selected group mapping entries.

- **Refresh**

Updates the information in the window.

Group mappings list

- **Position**

Specifies the group mapping's position in the priority list. Group mappings are applied in the order in which they occur in the priority list.

- **Pattern**

Specifies the user name pattern that must be matched.

- **Replacement**

Specifies the replacement pattern for the user names.

- **Direction**

Specifies the direction of the group mapping. Possible values are `krb_unix` for a Kerberos-to-UNIX group mapping, `win_unix` for a Windows-to-UNIX group mapping, and `unix_win` for a UNIX-to-Windows group mapping.

Copyright Information

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.