



Users

System Manager Classic

NetApp
January 13, 2022

Table of Contents

- Users 1
 - Add SVM user accounts 1
 - Changing the password for SVM user accounts 1
 - Editing SVM user accounts 1
 - Locking or unlocking SVM user accounts 2
 - Users window 2

Users

You can use System Manager to create and manage storage virtual machine (SVM) user accounts.

Add SVM user accounts

You can use System Manager to add a storage virtual machine (SVM) user account and to specify a user login method for accessing the storage system.

Steps

1. Click **Storage > SVMs**.
2. Select the SVM, and then click **SVM Settings**.
3. In the **SVM User Details** pane, click **Users**.
4. Click **Add**.
5. Specify a user name and password for connecting to the storage system, and confirm the password.
6. Add one or more user login methods, and then click **Add**.

A login method for the new vsadmin account is automatically included that uses HTTP as the application and is authenticated with a certificate.

Changing the password for SVM user accounts

You can use System Manager to reset the password for a storage virtual machine (SVM) user account.

Steps

1. Click **Storage > SVMs**.
2. Select the SVM, and then click **SVM Settings**.
3. In the **SVM User Details** pane, click **Users**.
4. Select the user account for which you want to modify the password, and then click **Reset Password**.
5. In the **Reset Password** dialog box, type the new password, confirm the new password, and then click **Change**.

Editing SVM user accounts

You can use System Manager to edit a storage virtual machine (SVM) user account by modifying the user login methods for accessing the storage system.

Steps

1. Click **Storage > SVMs**.
2. Select the SVM, and then click **SVM Settings**.
3. In the **SVM User Details** pane, click **Users**.

4. Select the user account that you want to edit, and then click **Edit**.
5. Modify one or more user login methods, and then click **Modify**.

Locking or unlocking SVM user accounts

You can use System Manager to lock or unlock storage virtual machine (SVM) user accounts.

Steps

1. Click **Storage > SVMs**.
2. Select the SVM, and then click **SVM Settings**.
3. In the **SVM User Details** pane, click **Users**.
4. In the **Users** window, select the user account for which you want to modify the account status, and then click either **Lock** or **Unlock**, as required.

Users window

You can use the Users window to manage user accounts, to reset the password of a user, and to view information about all of the user accounts.

Command buttons

- **Add**

Opens the Add User dialog box, which enables you to add user accounts.

- **Edit**

Opens the Modify User dialog box, which enables you to modify user login methods.



It is a best practice to use a single role for all of the access and authentication methods of a user account.

- **Delete**

Enables you to delete a selected user account.

- **Change Password**

Opens the Change Password dialog box, which enables you to reset a selected user's password.

- **Lock**

Locks the user account.

- **Refresh**

Updates the information in the window.

Users list

The area below the users list displays detailed information about the selected user.

- **User**

Displays the name of the user account.

- **Account Locked**

Displays whether the user account is locked.

User Login Methods area

- **Application**

Displays the access method that a user can use to access the storage system. The supported access methods include the following:

- System console (console)
- HTTP(S) (http)
- ONTAP API (ontapi)
- Service Processor (service-processor)
- SSH (ssh)

- **Authentication**

Displays the default supported authentication method, which is “password”.

- **Role**

Displays the role of a selected user.

Copyright Information

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.