



Manage ONTAP tools Manager settings

ONTAP tools for VMware vSphere 10

NetApp

February 11, 2026

Table of Contents

- Manage ONTAP tools Manager settings 1
 - Edit ONTAP tools AutoSupport settings 1
 - Disable AutoSupport 1
 - Update AutoSupport proxy URL 1
 - Add NTP servers to ONTAP tools 1
 - Reset VASA Provider and SRA credentials in ONTAP tools 2
 - Edit ONTAP tools backup settings 2

Manage ONTAP tools Manager settings

Edit ONTAP tools AutoSupport settings

When configuring ONTAP tools for VMware vSphere for the first time, AutoSupport is enabled by default. It sends messages to technical support 24 hours after it is enabled.

Disable AutoSupport

When you disable AutoSupport, you no longer receive proactive support and monitoring.



It is recommended to keep AutoSupport enabled, as it helps accelerate problem detection and resolution. Even when AutoSupport is disabled, the system continues to collect and store information locally, but it doesn't send reports over the network.

Steps

1. Launch ONTAP tools Manager from a web browser:
`https://<ONTAPtoolsIP>:8443/virtualization/ui/`
2. Log in with the ONTAP tools for VMware vSphere administrator credentials you provided during deployment.
3. Select the **Settings > Telemetry > Edit** option.
4. Deselect the **AutoSupport** option and save the changes.

Update AutoSupport proxy URL

Update the AutoSupport proxy URL so the AutoSupport feature routes data through the proxy server for secure transmission.

Steps

1. Launch ONTAP tools Manager from a web browser:
`https://<ONTAPtoolsIP>:8443/virtualization/ui/`
2. Log in with the ONTAP tools for VMware vSphere administrator credentials you provided during deployment.
3. Select **Settings** from the sidebar.
4. Select the **Settings > Telemetry > Edit** option.
5. Enter a valid **Proxy URL** and save the changes.

If you disable AutoSupport, the proxy URL is also disabled.

Add NTP servers to ONTAP tools

Enter the NTP server details to synchronize the time clocks of the ONTAP tools appliance.

Steps

1. Launch ONTAP tools Manager from a web browser:

<https://<ONTAPtoolsIP>:8443/virtualization/ui/>

2. Log in with the ONTAP tools for VMware vSphere administrator credentials you provided during deployment.
3. Select the **Settings > NTP server > Edit** option.
4. Enter the comma-separated fully qualified domain name (FQDN), IPv4, or IPv6 addresses.

Refresh to screen to see the updated values.

Reset VASA Provider and SRA credentials in ONTAP tools

If you forget your VASA Provider or SRA credentials, you can reset them to a new password using the ONTAP tools Manager interface. The new password must be between 8 and 256 characters long.

Steps

1. Launch ONTAP tools Manager from a web browser:
<https://<ONTAPtoolsIP>:8443/virtualization/ui/>
2. Log in with the ONTAP tools for VMware vSphere administrator credentials you provided during deployment.
3. Select the **Settings > VASA Provider / SRA credentials > Reset Password** option.
4. Enter the new password and confirm it.
5. Select **Save** to apply the changes.

Edit ONTAP tools backup settings

Beginning with ONTAP tools for VMware vSphere 10.5, the backup feature is enabled by default and a backup is created every 10 minutes. You can disable the backup or edit the frequency of the backup.

Do not disable the backup because it prevents ONTAP tools from maintaining low RPO. Disabling the backup doesn't delete the existing backup files. You can change the frequency of the backup to a value between 10 and 60 minutes.

Steps

1. Launch ONTAP tools Manager from a web browser:
<https://<ONTAPtoolsIP>:8443/virtualization/ui/>
2. Log in with the ONTAP tools for VMware vSphere administrator credentials you provided during deployment.
3. Select the **Settings > Backup > Edit** option.
4. In the edit window, you can disable the backup or edit the backup frequency.

Copyright information

Copyright © 2026 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.