

Improve client performance with traditional and lease oplocks

ONTAP 9

NetApp March 08, 2024

This PDF was generated from https://docs.netapp.com/us-en/ontap/smb-admin/client-performance-traditional-lease-oplocks-concept.html on March 08, 2024. Always check docs.netapp.com for the latest.

Table of Contents

| mprove client performance with traditional and lease oplocks | 1 | 1 |
|--|---|---|
| Improve client performance with traditional and lease oplocks overview | ′ | 1 |
| Write cache data-loss considerations when using oplocks | ′ | 1 |
| Enable or disable oplocks when creating SMB shares | 2 | 2 |
| Commands for enabling or disabling oplocks on volumes and qtrees | (| 3 |
| Enable or disable oplocks on existing SMB shares | 4 | 4 |
| Monitor oplock status | ! | 5 |

Improve client performance with traditional and lease oplocks

Improve client performance with traditional and lease oplocks overview

Traditional oplocks (opportunistic locks) and lease oplocks enable an SMB client in certain file-sharing scenarios to perform client-side caching of read-ahead, write-behind, and lock information. A client can then read from or write to a file without regularly reminding the server that it needs access to the file in question. This improves performance by reducing network traffic.

Lease oplocks are an enhanced form of oplocks available with the SMB 2.1 protocol and later. Lease oplocks allow a client to obtain and preserve client caching state across multiple SMB opens originating from itself.

Oplocks can be controlled in two ways:

- By a share property, using the vserver cifs share create command when the share is created, or the vserver share properties command after creation.
- By a qtree property, using the volume qtree create command when the qtree is created, or the volume qtree oplock commands after creation.

Write cache data-loss considerations when using oplocks

Under some circumstances, if a process has an exclusive oplock on a file and a second process attempts to open the file, the first process must invalidate cached data and flush writes and locks. The client must then relinquish the oplock and access to the file. If there is a network failure during this flush, cached write data might be lost.

· Data-loss possibilities

Any application that has write-cached data can lose that data under the following set of circumstances:

- The connection is made using SMB 1.0.
- · It has an exclusive oplock on the file.
- It is told to either break that oplock or close the file.
- During the process of flushing the write cache, the network or target system generates an error.
- · Error handling and write completion

The cache itself does not have any error handling—the applications do. When the application makes a write to the cache, the write is always completed. If the cache, in turn, makes a write to the target system over a network, it must assume that the write is completed because if it does not, the data is lost.

Enable or disable oplocks when creating SMB shares

Oplocks allow clients to lock files and cache content locally, which can increase performance for file operations. Oplocks are enabled on SMB shares residing on storage virtual machines (SVMs). In some circumstances, you might want to disable oplocks. You can enable or disable oplocks on a share-by-share basis.

About this task

If oplocks are enabled on the volume containing a share but the oplock share property for that share is disabled, oplocks are disabled for that share. Disabling oplocks on a share takes precedence over the volume oplock setting. Disabling oplocks on the share disables both opportunistic and lease oplocks.

You can specify other share properties in addition to specifying the oplock share property by using a commadelimited list. You can also specify other share parameters.

Steps

1. Perform the applicable action:

| If you want to | Then | |
|---|---|---|
| Enable oplocks on a share during share creation | Enter the following command: vserver cifs share create -vserver _vserver_nameshare-name share_name -path path_to_share -share-properties [oplocks,] | |
| | defau oploo chand have i -proj creatii any co other specif param | want the share to have only the It share properties, which are cks, browsable, and genotify enabled, you do not to specify the -share perties parameter when ng an SMB share. If you want ombination of share properties than the default, then you must by the -share-properties neter with the list of share rties to use for that share. |

| If you want to | Then | |
|--|--|---|
| Disable oplocks on a share during share creation | Enter the following command: vserver cifs share create -vserver _vserver_nameshare-name _share_namepath _path_to_shareshare-properties [other_share_property,] | |
| | <u>i</u> | When disabling oplocks, you must specify a list of share properties when creating the share, but you should not specify the oplocks property. |

Related information

Enabling or disabling oplocks on existing SMB shares

Monitoring oplock status

Commands for enabling or disabling oplocks on volumes and qtrees

Oplocks allow clients to lock files and cache content locally, which can increase performance for file operations. You need to know the commands for enabling or disabling oplocks on volumes or qtrees. You also must know when you can enable or disable oplocks on volumes and qtrees.

- · Oplocks are enabled on volumes by default.
- You cannot disable oplocks when you create a volume.
- You can enable or disable oplocks on existing volumes for SVMs at any time.
- You can enable oplocks on qtrees for SVMs.

The oplock mode setting is a property of qtree ID 0, the default qtree that all volumes have. If you do not specify an oplock setting when creating a qtree, the qtree inherits the oplock setting of the parent volume, which is enabled by default. However, if you do specify an oplock setting on the new qtree, it takes precedence over the oplock setting on the volume.

| If you want to | Use this command |
|--------------------------------------|---|
| Enable oplocks on volumes or qtrees | volume qtree oplocks with the -oplock-mode parameter set to enable |
| Disable oplocks on volumes or qtrees | volume qtree oplocks with the -oplock-mode parameter set to disable |

Related information

Enable or disable oplocks on existing SMB shares

Oplocks are enabled on SMB shares on storage virtual machines (SVMs) by default. Under some circumstances, you might want to disable oplocks; alternatively, if you have previously disabled oplocks on a share, you might want to reenable oplocks.

About this task

If oplocks are enabled on the volume containing a share, but the oplock share property for that share is disabled, oplocks are disabled for that share. Disabling oplocks on a share takes precedence over enabling oplocks on the volume. Disabling oplocks on the share, disables both opportunistic and lease oplocks. You can enable or disable oplocks on existing shares at any time.

Step

1. Perform the applicable action:

| If you want to | Then | |
|---|--|--|
| Enable oplocks on a share by modifying an existing share | Enter the following command: vserver cifs share properties add -vserver vserver_name -share-name share_name -share-properties oplocks | |
| | You can specify additional share properties to add by using a commadelimited list. | |
| | Newly added properties are appended to the existing list of share properties. Any share properties that you have previously specified remain in effect. | |
| Disable oplocks on a share by modifying an existing share | Enter the following command: vserver cifs share properties remove -vserver vserver_name -share-name share_name -share-properties oplocks | |
| | You can specify additional share properties to remove by using a comma-delimited list. | |
| | Share properties that you remove are deleted from the existing list of share properties; however, previously configured share properties that you do not remove remain in effect. | |

Examples

The following command enables oplocks for the share named "Engineering" on storage virtual machine (SVM,

formerly known as Vserver) vs1:

The following command disables oplocks for the share named "Engineering" on SVM vs1:

Related information

Enabling or disabling oplocks when creating SMB shares

Monitoring oplock status

Adding or removing share properties on an existing SMB share

Monitor oplock status

You can monitor and display information about oplock status. You can use this information to determine which files have oplocks, what the oplock level and oplock state level are, and whether oplock leasing is used. You can also determine information about locks that you might need to break manually.

About this task

You can display information about all oplocks in summary form or in a detailed list form. You can also use optional parameters to display information about a smaller subset of existing locks. For example, you can specify that the output return only locks with the specified client IP address or with the specified path.

You can display the following information about traditional and lease oplocks:

- · SVM, node, volume, and LIF on which the oplock is established
- Lock UUID
- IP address of the client with the oplock
- · Path at which the oplock is established
- Lock protocol (SMB) and type (oplock)
- · Lock state
- · Oplock level
- · Connection state and SMB expiration time
- · Open Group ID if a lease oplock is granted

See the vserver oplocks show man page for a detailed description of each parameter.

Steps

1. Display oplock status by using the vserver locks show command.

Examples

The following command displays default information about all locks. The oplock on the displayed file is granted with a read-batch oplock level:

```
Cluster1::> vserver locks show

Vserver: vs0

Volume Object Path LIF Protocol Lock Type Client

vol1 /vol1/notes.txt node1_data1

cifs share-level 192.168.1.5

Sharelock Mode: read_write-deny_delete

op-lock 192.168.1.5

Oplock Level: read-batch
```

The following example displays more detailed information about the lock on a file with the path /data2/data2_2/intro.pptx. A lease oplock is granted on the file with a batch oplock level to a client with an IP address of 10.3.1.3:



When displaying detailed information, the command provides separate output for oplock and sharelock information. This example only shows the output from the oplock section.

```
cluster1::> vserver lock show -instance -path /data2/data2 2/intro.pptx
                   Vserver: vs1
                    Volume: data2 2
         Logical Interface: lif2
               Object Path: /data2/data2 2/intro.pptx
                 Lock UUID: ff1cbf29-bfef-4d91-ae06-062bf69212c3
             Lock Protocol: cifs
                 Lock Type: op-lock
  Node Holding Lock State: node3
               Lock State: granted
 Bytelock Starting Offset: -
   Number of Bytes Locked: -
    Bytelock is Mandatory: -
    Bytelock is Exclusive: -
    Bytelock is Superlock: -
          Bytelock is Soft: -
              Oplock Level: batch
  Shared Lock Access Mode: -
      Shared Lock is Soft: -
           Delegation Type: -
           Client Address: 10.3.1.3
             SMB Open Type: -
         SMB Connect State: connected
SMB Expiration Time (Secs): -
         SMB Open Group ID:
78a90c59d45ae211998100059a3c7a00a007f70da0f8ffffcd445b030000000
```

Related information

Enabling or disabling oplocks when creating SMB shares

Enabling or disabling oplocks on existing SMB shares

Commands for enabling or disabling oplocks on volumes and qtrees

Copyright information

Copyright © 2024 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

Trademark information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.