



Release notes

ONTAP 9

NetApp
February 06, 2026

This PDF was generated from <https://docs.netapp.com/us-en/ontap/release-notes/index.html> on February 06, 2026. Always check docs.netapp.com for the latest.

Table of Contents

Release notes	1
ONTAP 9 release highlights	1
ONTAP 9.18.1 highlights	1
ONTAP 9.17.1 highlights	2
ONTAP 9.16.1 highlights	3
ONTAP 9.15.1 highlights	4
ONTAP 9.14.1 highlights	5
ONTAP 9.13.1 highlights	6
ONTAP 9.12.1 highlights	6
ONTAP 9.11.1 highlights	7
ONTAP 9.10.1 highlights	8
ONTAP 9.9.1 highlights	9
What's new in ONTAP 9.18.1	10
Data protection	10
Networking	10
SAN	10
S3 object storage	11
Security	11
Storage resource management enhancements	11
What's new in ONTAP 9.17.1	12
Data protection	12
S3 object storage	13
Security	13
Storage resource management enhancements	14
What's new in ONTAP 9.16.1	14
Data protection	15
Networking	15
S3 object storage	15
SAN	16
Security	16
Storage efficiency	17
Storage resource management enhancements	17
System Manager	18
What's new in ONTAP 9.15.1	18
Data protection	19
Security	19
Storage efficiency	20
Storage resource management enhancements	21
System Manager	21
Upgrade	21
What's new in ONTAP 9.14.1	21
Data protection	22
File access protocols	22

S3 object storage	23
SAN	23
Security	23
Storage efficiency	24
Storage resource management enhancements	24
SVM management enhancements	25
System Manager	25
What's new in ONTAP 9.13.1	26
Data protection	26
File access protocols	26
Networking	27
S3 object storage	27
SAN	27
Security	27
Storage efficiency	28
Storage resource management enhancements	28
SVM management enhancements	29
System Manager	29
What's new in ONTAP 9.12.1	30
Data protection	30
File access protocols	31
Networking	31
S3 object storage	31
SAN	31
Security	32
Storage efficiency	32
Storage resource management enhancements	33
SVM management enhancements	33
System Manager	33
What's new in ONTAP 9.11.1	34
Data protection	35
File access protocols	35
Networking	36
S3 object storage	36
SAN	36
Security	36
Storage efficiency	37
Storage resource management enhancements	37
SVM management enhancements	37
System Manager	37
What's new in ONTAP 9.10.1	38
Data protection	39
File access protocols	39
Networking	40
S3 object storage	40

SAN	40
Security	40
Storage efficiency	41
Storage resource management enhancements	41
SVM management enhancements	41
System Manager	41
What's new in ONTAP 9.9.1	42
Data protection	43
File access protocols	43
Networking	43
S3 object storage	44
SAN	44
Security	45
Storage efficiency	45
Storage resource management enhancements	45
System Manager	45
Changes to ONTAP limits and defaults	46
Changes to ONTAP defaults	47
Changes to ONTAP limits	48
ONTAP 9 release support	50
Support levels	51

Release notes

ONTAP 9 release highlights

Each release of the ONTAP 9 data management software delivers new and enhanced features that improve the capabilities, manageability, performance, and security offerings in ONTAP.

In addition to these highlights, you can find comprehensive, per-version coverage of all the new and enhanced features introduced in recent ONTAP releases.

- Learn about [new and enhanced ONTAP MetroCluster features](#).
- Learn about [new and enhanced ONTAP software features for NetApp AFX storage systems](#).
- Learn about [new and enhanced ONTAP software features for NetApp ASA r2 storage systems](#).
- Learn about [new and enhanced support for AFF, ASA, and FAS systems and supported switches](#).
- Learn about updates to the [ONTAP REST API](#).

For details about known issues, limitations, and upgrade cautions in recent ONTAP 9 releases, refer to the [ONTAP 9 Release Notes](#). You must sign in with your NetApp account or create an account to access the Release Notes.

To upgrade to the latest release of ONTAP, see [Upgrade to the latest version of ONTAP](#) and [When should I upgrade ONTAP?](#)

ONTAP 9.18.1 highlights

ONTAP 9.18.1 delivers new and enhanced features in the areas of security, scalability, and storage management to support data infrastructure modernization. These enhancements help you scale, operate more efficiently, and secure data for the future. For a complete list of new features and enhancements, see [What's new in ONTAP 9.18.1](#).

- [Backend Cluster HA Encryption](#)

Ability to use mTLS for encrypting the backend cluster network.

- [PQC support for data in transit](#)

Ability to use post-quantum algorithms for data-in-transit.

- [IPv6 IPSec support with HW offload](#)

Support for IPSec with hardware offload with IPv6 address.

- [ARP/AI support FlexGroup volumes](#)

NetApp FlexGroup volumes support ARP/AI, providing advanced, machine-learning-based ransomware detection and protection.

- [Copy Offload for NVMe](#)

Accelerates large data transfers by offloading copy operations directly to storage, reducing host CPU and

network load.

- [Storage driven S3 bucket snapshot restores](#)

Provides the ability to restore corrupted objects in an S3 bucket, or restore the entire bucket over an existing bucket.

ONTAP 9.17.1 highlights

ONTAP 9.17.1 delivers innovations in AI-powered Autonomous Ransomware Protection for SAN and adds NVMe front-end host support with SnapMirror active sync and consistency group hierarchical management. These enhancements reinforce NetApp's leadership in data security and cyber resilience, improving ONTAP performance, scalability, efficiency, and business continuity. For a complete list of new features and enhancements, see [What's new in ONTAP 9.17.1](#).

- [Support for SAN with Autonomous Ransomware Protection](#)

ARP supports SAN volumes with encryption-based anomaly detection, introduces new commands for detailed entropy statistics, and unifies ransomware protection messaging in System Manager that had previously focused on NAS. Configurable detection thresholds and more deterministic snapshot retention provide greater flexibility for diverse workloads.

- [HTTP Strict Transport Security \(HSTS\) support](#)

ONTAP 9.17.1 supports HTTP Strict Transport Security for web services, enabling enforcement of secure HTTPS communication between a user's browser and ONTAP.

- [IPsec hardware offload with link aggregation groups](#)

ONTAP 9.17.1 supports IPsec hardware offload for link aggregation groups, extending the hardware offload support introduced in ONTAP 9.16.1.

- [IPsec postquantum pre-shared key support](#)

ONTAP supports postquantum pre-shared keys for IPsec to protect against potential future quantum computer attacks.

- [OpenStack Barbican key manager support](#)

ONTAP supports OpenStack's Barbican key manager for NetApp Volume Encryption (NVE) keys.

- [Just in time \(JIT\) privilege elevation support](#)

ONTAP supports JIT privilege elevation for role-based access control (RBAC). Users can request temporary elevation to a configured role, allowing access to privileged commands on an on-demand basis. Cluster administrators can configure who can access JIT privilege elevation and when and for how long access is allowed.

- [Support for Entra IdP and IdP group support for SAML authentication](#)

ONTAP supports Microsoft Entra as a SAML identity provider. Additionally, IdP-provided group information can be mapped to ONTAP roles.

- [SnapMirror active sync support for host access over NVMe](#)

SnapMirror active sync adds support for NVMe access for VMware workloads with NVMe/TCP and NVMe/FC host access for two-node ONTAP clusters.

- [ONTAP Cloud Mediator support with SnapMirror active sync](#)

ONTAP Cloud Mediator is introduced in ONTAP 9.17.1 and supports SnapMirror active sync relationships. The cloud-based mediator, like ONTAP Mediator, acts as the quorum witness for SnapMirror active sync relationships, ensuring transparent failover while reducing the operational complexity of maintaining and managing a third site.

ONTAP 9.16.1 highlights

ONTAP 9.16.1 delivers new and enhanced features in the areas of security management, data protection, networking, SAN management, and storage management. For a complete list of new features and enhancements, see [What's new in ONTAP 9.16.1](#).

- [Multi-admin verification \(MAV\) enhancements](#)

ONTAP 9.16.1 adds more commands to the MAV framework for additional protection from malicious insiders. These enhancements include many Consistency Group (CG), VScan and Autonomous Ransomware Protection (ARP) management, and NVMe configuration commands.

- [Autonomous Ransomware Protection with AI enhancements \(ARP/AI\)](#)

ARP has been upgraded with new AI capabilities, allowing it to detect and respond to ransomware attacks with 99% precision and recall. Because the AI is trained on a comprehensive dataset, there is no longer a learning period for ARP running on FlexVol volumes and ARP/AI starts in active mode right away. ARP/AI also introduces an automatic update capability independent of an ONTAP upgrade to ensure constant protection and resilience against the latest threats.

- [NVMe/TCP over TLS 1.3](#)

Protect NVMe/TCP "over the wire" at the protocol layer with a simplified configuration and improved performance compared to IPSec.

- [IPSec HW offload support for new network cards](#)

ONTAP 9.16.1 offers higher "over-the-wire" encryption performance when utilizing the IPSec hardware offload functionality on offload cards introduced in the newest generation of AFF A-series and AFF-C series systems platforms.

- [Support for NVMe space deallocation](#)

Space deallocation (also called "hole punching" and "unmap") is now supported for NVMe namespaces. Space deallocation helps thin-provisioned volumes and NVMe namespaces to reclaim unused space when data is deleted by the host application. This greatly improves overall storage efficiency, especially with filesystems that have high data turnover.

- [Advanced capacity balancing for FlexGroup volumes](#)

NetApp FlexGroup volumes can optionally stripe data within a single file across multiple back-end constituent volumes, reducing performance bottlenecks, and adding consistency in balancing capacity across the backend constituent volumes.

- [SVM data mobility support for migrating MetroCluster configurations](#)

ONTAP supports the following MetroCluster SVM migrations:

- Migrating an SVM between a non-MetroCluster configuration and a MetroCluster IP configuration
- Migrating an SVM between two MetroCluster IP configurations
- Migrating an SVM between a MetroCluster FC configuration and a MetroCluster IP configuration

ONTAP 9.15.1 highlights

ONTAP 9.15.1 delivers new and enhanced features in the areas of security management, data protection, and NAS workload support. For a complete list of new features and enhancements, see [What's new in ONTAP 9.15.1](#).

- [Support for new AFF A-series systems, storage built for AI](#)

ONTAP 9.15.1 supports the new high-performance AFF A1K, AFF A90, and AFF A70 systems, designed for the next generation of business workloads such as AI/ML training and inference. This new class of systems provides up to twice the performance of existing AFF A-series offerings and delivers "always on" improved storage efficiency without performance trade-offs.

- [Windows backup applications and Unix-style symlinks on servers](#)

Beginning with ONTAP 9.15.1, you also have the option of backing up the symlink itself instead of the data it points to. This can provide several benefits, including improved performance of your backup applications. You can enable the feature using the ONTAP CLI or REST API.

- [Dynamic authorization](#)

ONTAP 9.15.1 introduces an initial framework for dynamic authorization, a security feature that can determine whether a command issued by an administrator account should be denied, prompted for additional authentication, or allowed to proceed. Determinations are based on the user account's trust score, taking into account factors such as time of day, location, IP address, trusted device usage, and the user's authentication and authorization history.

- [Expanded scope of impact for Multi-admin verification](#)

ONTAP 9.15.1 RC1 adds over a hundred new commands to the MAV framework for additional protection from malicious insiders.

- TLS 1.3 encryption support for cluster peering and more

ONTAP 9.15.1 introduces TLS 1.3 encryption support for S3 storage, FlexCache, SnapMirror and cluster peering encryption. Applications such as FabricPool, Microsoft Azure Page Blobs storage, and SnapMirror Cloud continue to use TLS 1.2 for the 9.15.1 release.

- Support for SMTP traffic over TLS

Securely transfer AutoSupport data over e-mail with TLS support.

- [SnapMirror active sync for symmetric active/active configurations](#)

This new capability provides synchronous bi-directional replication for business continuity and disaster recovery. Protect your data access for critical SAN workloads with simultaneous read and write access to data across multiple failure domains, enabling uninterrupted operations and minimizing downtime during disasters or system failures.

- [FlexCache write-back](#)

FlexCache write-back lets clients write locally to FlexCache volumes, reducing latency and improving performance compared to writing directly to the origin volume. The newly written data is asynchronously replicated back to the origin volume.

- [NFSv3 over RDMA](#)

NFSv3 over RDMA support can help you address high-performance requirements by providing low-latency, high-bandwidth access over TCP.

ONTAP 9.14.1 highlights

ONTAP 9.14.1 delivers new and enhanced features in the areas of FabricPool, anti-ransomware protection, OAuth, and more. For a complete list of new features and enhancements, see [What's new in ONTAP 9.14.1](#).

- [WAFL reservation reduction](#)

ONTAP 9.14.1 introduces an immediate five percent increase in usable space on FAS and Cloud Volumes ONTAP systems by reducing the WAFL reserve on aggregates with 30 TB or more.

- [FabricPool enhancements](#)

FabricPool offers an increase in [read performance](#) and enables direct writing to the cloud, lowering the risk of running out of space and reducing storage costs by moving cold data to a less expensive storage tier.

- [Support for OAuth 2.0](#)

ONTAP supports the OAuth 2.0 framework, which can be configured using System Manager. With OAuth 2.0, you can provide secure access to ONTAP for automation frameworks without creating or exposing user IDs and passwords to plain text scripts and runbooks.

- [Autonomous Ransomware Protection \(ARP\) enhancements](#)

ARP grants you more control over event security, allowing you to adjust the conditions that create alerts and reducing the possibility for false positives.

- [SnapMirror disaster recovery rehearsal in System Manager](#)

System Manager provides a simple workflow to easily test disaster recovery at a remote location and to clean up after the test. This feature enables easier and more frequent testing and increased confidence in recovery time objectives.

- [S3 object lock support](#)

ONTAP S3 supports the object-lock API command, enabling you to protect data written to ONTAP with S3 from deletion using standard S3 API commands and to ensure that important data is protected for the appropriate amount of time.

- [Cluster and volume tagging](#)

Add metadata tags to volumes and clusters, which follow the data as it moves from on-premises to the cloud and reverse.

ONTAP 9.13.1 highlights

ONTAP 9.13.1 delivers new and enhanced features in the areas of anti-ransomware protection, consistency groups, quality of service, tenant capacity management, and more. For a complete list of new features and enhancements, see [What's new in ONTAP 9.13.1](#).

- Autonomous Ransomware Protection (ARP) enhancements:

- [Automatic enablement](#)

With ONTAP 9.13.1, ARP automatically moves from training into production mode after it has sufficient learning data, eliminating the need for an administrator to enable it after the 30-day period.

- [Multi-admin verification support](#)

ARP disable commands are supported by multi-admin verification, ensuring that no single administrator can disable ARP to expose the data to potential ransomware attacks.

- [FlexGroup support](#)

ARP supports FlexGroup volumes beginning with ONTAP 9.13.1. ARP can monitor and protect FlexGroup volumes that span multiple volumes and nodes in the cluster, enabling even the largest datasets to be protected with ARP.

- [Performance and capacity monitoring for consistency groups in System Manager](#)

Performance and capacity monitoring provides detailed for each consistency group, enabling you to quickly identify and report potential issues at the application level rather than just at the data object level.

- [Tenant capacity management](#)

Multi-tenant customers and service providers can set a capacity limit on each SVM, allowing tenants to perform self-service provisioning without the risk of one tenant over-consuming capacity on the cluster.

- [Quality of Service ceilings and floors](#)

ONTAP 9.13.1 allows you to group objects such as volumes, LUNs, or files into groups and assign a QoS ceiling (maximum IOPs) or floor (minimum IOPs), improving application performance expectations.

ONTAP 9.12.1 highlights

ONTAP 9.12.1 delivers new and enhanced features in the areas of security hardening, retention, performance, and more. For a complete list of new features and enhancements, see [What's new in ONTAP 9.12.1](#).

- [Tamper-proof Snapshots](#)

With SnapLock technology, snapshots can be protected from deletion on either the source or destination.

Retain more recovery points by protecting snapshots on primary and secondary storage from deletion by ransomware attackers or rogue administrators.

- [Autonomous Ransomware Protection \(ARP\) enhancements](#)

Immediately enable intelligent autonomous ransomware protection on secondary storage, based on the screening model already completed for the primary storage.

After a failover, instantly identify potential ransomware attacks on secondary storage. A snapshot is immediately taken of the data that is starting to be affected, and administrators are notified, helping to stop an attack and enhance recovery.

- [FPolicy](#)

One-click activation of ONTAP FPolicy to enable automatic blocking of known malicious files. The simplified activation helps to protect against typical ransomware attacks that use common, known file extensions.

- [Security hardening: Tamper-proof retention logging](#)

Tamperproof retention logging in ONTAP insuring compromised administrator accounts cannot hide malicious actions. Admin and user history cannot be altered or deleted without the systems knowledge.

Log and audit all admin actions regardless of origin guaranteeing all actions impacting data are captured. An alert is generated whenever system audit logs have been tampered with in any way notifying administrators of the change.

- [Security hardening: Expanded multifactor authentication](#)

Multifactor authentication (MFA) for CLI (SSH) supports Yubikey physical hardware token devices ensuring that an attacker cannot access the ONTAP system using stolen credentials or a compromised client system. Cisco DUO is supported for MFA with System Manager.

- File-object duality (multi-protocol access)

File-object duality enables native S3 protocol read and write access to the same data source that already has NAS protocol access. You can concurrently access your storage as files or as objects from the same data source, eliminating the need for duplicate copies of data for use with different protocols (S3 or NAS), such as for analytics that use object data.

- [FlexGroup rebalancing](#)

If FlexGroup constituents become unbalanced, FlexGroup can nondisruptively be rebalanced and managed from the CLI, REST API, and System Manager. For optimal performance, constituent members within a FlexGroup should have their used capacity evenly distributed.

- Storage capacity enhancements

WAFL space reservation has been significantly reduced, providing up to 40 TiB more usable capacity per aggregate.

ONTAP 9.11.1 highlights

ONTAP 9.11.1 delivers new and enhanced features in the areas of security, retention, performance, and more. For a complete list of new features and enhancements, see [What's new in ONTAP 9.11.1](#).

- [Multi-admin verification](#)

Multi-admin verification (MAV) is an industry-first native approach to verification, requiring multiple approvals for sensitive administrative tasks such as deleting a snapshot or volume. The approvals required in a MAV implementation prevent malicious attacks and accidental changes to data.

- [Enhancements to Autonomous Ransomware Protection](#)

Autonomous Ransomware Protection (ARP) uses machine learning to detect ransomware threats with increased granularity, enabling you to identify threats quickly and accelerate recovery in the event of a breach.

- [SnapLock Compliance for FlexGroup volumes](#)

Secure multi-petabyte datasets for workloads such as electronic design automation and media & entertainment by protecting the data with WORM file locking so it cannot be changed or deleted.

- [Asynchronous directory delete](#)

With ONTAP 9.11.1, file deletion occurs in the background of the ONTAP system, enabling you to easily delete large directories while eliminating performance and latency impacts on the host I/O.

- [S3 enhancements](#)

Simplify and expand the object data management capabilities of S3 with ONTAP with additional API endpoints and object versioning at the bucket level, enabling multiple versions of an object to be stored in the same bucket.

- [System Manager enhancements](#)

System Manager supports advanced capabilities to optimize storage resources and improve audit management. These updates include enhanced abilities to manage and configure storage aggregates, enhanced visibility into system analytics, hardware visualization for FAS systems.

ONTAP 9.10.1 highlights

ONTAP 9.10.1 delivers new and enhanced features in the areas of security hardening, performance analytics, NVMe protocol support, and object storage backup options. For a complete list of new features and enhancements, see [What's new in ONTAP 9.10.1](#).

- [Autonomous Ransomware Protection](#)

Autonomous Ransomware Protection automatically creates a snapshot of your volume and alerts administrators when abnormal activity is detected, enabling you to quickly detect ransomware attacks and recover more quickly.

- [System Manager enhancements](#)

System Manager automatically download firmware updates for disks, shelves, service processors in addition to providing new integrations with Active IQ Digital Advisor (also known as Digital Advisor), NetApp Console, and certificate management. These enhancements simplify administration and maintain business continuity.

- [File System Analytics enhancements](#)

File System Analytics provides additional telemetry to identify top files, directories, and users in your file share, enabling you to identify workload performance issues to improve resource planning and implementation of QoS.

- [NVMe over TCP \(NVMe/TCP\) support for AFF systems](#)

Achieve high performance and reduce TCO for your enterprise SAN and modern workloads on AFF system when you use NVMe/TCP on your existing Ethernet network.

- [NVMe over Fibre Channel \(NVMe/FC\) support for NetApp FAS systems](#)

Use the NVMe/FC protocol on your hybrid arrays to enable uniform migration to NVMe.

- [Native hybrid cloud backup for object storage](#)

Protect your ONTAP S3 data with your choice of object storage targets. Use SnapMirror replication to back up to on-premises storage with StorageGRID, to the cloud with Amazon S3, or to another ONTAP S3 bucket on NetApp AFF and FAS systems.

- [Global file-locking with FlexCache](#)

Ensure file consistency at cache locations during updates to source files at the origin with global file-locking using FlexCache. This enhancement enables exclusive file-read locks in an origin-to-cache relationship for workloads that require enhanced locking.

ONTAP 9.9.1 highlights

ONTAP 9.9.1 delivers new and enhanced features in the areas of storage efficiency, multifactor authentication, disaster recovery, and more. For a complete list of new features and enhancements, see [What's new in ONTAP 9.9.1](#).

- Enhanced security for CLI remote access management

Support for SHA512 and SSH A512 password hashing protects administrator account credentials from malicious actors who are trying to gain system access.

- [MetroCluster IP enhancements: support for 8-node clusters](#)

The new limit is twice as large as the previous one, providing support for MetroCluster configurations and enabling continuous data availability.

- [SnapMirror active sync](#)

Offers more replication options for backup and disaster recovery for large data containers for NAS workloads.

- [Increased SAN performance](#)

Delivers up to four-times higher SAN performance for single LUN applications such as VMware datastores so you can achieve high performance in your SAN environment.

- [New object storage option for hybrid cloud](#)

Enables use of StorageGRID as a destination for NetApp Cloud Backup Service to simplify and automate the backup of your on-premises ONTAP data.

Next steps

- [Upgrade to the latest version of ONTAP](#)
- [When should I upgrade ONTAP?](#)

What's new in ONTAP 9.18.1

Learn about the new capabilities available in ONTAP 9.18.1.

For details about known issues, limitations, and upgrade cautions in recent ONTAP 9 releases, refer to the [ONTAP 9 Release Notes](#). You must sign in with your NetApp account or create an account to access the Release Notes.

- Learn about new and enhanced [ONTAP MetroCluster features](#).
- Learn about [new and enhanced ONTAP software features for NetApp AFX storage systems](#).
- Learn about [new and enhanced ONTAP software features for NetApp ASA r2 storage systems](#).
- Learn about [new and enhanced support for AFF, ASA, and FAS systems and supported switches](#).
- Learn about updates to the [ONTAP REST API](#).

To upgrade to the latest version of ONTAP, see [Prepare to upgrade ONTAP](#).

Data protection

Update	Description
SnapMirror cloud support for MetroCluster FlexGroup volumes	SnapMirror cloud supports backup and restore operations for FlexGroup volumes in MetroCluster configurations.

Networking

Update	Description
IPsec hardware offload IPv6 support	IPsec hardware offload support is extended to IPv6.
OpenSSL PQC algorithms	ONTAP supports postquantum computing cryptographic algorithms for SSL. These algorithms provide additional protection against potential future quantum computing attacks, and are available when SSL FIPS mode is disabled.
ONTAP backend cluster network encryption	You can enable TLS encryption for data-in-flight on the ONTAP backend cluster network.
ONTAP HA traffic network encryption	You can enable encryption for traffic between nodes in high-availability (HA) pairs.

SAN

Update	Description
NVMe copy offload	NVMe copy offload enables an NVMe host to offload copy operations from its CPU to the CPU of the ONTAP storage controller. The host can copy data from one NVMe namespace to another while reserving its CPU resources for application workloads.

S3 object storage

Update	Description
Support for point-in-time S3 snapshot restore	The S3 snapshot bucket is now accessible natively with the ONTAP CLI. In addition, you can restore a single object, a set of objects, or a whole bucket on an S3 client from an S3 snapshot.
Support for creating NAS buckets on FlexCache volumes	You can create NAS buckets on FlexCache volumes, and applications can access data on FlexCache volumes with the S3 protocol when all nodes in the cluster are using ONTAP 9.18.1 or later. For details about enabling S3 access to NAS FlexCache volumes, see Enable S3 access to NAS FlexCache volumes .

Security

Update	Description
FlexGroup volume support for ARP/AI	NetApp FlexGroup volumes support ARP/AI, providing advanced, machine-learning-based ransomware detection and protection. In ONTAP 9.17.1 and earlier, only the first generation of ARP was available for FlexGroup volumes. Beginning with ONTAP 9.18.1, FlexGroup volumes have parity with FlexVol volumes on both on-premises ONTAP platforms (AFF and FAS) and virtual ONTAP deployments (including Cloud Volumes ONTAP and ONTAP Select). As a result, ARP/AI becomes the default ARP technology for both FlexVol and FlexGroup volumes.
ARP/AI is enabled by default for new volumes on supported systems	When you create a new cluster or upgrade your cluster to 9.18.1, ARP/AI is automatically enabled by default on all new volumes for AFF A series, AFF C series, ASA, and ASA r2 systems after a 12-hour grace period. During this grace period, you can opt out of default enablement.

Storage resource management enhancements

Update	Description
Support for two-level nested QoS policy groups on SVMs and volumes	You can assign a QoS policy to an SVM and to volumes under the SVM at the same time.

Update	Description
Create SVM FlexCache volumes of origin volumes in an SVM-DR relationship	<p>You can create SVM FlexCache volumes of origin volumes that are part of an SVM-DR relationship.</p>
Commands for displaying space usage information	<p>In ONTAP 9.18.1 and later, the <code>storage aggregate show-space</code> command changes how Logical Referenced Capacity and Logical Unreferenced Capacity is reported. Logical Referenced Capacity reports referenced blocks in all objects and unreferenced blocks in fragmented objects. Logical Unreferenced Capacity reports only unreferenced blocks in objects that have crossed the fullness threshold and are eligible for object deletion and defragmentation.</p> <p>For example, when you use the default aggregate fullness threshold of 40% for ONTAP S3 and StorageGRID, 60% of the blocks in an object must be unreferenced before the blocks are reported as unreferenced capacity.</p> <p>In releases earlier than ONTAP 9.18.1, Logical Referenced Capacity reports referenced blocks in all objects (both full and fragmented objects). Logical Unreferenced Capacity reports unreferenced blocks in all objects.</p>

What's new in ONTAP 9.17.1

Learn about the new capabilities available in ONTAP 9.17.1.

For details about known issues, limitations, and upgrade cautions in recent ONTAP 9 releases, refer to the [ONTAP 9 Release Notes](#). You must sign in with your NetApp account or create an account to access the Release Notes.

- Learn about new and enhanced [ONTAP MetroCluster features](#).
- Learn about new and enhanced ONTAP software features for NetApp AFX storage systems.
- Learn about new and enhanced ONTAP software features for NetApp ASA r2 storage systems.
- Learn about new and enhanced support for AFF, ASA, and FAS systems and supported switches.
- Learn about updates to the [ONTAP REST API](#).

To upgrade to the latest version of ONTAP, see [Prepare to upgrade ONTAP](#).

Data protection

Update	Description
SnapMirror active sync support for host access over NVMe	<p>SnapMirror active sync adds support for NVMe access for VMware workloads with NVMe/TCP and NVMe/FC host access for two-node ONTAP clusters. VMware workload support for NVMe/TCP is contingent on VMware bugs being addressed.</p>

Update	Description
ONTAP Cloud Mediator support with SnapMirror active sync	ONTAP Cloud Mediator is introduced in ONTAP 9.17.1 and supports SnapMirror active sync relationships. The cloud-based mediator, like ONTAP Mediator, acts as the quorum witness for SnapMirror active sync relationships, ensuring transparent failover while reducing the operational complexity of maintaining and managing a third site.

S3 object storage

Update	Description
CopyObject action support in ONTAP S3 NAS buckets	The CopyObject action is supported within ONTAP S3 NAS bucket.
Support for linking an S3 NAS bucket to a junction path	When creating an S3 NAS bucket with the ONTAP CLI, you can choose to link the bucket to the volume instead of the junction path. When you link to the volume, the junction path is automatically updated if the path changes, for example, when a volume is dismounted or mounted.
S3 multiprotocol support for tagging and metadata	Tagging and user metadata key/value pairs are supported by the CreateMultipartUpload action in multiprotocol (S3 and NAS) environments.

Security

Update	Description
Autonomous Ransomware Protection snapshot updates	ONTAP introduces several updates to ARP snapshots.
HTTP Strict Transport Security (HSTS) support	ONTAP supports HTTP Strict Transport Security for web services, enabling enforcement of secure HTTPS communication between a user's browser and ONTAP.
IPsec hardware offload with link aggregation groups	ONTAP supports IPsec hardware offload for link aggregation groups, extending the hardware offload support introduced in 9.16.1.
IPsec postquantum pre-shared key support	ONTAP supports postquantum pre-shared keys for IPsec to protect against potential future quantum computer attacks.
OpenStack Barbican key manager support	ONTAP supports OpenStack's Barbican key manager for NetApp Volume Encryption (NVE) keys.
Just in time (JIT) privilege elevation support	ONTAP supports JIT privilege elevation for role-based access control (RBAC). Users can request temporary elevation to a configured role, allowing access to privileged commands on an on-demand basis. Cluster administrators can configure who can access JIT privilege elevation and when and for how long access is allowed.

Update	Description
Support for Entra IdP and IdP group support for SAML authentication	ONTAP supports Microsoft Entra as a SAML identity provider. Additionally, IdP-provided group information can be mapped to ONTAP roles.
Auditing of cross-cluster requests	You can configure and run audit operations on both the initiating source cluster and destination (executing) cluster. In previous releases, only the cluster receiving the client's request performed auditing. With this feature, a peered cluster that fulfills a cross-cluster request also logs the activity. These auditing operations can be enabled and extended to any SET or GET request initiated within ONTAP.
Support for SAN with Autonomous Ransomware Protection	ARP supports SAN volumes with encryption-based anomaly detection, introduces new commands for detailed entropy statistics, and unifies ransomware protection messaging in System Manager that had previously focused on NAS. Configurable detection thresholds and more deterministic snapshot retention provide greater flexibility for diverse workloads.

Storage resource management enhancements

Update	Description
FSA enabled by default for new volumes	Volumes created on newly created SVMs on ONTAP clusters allocated for NAS protocols have File System Analytics (FSA) enabled by default. FSA is automatically activated as soon as a volume is created, providing immediate analytics capabilities without additional configuration.
Enhanced support for viewing direct delete progress on FlexGroup volumes	The ONTAP CLI command <code>volume file async-delete show</code> has been enhanced to include asynchronous delete jobs issued from clients.

What's new in ONTAP 9.16.1

Learn about the new capabilities available in ONTAP 9.16.1.

For details about known issues, limitations, and upgrade cautions in recent ONTAP 9 releases, refer to the [ONTAP 9 Release Notes](#). You must sign in with your NetApp account or create an account to access the Release Notes.

- Learn about new and enhanced [ONTAP MetroCluster features](#).
- Learn about [new and enhanced ONTAP software features for NetApp ASA r2 storage systems](#).
- Learn about [new and enhanced support for AFF, ASA, and FAS systems and supported switches](#).
- Learn about updates to the [ONTAP REST API](#).

To upgrade to the latest version of ONTAP, see [Prepare to upgrade ONTAP](#).

Data protection

Update	Description
Multinode support for SnapMirror active sync	Expanding from the previous two-node limit, SnapMirror active sync supports four-node clusters, enabling data replication for larger workloads.
SnapMirror cloud support for creating fan-out relationships	SnapMirror cloud supports fan-out relationships from the same source volume or FlexGroup to two different object stores. Fan-outs can be to two object stores and to one or two buckets in the object stores.
Support for SnapMirror cloud backups from a migrated volume	SnapMirror cloud supports backups of volumes migrated to the cloud by using existing ONTAP REST APIs. The new functionality supports SnapMirror cloud backups from a migrated volume in the cloud to the same destination object store endpoint without the need for performing a re-baseline operation. Both FlexVol and FlexGroup volumes are supported.

Networking

Update	Description
MD5 authentication support for BGP peer groups	ONTAP supports MD5 authentication on BGP peer groups to protect BGP sessions. When MD5 is enabled, BGP sessions can only be established and processed among authorized peers, preventing attacks like route hijacking where an attacker tries to inject false routing information into the network by spoofing BGP updates.
IPsec hardware offload support	IP security (IPsec) is a data-in-motion security option available to protect all the IP traffic between a client and an ONTAP node. The protocol was initially available with ONTAP 9.8 and has been implemented as software only. Beginning with ONTAP 9.16.1, you have the option of offloading certain computationally intensive operations, such as encryption and integrity checks, to a supported network interface controller (NIC) card installed at the storage nodes. Using this hardware offload option can significantly improve the performance and throughput of the network traffic protected by IPsec.

S3 object storage

Update	Description
Multiprotocol S3 bucket support for S3 object metadata and tagging	<p>Beginning with ONTAP 9.16.1, S3 object tagging is extended from non-multiprotocol ONTAP S3 buckets to NAS and S3 multiprotocol ONTAP S3 buckets. The tags are only visible in the S3 protocol. Applying tags and metadata to S3 objects using S3 clients helps you define lifecycles, back charging, data categories, and custom workflows on data stored as object or files in ONTAP. When integrated with AWS data services such as Bedrock or Athena, tagging and metadata become central to the data processing provided by these services.</p> <p> Support for tags and user-defined metadata in native S3 buckets began in ONTAP 9.9.1.</p>
Multiprotocol S3 bucket supports multipart upload	<p>Multipart uploads is a core S3 functionality that has been available for non-multiprotocol ONTAP S3 buckets since inception. Beginning with ONTAP 9.16.1, this core feature is extended to NAS and S3 multiprotocol ONTAP S3 buckets.</p>
Cross-Origin Resource Sharing (CORS) support for ONTAP S3 buckets	<p>Unlock the full potential of your web applications with Cross-Origin Resource Sharing (CORS). CORS allows seamless interaction between client applications from one domain and resources in another. By integrating CORS support, you can empower your ONTAP S3-based web applications with selective cross-origin access to your resources.</p>
ONTAP supports taking snapshots of ONTAP S3 buckets	<p>You can generate read-only, point-in-time snapshots of your ONTAP S3 buckets. Using the S3 snapshots feature, you can manually create snapshots or automatically generate them through snapshot policies. Additionally, you can view, browse, and delete S3 snapshots, and restore the snapshot content through S3 clients.</p>

SAN

Update	Description
NVMe space deallocation enabled by default	<p>Space deallocation (also called "hole punching" and "unmap") is enabled for NVMe namespaces by default. Space deallocation allows a host to deallocate unused blocks from namespaces to reclaim space. This greatly improves overall storage efficiency, especially with filesystems that have data high turnover.</p>

Security

Update	Description
Eligible set of rule-protected commands extended for multi-admin verification	<p>Administrators can create multi-admin verification rules to protect consistency groups, including create, delete, and modify operations, create and delete consistency group snapshots, and other commands.</p>

Update	Description
Autonomous Ransomware Protection with AI enhancements (ARP/AI)	<p>ARP has been upgraded with new AI capabilities, allowing it to detect and respond to ransomware attacks with 99% precision and recall. Because the AI is trained on a comprehensive dataset, there is no longer a learning period for ARP running on FlexVol volumes and ARP/AI starts in active mode right away. ARP/AI also comes with an automatic update capability to ensure constant protection and resilience against the latest threats.</p> <p> The ARP/AI feature currently supports only NAS. Although the automatic update capability displays the availability of new security files for deployment in System Manager, these updates are only applicable for NAS workload protection.</p>
NVMe/TCP over TLS 1.3	<p>Protect NVMe/TCP "over the wire" at the protocol layer with a simplified configuration and improved performance compared to IPSec.</p>
Support for TLS 1.3 for FabricPool object store communication	<p>ONTAP supports TLS 1.3 for FabricPool object store communication.</p>
OAuth 2.0 for Microsoft Entra ID	<p>OAuth 2.0 support, first introduced with ONTAP 9.14.1, has been enhanced to support the Microsoft Entra ID authorization server (formerly Azure AD) with standard OAuth 2.0 claims. In addition, the Entra ID standard group claims based on UUID style values are supported through new group and role mapping capabilities. A new external role mapping feature has also been introduced which has been tested with Entra ID but can be used with any of the supported authorization servers.</p>

Storage efficiency

Update	Description
Extended qtree performance monitoring to include latency metrics and historical statistics	<p>Earlier ONTAP releases provide robust real-time metrics for qtree usage, such as I/O operations per second and throughput in several categories including reads and writes. Beginning with ONTAP 9.16.1, you can also access real-time latency statistics as well as view archived historical data. These new capabilities provide IT storage administrators greater insight into system performance and enable analysis of trends over longer periods of time. This allows you to make more informed, data-driven decisions related to the operation and planning of your datacenter and cloud storage resources.</p>

Storage resource management enhancements

Update	Description
Support for data protection volumes in SVMs with storage limit enabled	<p>SVMs with storage limits enabled can contain data protection volumes. FlexVol volumes in asynchronous disaster recovery relationships with no cascade, synchronous disaster recovery relationships, and restore relationships are supported.</p> <p> In ONTAP 9.15.1 and earlier releases, storage limits cannot be configured for any SVM that contains data protection volumes, volumes in a SnapMirror relationship, or in a MetroCluster configuration.</p>
Support for FlexGroup advanced capacity distribution	<p>When enabled, advanced capacity balancing distributes data within a file between FlexGroup member volumes when very large files grow and consume space on one member volume.</p>
SVM data mobility support for migrating MetroCluster configurations	<p>ONTAP supports the following MetroCluster SVM migrations:</p> <ul style="list-style-type: none"> • Migrating an SVM between a non-MetroCluster configuration and a MetroCluster IP configuration • Migrating an SVM between two MetroCluster IP configurations • Migrating an SVM from a MetroCluster FC configuration and to a MetroCluster IP configuration

System Manager

Update	Description
Support for phishing-resistant WebAuthn multi-factor authentication in System Manager	<p>ONTAP 9.16.1 supports WebAuthn MFA logins, enabling you to use hardware security keys as a second authentication method when logging in to System Manager.</p>

What's new in ONTAP 9.15.1

Learn about the new capabilities available in ONTAP 9.15.1.

For details about known issues, limitations, and upgrade cautions in recent ONTAP 9 releases, refer to the [ONTAP 9 Release Notes](#). You must sign in with your NetApp account or create an account to access the Release Notes.

- Learn about new and enhanced [ONTAP MetroCluster features](#).
- Learn about [new and enhanced support for AFF, ASA, and FAS systems and supported switches](#).
- Learn about updates to the [ONTAP REST API](#).

To upgrade to the latest version of ONTAP, see [Prepare to upgrade ONTAP](#).

Data protection

Update	Description
Windows backup applications and Unix-style symlinks on servers	When a Windows backup application encounters a Unix-style symbolic link (symlink), the link is followed and the actual data is returned by ONTAP and backed up. Beginning with ONTAP 9.15.1, you also have the option of backing up the symlink itself instead of the data it points to. This can provide several benefits, including improved performance of your backup applications. You can enable the feature using the ONTAP CLI or REST API.
SnapMirror active sync supports symmetric active/active deployments	SnapMirror active sync (formerly SnapMirror Business Continuity) now supports symmetric active/active deployments, enabling read and write I/O operations from both copies of a protected LUN with bidirectional synchronous replication.
Increased limit for volumes in a consistency group using SnapMirror asynchronous	Consistency groups using SnapMirror asynchronous protection now support up to 80 volumes in the consistency group.
Support for admin privilege level for REST API and CLI operations with consistency groups	CLI and REST API operations for consistency groups are now supported at the administrative privilege level.
Persistent reservations for VMware virtual volumes with Windows Server Failover Clustering	ONTAP currently supports VMware virtual volumes (vVols) as well as persistent reservations with traditional LUNs. Beginning with ONTAP 9.15.1, you can also create a persistent reservation with a vVol. Support for this feature is implemented in ONTAP Tools for VMware vSphere 9. It is only supported in a Windows Server Failover Cluster (WSFC) which is a group of clustered Windows virtual machines.

Security

Update	Description
Simplified FPolicy persistent store creation and configuration	<p>You can create the FPolicy persistent store and automate its volume creation and configuration at the same time using the <code>persistent-store create</code> command.</p> <p>The enhanced <code>persistent-store create</code> command also allows the use of the <code>autosize-mode</code> parameter, which allows the volume to grow or shrink in size in response to the amount of used space.</p>
Support for NFSv3 with RDMA	NFS over RDMA configurations now support NFSv3.
FPolicy supports the NFS 4.1 protocol	FPolicy supports the NFS 4.1 protocol.

Update	Description
Protobuf engine format support for FPolicy	<p>Protobuf is Google's language-neutral mechanism for serializing structured data. It is smaller, faster, and simpler compared to XML, which helps improve FPolicy performance.</p> <p>You can use the protobuf external engine format. When set to protobuf, the notification messages are encoded in binary form using Google Protobuf. Before setting the external engine format to protobuf, ensure that the FPolicy server also supports protobuf deserialization.</p>
Dynamic Authorization for SSH connections	<p>ONTAP 9.15.1 provides the initial framework for Dynamic Authorization, which provides enhanced security for management of the ONTAP system by enabling you to assign a security trust score to administrator users and challenge them with additional authorization checks when their activity looks suspicious. You can utilize Dynamic Authorization as part of a data-centric Zero Trust security architecture.</p>
Support for TLS 1.3 for S3 storage, FlexCache, and Cluster Peering encryption	<p>TLS 1.3 has been supported since ONTAP 9.11.1 for management access, but it is now supported in ONTAP 9.15.1 for S3 storage, FlexCache, and Cluster Peering encryption. Some applications, such as FabricPool, Microsoft Azure Page Blobs storage, and SnapMirror Cloud continue to be limited to the use of TLS 1.2 for the 9.15.1 release.</p>
Eligible set of rule-protected commands extended for multi-admin verification	<p>Administrators can create multi-admin verification rules to protect cluster configuration, LUN deletion, system configuration, security configuration for IPsec and SAML, volume snapshot operations, vServer configuration, and other commands.</p>
Delivery of AutoSupport messages using SMTP with TLS	<p>While the recommended transport of AutoSupport messages to NetApp is HTTPS, unencrypted SMTP has also been available. With ONTAP 9.15.1, customers now have the option of using TLS with SMTP. The SMTPS protocol establishes a secure transport channel by encrypting the email traffic as well as the optional email server credentials. Explicit TLS is used and so TLS is activated after the TCP connection is created. If copies of the messages are sent to local email addresses, the same configuration is used.</p>

Storage efficiency

Update	Description
Changes to reporting of volume space metrics	<p>Two new counters have been introduced which show only the metadata being used. In addition, several of the existing counters have been adjusted to remove the metadata and display only the user data. Together these changes provide a clearer view of the metrics separated into the two types of data. Customers can use these counters to implement more accurate chargeback models by discounting metadata from the total and only considering the actual user data.</p>

Update	Description
Storage efficiency with CPU or dedicated offload processor	ONTAP provides storage efficiency and data compaction on AFF A70, AFF A90, and AFF A1K platforms. Depending on the platform, compression is performed using either the main CPU or with a dedicated offload processor. Storage efficiency is enabled automatically and requires no configuration.

Storage resource management enhancements

Update	Description
FlexCache write-back support	When write-back is enabled on the cache volume, write requests are sent to the local cache rather than to the origin volume, providing better performance for edge computing environments and caches with write-heavy workloads.
Performance enhancement for File System Analytics	ONTAP enforces that 5-8% of a volume's capacity must be free when enabling File System Analytics, mitigating potential performance issues for volumes and File System Analytics.
FlexClone volumes encryption keys	A FlexClone volume is assigned a dedicated encryption key that is independent of the FlexVol volume's (host) encryption key.

System Manager

Update	Description
System Manager support for configuring SnapLock vault relationships	SnapLock vault relationships can be configured using System Manager when both the source and destination are running ONTAP 9.15.1 or later.
Performance enhancements for the System Manager dashboard	The information on the System Manager dashboard Health, Capacity, Network, and Performance views includes more complete descriptions, including enhancements to the performance metrics that help you identify and troubleshoot latency or performance issues.

Upgrade

Update	Description
Support for LIF migration to HA partner node during automated nondisruptive upgrade	If LIF migration to the other batch group fails during an automated nondisruptive upgrade, the LIFs are migrated to the HA partner node in the same batch group.

What's new in ONTAP 9.14.1

Learn about the new capabilities available in ONTAP 9.14.1.

For details about known issues, limitations, and upgrade cautions in recent ONTAP 9 releases, refer to the [ONTAP 9 Release Notes](#). You must sign in with your NetApp account or create an account to access the Release Notes.

- Learn about new and enhanced [ONTAP MetroCluster features](#).
- Learn about [new and enhanced support for AFF, ASA, and FAS systems and supported switches](#).
- Learn about updates to the [ONTAP REST API](#).

To upgrade to the latest version of ONTAP, see [Prepare to upgrade ONTAP](#).

Data protection

Update	Description
NVE supported on SVM root volumes	SVM root volumes can be encrypted using unique keys with NetApp Volume Encryption.
Ability to set snapshot locking on long-term retention snapshots and to reinitialize the Compliance Clock	On clusters with a SnapLock license, tamperproof snapshot locking for snapshots with long-term retention can be set for snapshots created on non-SnapLock SnapMirror destination volumes and the Compliance Clock can be initialized when no SnapLock volumes are present.
SnapMirror active sync supports SCIS3 persistent reservations and Windows Failover Clustering	SCSI3 persistent reservations and Window Failover Clustering for SnapMirror active sync supports multiple nodes accessing a device while at the same time blocking access to other nodes, ensuring clustering for different application environments stays consistent and stable.
Copy volume-granular snapshots with consistency groups	You can utilize consistency groups to replicate Asynchronous SnapMirror snapshots and volume-granular snapshots to the destination consistency groups for an extra layer of disaster recovery.
Asynchronous data protection support for consistency groups within SVM disaster recovery relationship	SVMs configured for SVM disaster recovery can replicate consistency group information to the secondary site if the SVM contains a consistency group.
SnapMirror asynchronous support for 20 fanout targets	The number of SnapMirror asynchronous fanout targets supported on A700 and higher systems increases from 16 to 20 when using ONTAP 9.14.1.
Unencrypted cache creation from encrypted source	Beginning with ONTAP 9.14.0, FlexCache supports creating an unencrypted FlexCache volume from an encrypted source. In earlier ONTAP versions, FlexCache creation failed when the source of the cache was encrypted.
CLI support for consistency groups	Manage consistency groups using the ONTAP CLI.

File access protocols

Update	Description
NFSv4.1 session trunking	Session trunking allows for multiple paths to an exported datastore. This simplifies management and improves performance as workloads scale up. It is especially appropriate in environments with VMware workloads.

S3 object storage

Update	Description
Automatic resizing has been enabled on S3 FlexGroup volumes to eliminate excessive capacity allocation when buckets are created on them	When buckets are created on or deleted from new or existing FlexGroup volumes, the volumes are resized to a minimum required size. The minimum required size is the total size of all the S3 buckets in a FlexGroup volume.
S3 object storage support on mirrored and unmirrored aggregates	You can enable an S3 object storage server on an SVM in a mirrored or unmirrored aggregate in MetroCluster IP and FC configurations.
Object locking based on users roles and lock retention period	Objects in S3 buckets can be locked from being overwritten or deleted. The ability to lock objects is based on specific users or time.
Configuring access for LDAP user groups to support external directory services and adding validity period for access and secret keys	ONTAP administrators can configure access for Lightweight Directory Access Protocol (LDAP) or Active Directory user groups to ONTAP S3 object storage, with the ability to enable authentication in LDAP fast bind mode. Users in local or domain groups or LDAP groups can generate their own access and secret keys for S3 clients. You can define a validity period for the access keys and secret keys of S3 users. ONTAP provides support for variables such as \$aws:username for bucket policies and group policies.

SAN

Update	Description
NVMe/TCP automated host discovery	Host discovery of controllers using the NVMe/TCP protocol is automated by default.
NVMe/FC host side reporting and troubleshooting	By default, ONTAP supports the ability of NVMe/FC hosts to identify virtual machines by a unique identifier and for NVMe/FC hosts to monitor virtual machine resource utilization. This enhances host-side reporting and troubleshooting.
NVMe host prioritization	You can configure your NVMe subsystem to prioritize resource allocation for specific hosts. Host assigned a high priority are allocated larger I/O queue counts and larger queue depths.

Security

Update	Description
Support for Cisco DUO multifactor authentication for SSH users	SSH users can authenticate using Cisco DUO as a second factor of authentication during sign-in.

Update	Description
Enhancements to OAuth 2.0 support	ONTAP 9.14.1 extends the core token-based authentication and OAuth 2.0 support initially provided with ONTAP 9.14.0. Authorization can be configured using Active Directory or LDAP with group-to-role mapping. Sender-constrained access tokens are also supported and secured based on Mutual TLS (mTLS). In addition to Auth0 and Keycloak, Microsoft Windows Active Directory Federation Service (ADFS) is supported as an Identity Provider (IdP).
OAuth 2.0 Authorization Framework	The Open Authorization (OAuth 2.0) framework is added and provides token-based authentication for ONTAP REST API clients. This enables more secure management and administration of the ONTAP clusters using automation workflows powered by REST API scripts or Ansible. The standard OAuth 2.0 features are supported, including issuer, audience, local validation, remote introspection, remote user claim, and proxy support. Client authorization can be configured using self-contained OAuth 2.0 scopes or by mapping the local ONTAP users. Supported Identity Providers (IdP) include Auth0 and Keycloak using multiple concurrent servers.
Tunable alerts for Autonomous Ransomware Protection	Configure Autonomous Ransomware Protection to receive notifications whenever a new file extension is detected or when an ARP snapshot is taken, receiving earlier warning to possible ransomware events.
FPolicy supports persistent stores to reduce latency	FPolicy allows you to set up a persistent store to capture file access events for asynchronous non-mandatory policies in the SVM. Persistent stores can help decouple client I/O processing from the FPolicy notification processing to reduce client latency. Synchronous and asynchronous mandatory configurations are not supported.
FPolicy supports FlexCache volumes on SMB	FPolicy is supported for FlexCache volumes with NFS or SMB. Previously, FPolicy was not supported for FlexCache volumes with SMB.

Storage efficiency

Update	Description
Scan tracking in File System Analytics	Track the File System Analytics initialization scan with real time insights about progress and throttling.
Increase in usable aggregate space on FAS platforms	For FAS platforms, the WAFL reserve for aggregates greater than 30TB in size is reduced from 10% to 5%, resulting in increased usable space in the aggregate.
Change in reporting of physical used space in TSSE volumes	On volumes with temperature-sensitive storage efficiency (TSSE) enabled, the ONTAP CLI metric for reporting the amount of space used in the volume includes the space savings realized as a result of TSSE. This metric is reflected in the volume show -physical-used and the volume show-space -physical used commands. For FabricPool, the value of -physical-used is a combination of the capacity tier and the performance tier. For specific commands, see volume show and volume show space.

Storage resource management enhancements

Update	Description
Proactive FlexGroup rebalancing	FlexGroup volumes provide support for automatically moving growing files in a directory to a remote constituent to reduce I/O bottlenecks on the local constituent.
snapshot tagging in FlexGroup volumes	You can add, modify, and delete tags and labels (comments) in to help identify snapshots and to help avoid accidentally deleting snapshots in FlexGroup volumes.
Write directly to the cloud with FabricPool	FabricPool adds the ability to write data to a volume in FabricPool so it goes directly to the cloud without waiting for the tiering scan.
Aggressive read-ahead with FabricPool	FabricPool provides aggressive read-ahead of files on volumes in all platforms that FabricPool supports.

SVM management enhancements

Update	Description
SVM data mobility support for migrating SVMs containing user and group quotas and qtrees	SVM data mobility adds support for migrating SVMs containing user and group quotas and qtrees.
Support for a maximum of 400 volumes per SVM, a maximum of 12 HA pairs, and pNFS with NFS 4.1 using SVM data mobility	The maximum number of supported volumes per SVM with SVM data mobility increases to 400 and the number of supported HA pairs increases to 12.

System Manager

Update	Description
SnapMirror test failover support	You can use System Manager for performing SnapMirror test failover rehearsals without interrupting existing SnapMirror relationships.
Port management in a broadcast domain	You can use System Manager to edit or delete ports that have been assigned to a broadcast domain.
Enablement of Mediator-assisted Automatic Unplanned Switchover (MAUSO)	You can use System Manager to enable or disable Mediator-assisted Automatic Unplanned Switchover (MAUSO) when performing an IP MetroCluster switchover and switchback.
Cluster and volume tagging	You can use System Manager to use tags to categorize clusters and volumes in different ways, for example, by purpose, owner, or environment. This is useful when there are many objects of the same type. Users can quickly identify a specific object based on the tags that have been assigned to it.
Enhanced support for consistency group monitoring	System Manager displays historical data about consistency group usage.
NVMe in-band authentication	You can use System Manager to configure secure, unidirectional and bidirectional authentication between an NVMe host and controller over the NVMe/TCP and NVMe/FC protocols using the DH-HMAC-CHAP authentication protocol.

Update	Description
Support for S3 bucket lifecycle management extended to System Manager	You can use System Manager to define rules for deleting specific objects in a bucket, and through these rules, expire those bucket objects.

What's new in ONTAP 9.13.1

Learn about the new capabilities available in ONTAP 9.13.1.

For details about known issues, limitations, and upgrade cautions in recent ONTAP 9 releases, refer to the [ONTAP 9 Release Notes](#). You must sign in with your NetApp account or create an account to access the Release Notes.

- Learn about new and enhanced [ONTAP MetroCluster features](#).
- Learn about [new and enhanced support for AFF, ASA, and FAS systems and supported switches](#).
- Learn about updates to the [ONTAP REST API](#).

To upgrade ONTAP, see [Prepare to upgrade ONTAP](#).

Data protection

Update	Description
Multi-admin verification	Cluster administrator can explicitly enable multi-admin verification on a cluster to require quorum approval before some SnapLock operations are executed.
Enhanced support for managing consistency groups including volume move and geometry	You can move volumes between consistency groups, modify the geometry of hierarchical consistency groups, and gain capacity insights into consistency groups. System Manager supports creating a consistency group with new NAS volumes or NVME namespaces.
NDMP restore with SnapMirror Synchronous	NDMP restore is supported with SnapMirror synchronous.
SnapMirror active sync enhancements	<ul style="list-style-type: none"> • Non-disruptively add volumes to a consistency group with an active SnapMirror active sync relationship. • Use NDMP restore with SnapMirror active sync.
Asynchronous SnapMirror support with a single consistency groups	Consistency groups support Asynchronous SnapMirror configurations, allowing vaulting of SnapMirror backups for single consistency groups.

File access protocols

Update	Description
NFSv4.x storepool support	A few clients consume too many NFSv4.x storepool resources leading to other NFSv4.x clients getting blocked due to unavailability of NFSv4.x storepool resources. You can have the option to enable denying and blocking of clients who consume a lot of NFSv4.x storepool resource in their environments.

Networking

Update	Description
Expanded hardware support for RDMA cluster interconnect	ONTAP supports AFF A900, ASA A900, and FAS9500 systems for cluster interconnect RDMA with an X91153A cluster NIC, helping to reduce latency, decrease failover times, and accelerate communication between nodes.
Increased data LIF limits	ONTAP provides greater flexibility by increasing data LIF scaling limits for both HA pairs and clusters.
IPv6 support during cluster setup on the A800 and FAS8700 platforms	On the A800 and FAS8700 platforms, you can use the ONTAP CLI to create and configure new clusters in IPv6-only networking environments.

S3 object storage

Update	Description
S3 bucket lifecycle management	S3 object expiration actions define when objects in a bucket expire. This capability enables you to manage object versions so you can meet retention requirements and manage overall S3 object storage effectively.

SAN

Update	Description
Support for NVMe/FC on AIX hosts	ONTAP supports the NVMe/FC protocol on AIX hosts. See the NetApp Interoperability Tool for supported configurations.

Security

Feature	Description
Autonomous Ransomware Protection	<ul style="list-style-type: none"> • Multi-admin verify functionality with Autonomous Ransomware Protection • Automatic transition from learning to active mode • FlexGroup support, including analytics and reporting for FlexGroup volumes and operations including expanding a FlexGroup volume, FlexVol to FlexGroup conversions, FlexGroup rebalancing.
SSH public key authentication with Active Directory	You can use an SSH public key as your primary authentication method with an Active Directory (AD) user, or you can use an SSH public key as your secondary authentication method after an AD user.

Feature	Description
X.509 certificates with SSH public keys	ONTAP enables you to associate an X.509 certificate with the SSH public key for an account, giving you the added security of certificate expiration and revocation checks upon SSH login.
FPolicy file access failure notification	FPolicy supports notifications for access denied events. Notifications are generated for file operation failed due to lack of permission, including failure due to NTFS permissions, failure due to Unix mode bits, and failure due to NFSv4 ACLs.
Multifactor authentication with TOTP (time-based one-time passwords)	Set up local user accounts with multifactor authentication using a time-based one-time password (TOTP). The TOTP is always used as the second authentication method. You can use an SSH public key or user password as your primary authentication method.

Storage efficiency

Update	Description
Change in reporting of primary data reduction ratio in System Manager	The primary data reduction ratio displayed in System Manager no longer includes snapshot space savings in the calculation. It only depicts the ratio between used logical and used physical space. In prior releases of ONTAP, the primary data reduction ratio included significant space reduction benefits of snapshots. As a result, when you upgrade to ONTAP 9.13.1, you will observe a significantly lower primary ratio being reported. You can still see data reduction ratios with snapshots in the Capacity details view.
Temperature-sensitive storage efficiency	Temperature-sensitive storage efficiency adds sequential packing of contiguous physical blocks to improve storage efficiency. Volumes that have temperature-sensitive storage efficiency enabled will automatically have sequential packing enabled when systems are upgraded to ONTAP 9.13.1.
Logical space enforcement	Logical space enforcement is supported on SnapMirror destinations.
Storage VM capacity limits support	You can set capacity limits on a storage VM (SVM) and enable alerts when the SVM is approaching a percentage threshold.

Storage resource management enhancements

Update	Description
Increase in maximum number of inodes	ONTAP will continue to automatically add inodes (at the rate of 1 inode per 32 KB of volume space) even if the volume grows larger than 680 GB. ONTAP will continue adding inodes until it reaches the maximum of 2,040,109,451.
Support for specifying a SnapLock type during FlexClone creation	You can specify one of three SnapLock types, either compliance, enterprise, or non-SnapLock, when creating a FlexClone of a read/write volume.
Enable File System Analytics by default	Set File System Analytics to be enabled by default on new volumes.

Update	Description
SVM disaster recovery fanout relationships with FlexGroup volumes	The fanout restriction of SVM DR with FlexGroup volumes is removed. SVM DR with FlexGroup includes support for SnapMirror fanout relationships to eight sites.
Single FlexGroup rebalancing operation	You can schedule a single FlexGroup rebalancing operation to begin at a date and time in the future that you specify.
FabricPool read performance	FabricPool provides improved sequential read performance for single and multi-stream workloads for cloud-resident data and tiering throughput. This improvement can send a higher rate of GETs and PUTs to the back end object store. If you have on-premises object stores, you should consider performance headroom on the object store service and determine whether you might need to throttle FabricPool PUTs.
Adaptive QoS policy templates	Adaptive QoS policy templates enable you to set throughput floors at the SVM level.

SVM management enhancements

Update	Description
SVM data mobility	Increases support for migrating SVMs containing up to 200 volumes.

System Manager

Beginning with ONTAP 9.12.1, System Manager is integrated with the NetApp Console. Learn more about [System Manager integration with NetApp Console](#).

Update	Description
Change in reporting of primary data reduction ratio	The primary data reduction ratio displayed in System Manager no longer includes snapshot space savings in the calculation. It only depicts the ratio between used logical and used physical space. In prior releases of ONTAP, the primary data reduction ratio included significant space reduction benefits of snapshots. As a result, when you upgrade to ONTAP 9.13.1, you will observe a significantly lower primary ratio being reported. You can still see data reduction ratios with snapshots in the Capacity details view.
Tamperproof snapshot locking	You can use System Manager to lock a snapshot on a non-SnapLock volume to provide protection from ransomware attacks.
Support for external key managers	You can use System Manager to manage external key managers to store and manage authentication and encryption keys.
Troubleshooting hardware problems	System Manager users can view visual depictions of additional hardware platforms in the "Hardware" page, including ASA platforms and AFF C-Series platforms. Support for AFF C-Series platforms is also included in the latest patch releases of ONTAP 9.12.1, ONTAP 9.11.1, and ONTAP 9.10.1. The visualizations identify problems or concerns with platforms, providing a quick method for users to troubleshoot hardware problems.

What's new in ONTAP 9.12.1

Learn about the new capabilities available in ONTAP 9.12.1.

For details about known issues, limitations, and upgrade cautions in recent ONTAP 9 releases, refer to the [ONTAP 9 Release Notes](#). You must sign in with your NetApp account or create an account to access the Release Notes.

- Learn about new and enhanced [ONTAP MetroCluster features](#).
- Learn about [new and enhanced support for AFF, ASA, and FAS systems and supported switches](#).
- Learn about updates to the [ONTAP REST API](#).

To upgrade ONTAP, see [Prepare to upgrade ONTAP](#).

Data protection

Update	Description
Support for larger FlexVol volumes with SnapMirror Synchronous	The maximum FlexVol volume size supported in SnapMirror Synchronous configurations has increased from 100 TB to 300 TB. Both the source and destination clusters must be running <i>ONTAP 9.12.1P2 or later</i> .
Support for larger file and LUN sizes in SnapMirror Synchronous	The maximum file and LUN size supported in SnapMirror Synchronous configurations has increased from 16 TB to 128 TB. Both the source and destination clusters must be running ONTAP 9.12.1 P2 or later.
Enhanced support for consistency groups	<ul style="list-style-type: none">• You can add and remove volumes from a consistency group, clone a consistency group (including from a snapshot).• Consistency groups support application tagging to streamline data protection and management processes.• The ONTAP REST API supports configuring consistency groups with NFS/SMB volumes or NVMe namespaces.
SnapMirror Synchronous NDO	SnapMirror Synchronous supports non-disruptive operations (NDO) of HA takeover and giveback, volume move, and other maintenance-related operations. This feature is available only on AFF/ASA platforms.
ONTAP Mediator 1.5 supports SnapMirror Business Continuity	ONTAP Mediator 1.5 is available for monitoring SnapMirror active sync relationships.
SnapMirror active sync continuity enhancements	SnapMirror active sync supports partial LUN restore from snapshots. Additionally, SnapMirror active sync extends QoS to volumes not in the SnapMirror relationship.
Data warehouse rebuild indicator for SnapMirror asynchronous	SnapMirror asynchronous provides an indicator showing how long a data warehouse rebuild takes after a disaster recovery rehearsal by displaying the percentage complete.
SnapLock option to set minimum retention time "unspecified" absolute retention time	SnapLock includes an option to set a minimum retention time when the absolute retention time is set to "unspecified".

Update	Description
Tamperproof snapshots	You can lock a snapshot on a non-SnapLock volume to provide protection from ransomware attacks. Locking snapshots helps ensure that they are not deleted accidentally or maliciously.

File access protocols

Update	Description
Configure security for Kerberos-based communication using AES encryption	A new SMB security option allows you to disable RC4 and DES in favor of Advanced Encryption Standard (AES) encryption types for Kerberos-based communication with the Active Directory (AD) KDC.
S3 client access to NAS data	S3 clients can access the same NAS data as NFS and SMB clients without reformatting, making it easier to serve S3 applications that require object data.
NFS extended attributes	NFS servers enabled for NFSv4.2 can store and retrieve NFS extended attributes (xattrs) from xattr-aware clients.
NFSv4.2 sparse files and space reservation support	The NFSv4.2 client is able to reserve space for a sparse file. Space can also be deallocated and unreserved from a file.

Networking

Update	Description
LIF services	You can use the <code>management-log-forwarding</code> service to control which LIFs are used to forward audit logs to a remote syslog server.

S3 object storage

Update	Description
Expanded support for S3 actions	The following Amazon S3 API actions are supported: <ul style="list-style-type: none"> • <code>CopyObject</code> • <code>UploadPartCopy</code> • <code>BucketPolicy</code> (GET, PUT, DELETE)

SAN

Update	Description
Increased maximum LUN size for AFF and FAS platforms	Beginning with ONTAP 9.12.1P2, the maximum supported LUN size on AFF and FAS platforms increased from 16 TB to 128 TB.

Update	Description
Increased NVMe limits	<p>The NVMe protocol supports the following:</p> <ul style="list-style-type: none"> • 8K subsystems in a single storage VM and a single cluster • 12 node clusters NVMe/FC supports 256 controllers per port and NVMe/TCP supports 2K controllers per node.
NVME/TCP support for secure authentication	<p>Secure, unidirectional and bidirectional authentication between an NVMe host and controller is supported over NVMe/TCP using the DHMAC-CHAP authentication protocol.</p>
MetroCluster IP support for NVMe	<p>The NVMe/FC protocol is supported on 4-node MetroCluster IP configurations.</p>

Security

In October 2022, NetApp implemented changes to reject AutoSupport message transmissions that are not sent by either HTTPS with TLSv1.2 or secure SMTP. For more information, see [SU484: NetApp will reject AutoSupport messages transmitted with insufficient transport security](#).

Feature	Description
Autonomous Ransomware Protection interoperability enhancements	<p>Autonomous Ransomware Protection is available for these configurations:</p> <ul style="list-style-type: none"> • Volumes protected with SnapMirror • SVMs protected with SnapMirror • SVMs enabled for migration (SVM data mobility)
Multifactor authentication (MFA) support for SSH with FIDO2 and PIV (both used by Yubikey)	<p>SSH MFA can use hardware-assisted public/private key exchange with username and password. Yubikey is a physical token device that is plugged into the SSH client to increase MFA security.</p>
Tamper-proof logging	<p>All ONTAP internal logs are tamperproof by default, ensuring that compromised administrator accounts cannot hide malicious actions.</p>
TLS transport for events	<p>EMS events can be sent to a remote syslog server using the TLS protocol, thereby enhancing protection over the wire for central external audit logging.</p>

Storage efficiency

Update	Description
Temperature-sensitive storage efficiency	<p>Temperature-sensitive storage efficiency is enabled by default on new AFF C250, AFF C400, AFF C800 platforms and volumes. TSSE is not enabled by default on existing volumes but can be enabled manually using the ONTAP CLI.</p>
Increase in usable aggregate space	<p>For All Flash FAS (AFF) and the FAS500f platforms, the WAFL reserve for aggregates greater than 30TB is reduced from 10% to 5%, resulting in increased usable space in the aggregate.</p>

Update	Description
File System Analytics: Top directories by size	File System Analytics now identifies the directories in a volume that are consuming the most space.

Storage resource management enhancements

Update	Description
FlexGroup rebalancing	<p>You can enable automatic nondisruptive FlexGroup volume rebalancing to redistribute files between FlexGroup constituents.</p> <p> It's recommended that you do not use automatic FlexGroup rebalancing after a FlexVol to FlexGroup conversion. Instead, you can use the disruptive retroactive file move feature available in ONTAP 9.10.1 and later, by entering the <code>volume rebalance file-move</code> command. For more information and command syntax, see the ONTAP Command Reference.</p>
SnapLock for SnapVault support for FlexGroup volumes	SnapLock for SnapVault support for FlexGroup volumes

SVM management enhancements

Update	Description
SVM data mobility enhancements	Cluster administrators can non-disruptively relocate an SVM from a source cluster to a destination cluster using FAS, AFF platforms, on hybrid aggregates. Support for both disruptive SMB protocol and Autonomous Ransomware Protection have been added.

System Manager

Beginning with ONTAP 9.12.1, System Manager is integrated with the NetApp Console. With the Console, administrators can manage the hybrid multicloud infrastructure from a single control plane while retaining the familiar System Manager dashboard. When signing into System Manager, administrators are given the option of accessing the System Manager interface in the NetApp Console or accessing System Manager directly. Learn more about [System Manager integration with NetApp Console](#).

Update	Description
System Manager support for SnapLock	SnapLock operations, including Compliance Clock initialization, SnapLock volume creation, and WORM file mirroring are supported in System Manager.
Hardware visualization of cabling	System Manager users can view connectivity information about the cabling between hardware devices in their cluster to troubleshoot connectivity issues.

Update	Description
Support for multifactor authentication with Cisco DUO when logging in to System Manager	You can configure Cisco DUO as a SAML identity provider (IdP), enabling users to authenticate using Cisco DUO when they log in to System Manager.
System Manager networking enhancements	System Manager offers more control over the subnet and home port selection during network interface creation. System Manager also supports the configuration of NFS over RDMA connections.
System display themes	System Manager users can select a light or dark theme for the display of the System Manager interface. They can also choose to default to the theme used for their operating system or browser. This capability allows users to specify a setting that is more comfortable for reading the display.
Improvements to local tier capacity details	System Manager users can view capacity details for specific local tiers to determine if the space is over-committed, which might indicate that they need to add more capacity to ensure the local tier doesn't run out of space.
Improved searching	System Manager has an improved search capability that lets users search and access relevant and context-sensitive support information and System Manager product document from the NetApp Support Site directly through the System Manager interface. This allows users to acquire information they need to take appropriate action without having to search in various locations on the support site.
Volume provisioning improvements	Storage administrators can choose a snapshot policy when creating a volume using System Manager rather than using the default policy.
Increase the size of a volume	Storage administrators can view the impact on data space and snapshot reserve when they use System Manager to resize a volume.
Storage pool and Flash Pool management	Storage administrators can use System Manager to add SSDs to an SSD storage pool, create Flash Pool local tiers (aggregate) using SSD storage pool allocation units, and create Flash Pool local tiers using physical SSDs.
NFS over RDMA support in System Manager	System Manager supports network interface configurations for NFS over RDMA and identifies RoCE capable ports.

What's new in ONTAP 9.11.1

Learn about the new capabilities available in ONTAP 9.11.1.

For details about known issues, limitations, and upgrade cautions in recent ONTAP 9 releases, refer to the [ONTAP 9 Release Notes](#). You must sign in with your NetApp account or create an account to access the Release Notes.

- Learn about new and enhanced [ONTAP MetroCluster features](#).
- Learn about [new and enhanced support for AFF, ASA, and FAS systems and supported switches](#).
- Learn about updates to the [ONTAP REST API](#).

To upgrade to the latest version of ONTAP, see [Prepare to upgrade ONTAP](#).

Data protection

Update	Description
Cluster external key servers	<p>Clustered external key management servers support is added for NetApp partners who provide a clustered KMIP server solution. This allows primary and secondary KMIP servers to be added preventing duplication of encryption key data. For supported partners, see the Interoperability Matrix Tool.</p>
SnapMirror asynchronous policy in System Manager	<p>You can use System Manager to add pre-created and custom mirror and vault policies, display legacy policies, and override the transfer schedules defined in a protection policy when protecting volumes and storage VMs. You can also use System Manager to edit your volume and storage VM protection relationships.</p> <div data-bbox="577 684 633 747" style="border: 1px solid #ccc; border-radius: 50%; padding: 5px; text-align: center;">  </div> <p>If you are running ONTAP 9.8P12 or a later ONTAP 9.8 patch release, have configured SnapMirror using System Manager, and plan to upgrade to ONTAP 9.9.1 or ONTAP 9.10.1 releases, use ONTAP 9.9.1P13 or later and ONTAP 9.10.1P10 or later patch releases for your upgrade.</p>
SnapMirror Cloud single directory restore	<p>Enables cluster administrators at the admin privilege level to perform a single directory restore operation from a cloud endpoint. The source endpoint UUID must be provided to identify the backup endpoint from which you are restoring. Because multiple backups can use the same <code>cloud_endpoint_name</code> as the destination, the UUID associated with the backup must be provided for the restore command. You can use the <code>snapmirror show</code> command to obtain the <code>source_endpoint_uuid</code>.</p>
Enhanced support for SnapMirror active sync	<ul style="list-style-type: none"> • SnapMirror active sync supports AIX as a host • SnapMirror active sync supports single-file SnapRestore, enabling you to restore an individual LUN or normal file in a SnapMirror active sync configuration.
SVM data replication quick resync	<p>SVM data replication quick resync provides storage admins with the ability to bypass a full data warehouse rebuild and to recover more quickly from a disaster recovery rehearsal.</p>
SVM data replication support with MetroCluster	<p>SVM-DR source is supported on both ends of a MetroCluster configuration.</p>
Two-phase consistency group snapshot creation	<p>In the REST API, consistency groups support a two-phase snapshot procedure, enabling you to conduct a precheck before committing the snapshot.</p>

File access protocols

Update	Description
TLSv1.3 support	<p>ONTAP supports TLS 1.3 for HTTPS and REST API management protocols. TLS 1.3 is not supported with SP/BMC or with Cluster Peering Encryption.</p>

Update	Description
LDAP fast bind support	If supported by the LDAP server, you can use LDAP fast bind to authenticate ONTAP admin users quickly and simply.

Networking

Update	Description
Link Layer Discovery Protocol (LLDP)	The cluster network supports LLDP to allow ONTAP to work with cluster switches that do not support Cisco Discovery Protocol (CDP).
LIF services	New client-side LIF services provide more control over which LIFs are used for outbound AD, DNS, LDAP, and NIS requests.

S3 object storage

Update	Description
Additional support for S3 object actions	The following actions are supported by ONTAP APIs: <code>CreateBucket</code> , <code>DeleteBucket</code> , <code>DeleteObjects</code> . In addition, ONTAP S3 supports object versioning and associated actions with the <code>PutBucketVersioning</code> , <code>GetBucketVersioning</code> , <code>ListBucketVersions</code> .

SAN

Update	Description
iSCSI LIF failover	The new iSCSI LIF failover feature supports automatic and manual migration of iSCSI LIFs in an SFO partner failover and in a local failover. iSCSI LIF failover is available on All SAN Array (ASA) platforms.
Non-destructive migration from LUN to NVMe namespace and from NVMe namespace to LUN	Use the ONTAP CLI to in-place convert an existing LUN to an NVMe namespace or an existing NVMe namespace to a LUN .

Security

Update	Description
Autonomous Ransomware Protection (ARP) enhancements	The ARP detection algorithm has been enhanced to detect additional malware threats. Also, a new license key is used to activate Autonomous Ransomware Protection. For ONTAP systems upgrades from ONTAP 9.10.1 the previous license key still provides the same functionality.
Multi-admin verification	When multi-admin verification is enabled, certain operations — such as deleting volumes or snapshots — can be executed only after approvals from designated administrators. This prevents compromised, malicious, or inexperienced administrators from making undesirable changes or deleting data.

Storage efficiency

Update	Description
View physical footprint savings	When you have temperature sensitive storage efficiency enabled on a volume, you can use the volume show-footprint command to display the physical footprint savings.
SnapLock support for FlexGroup volumes	SnapLock includes support for data stored on FlexGroup volumes. FlexGroup volumes support is available with SnapLock Compliance and SnapLock Enterprise modes.
SVM data mobility	Increases the number of AFF arrays supported to three and adds support for SnapMirror relationships when the source and the destination are both running ONTAP 9.11.1 or later. External key management (KMIP) is also introduced and is available for both Cloud and on-premises installations.

Storage resource management enhancements

Update	Description
Activity tracking at the SVM level in File System Analytics	Activity Tracking is aggregated at the SVM level, tracking read/write IOPS and throughputs to provide instant and actionable insights into data.
Enable file access time updates	When enabled, the access time updates at the FlexCache origin volume only if the age of the current access time is more than user-specified duration.
Asynchronous directory delete	Asynchronous delete is available to NFS and SMB clients when the storage administrator grants them rights on the volume. When async delete is enabled, Linux clients can use the mv command and Windows clients can use the rename command to delete a directory and move it to a hidden .ontaptrashbin directory.
SnapLock support for FlexGroup volumes	SnapLock includes support for data stored on FlexGroup volumes. FlexGroup volumes support is available with SnapLock Compliance and SnapLock Enterprise modes. SnapLock does not support the following operations on FlexGroup volumes: SnapLock for SnapVault, event-based retention, and Legal Hold.

SVM management enhancements

Update	Description
SVM data mobility	Increases the number of AFF arrays supported to three and adds support for SnapMirror relationships when the source and the destination are both running ONTAP 9.11.1 or later. External key management (KMIP) is also introduced and is available for both cloud and on-premises installations.

System Manager

Update	Description
Manage SnapMirror asynchronous policies	<p>Use System Manager to add pre-created and custom mirror and vault policies, display legacy policies, and override the transfer schedules defined in a protection policy when protecting volumes and storage VMs. You can also use System Manager to edit your volume and storage VM protection relationships.</p> <p> If you are using ONTAP 9.8P12 or later ONTAP 9.8 patch release and you configured SnapMirror using System Manager, and you plan to upgrade to ONTAP 9.9.1 or ONTAP 9.10.1 releases, you should use ONTAP 9.9.1P13 or later and ONTAP 9.10.1P10 or later patch releases for your upgrade.</p>
Hardware visualization	<p>The hardware visualization feature in System Manager supports all current AFF and FAS platforms.</p>
System analytics insights	<p>On the Insights page, System Manager helps you optimize your system by displaying additional capacity and security insights and new insights about the configuration of clusters and storage VMs.</p>
Usability enhancements	<ul style="list-style-type: none"> Newly created volumes are not shareable by default: you can specify the default access permissions, such as exporting via NFS or sharing via SMB/CIFS and specifying the permission level. SAN simplification: When adding or editing an initiator group, System Manager users can view the connection status of the initiators in the group and ensure that initiators that are connected are included in the group so LUN data can be accessed.
Advanced local tier (aggregate) operations	<p>System Manager administrators can specify the configuration of a local tier if they don't want to accept the recommendation from System Manager. Also, administrators can edit the RAID configuration of an existing local tier.</p> <p> If you are using ONTAP 9.8P12 or later ONTAP 9.8 patch release and you configured SnapMirror using System Manager, and you plan to upgrade to ONTAP 9.9.1 or ONTAP 9.10.1 releases, you should use ONTAP 9.9.1P13 or later and ONTAP 9.10.1P10 or later patch releases for your upgrade.</p>
Manage audit logs	<p>You can use System Manager to view and manage ONTAP audit logs.</p>

Related information

- [snapmirror show](#)

What's new in ONTAP 9.10.1

Learn about the new capabilities available in ONTAP 9.10.1.

For details about known issues, limitations, and upgrade cautions in recent ONTAP 9 releases, refer to the

[ONTAP 9 Release Notes](#). You must sign in with your NetApp account or create an account to access the Release Notes.

- Learn about new and enhanced [ONTAP MetroCluster features](#).
- Learn about [new and enhanced support for AFF, ASA, and FAS systems and supported switches](#).
- Learn about updates to the [ONTAP REST API](#).

To upgrade ONTAP, see [Prepare to upgrade ONTAP](#).

Data protection

Update	Description
Set SnapLock retention period up to 100 years	In releases earlier than ONTAP 9.10.1, the maximum supported retention time is January 19, 2071. Beginning with ONTAP 9.10.1 SnapLock Enterprise and Compliance support a retention time up to October 26, 3058 and a retention period up to 100 years. Older policies are automatically converted when you extend retention dates.
Ability to create SnapLock and non-SnapLock volumes on the same aggregate	Beginning with ONTAP 9.10.1, SnapLock and non-SnapLock volumes can exist on the same aggregate, so it is no longer necessary to create a separate SnapLock aggregate for SnapLock volumes.
Consistency groups	Organize volumes and LUNs in consistency groups to manage data protection policies and ensure write-order fidelity of workloads spanning multiple storage volumes.
Archive backups with the public cloud	SnapMirror Cloud supports tiering of ONTAP backups to lower cost public cloud object storage classes in AWS and MS Azure for long-term retention.
AES support for secure Netlogon channel communication	If you connect to Windows domain controllers using the Netlogon authentication service, you can use Advanced Encryption Standard (AES) for secure channel communications.
Kerberos for SMB domain-tunnel authentication	Kerberos authentication is available for domain tunnel authentications for ONTAP management in addition to NTLM. This allows for more secure logins to the ONTAP CLI and System Manager GUI using Active Directory credentials.
Channel binding for increased LDAP communication security	LDAP channel binding is supported by default for both Active Directory and name services LDAP connections. This provides better protection against man-in-the-middle attacks.

File access protocols

Update	Description
NFS over RDMA (NVIDIA only)	NFS over RDMA utilizes RDMA adapters, allowing data to be copied directly between storage system memory and host system memory, circumventing CPU interruptions and overhead. NFS over RDMA enables the use of NVIDIA GPUDirect Storage for GPU-accelerated workloads on hosts with supported NVIDIA GPUs.

Networking

Update	Description
RDMA cluster interconnect	With the A400 or ASA A400 storage system and an X1151A cluster NIC you can accelerate high-performance workloads in a multi-node cluster leveraging RDMA for intra-cluster traffic
Confirmation is required before setting status admin to down for a LIF in a system SVM	This protects you from accidentally taking down LIFs that are critical for proper cluster operation. If you have scripts that invoke this behavior at the CLI, you must update them to account for the confirmation step.
Automatic detection and repair recommendations for network wiring issues	When a port reachability issue is detected, ONTAP System Manager recommends a repair operation to resolve the issue.
Internet Protocol security (IPsec) certificates	IPsec policies support pre-shared keys (PSKs) in addition to certificates for authentication.
LIF service policies	Firewall policies are deprecated and replaced with LIF service policies. A new NTP LIF service policy has also been added to provide more control over which LIFs are used for outbound NTP requests.

S3 object storage

Update	Description
S3 object data protection, backup and disaster recovery	SnapMirror S3 provides data protection services for ONTAP S3 object storage, including buckets mirroring to ONTAP S3 configurations, and bucket backup to NetApp and non-NetApp destinations.
S3 audit	You can audit data and management events in ONTAP S3 environments. S3 audit functionality is similar to existing NAS auditing capabilities, and S3 and NAS auditing can coexist in a cluster.

SAN

Update	Description
NVMe namespace	You can use the ONTAP CLI to increase or decrease the size of a namespace. You can use System Manager to increase the size of a namespace.
NVMe protocol support for TCP	The non-volatile memory express (NVMe) protocol is available for SAN environments over an TCP network.

Security

Update	Description
Autonomous Ransomware Protection	Using workload analysis in NAS environments, Autonomous Ransomware Protection alerts you about abnormal activity that might indicate a ransomware attack. Autonomous Ransomware Protection also creates automatic snapshot backups when an attack is detected, in addition to existing protection from scheduled snapshots.

Update	Description
Encryption key management	Use Azure Key Vault and Google Cloud Platform Key Management Service to store, protect, and utilize ONTAP keys, streamlining key management and access.

Storage efficiency

Update	Description
Temperature-sensitive storage efficiency	You can enable temperature-sensitive storage efficiency using either "default" mode or "efficient" mode on new or existing AFF volumes.
Ability to non-disruptively move SVMs between clusters	You can relocate SVMs between physical AFF clusters, from a source to a destination, for load balancing, performance improvements, equipment upgrades, and data center migrations.

Storage resource management enhancements

Update	Description
Activity tracking for hot objects with File System Analytics (FSA)	To improve system performance assessment, FSA can identify hot objects: files, directories, users, and clients with the most traffic and throughput.
Global file-read locking	Enable a read lock from a single point across all caches and the origin; affected article in migration.
NFSv4 support for FlexCache	FlexCache volumes support NFSv4 protocol.
Create clones from existing FlexGroup volumes	You can create a FlexClone volume using existing FlexGroup volumes.
Convert a FlexVol volume to a FlexGroup in an SVM disaster recovery source	You can convert FlexVol volumes to FlexGroup volumes in an SVM disaster recovery source.

SVM management enhancements

Update	Description
Ability to nondisruptively move SVMs between clusters	You can relocate SVMs between physical AFF clusters, from a source to a destination, for load balancing, performance improvements, equipment upgrades, and data center migrations.

System Manager

Update	Description
Enable performance telemetry logging in System Manager logs	Administrators can enable telemetry logging if they experience performance issues with System Manager, and then contact support to analyze the issue.
NetApp License Files	All license keys are delivered as NetApp License Files instead of individual 28-character license keys, making it possible to license multiple features using one file.

Update	Description
Update firmware automatically	System Manager administrators can configure ONTAP to automatically update firmware.
Review risk mitigation recommendations and acknowledge the risks reported by Digital Advisor	System Manager users can view the risks reported by Digital Advisor and review recommendations about mitigating the risks. Beginning with 9.10.1, users can also acknowledge risks.
Configure administrator reception of EMS event notifications	System Manager administrators can configure how Event Management System (EMS) event notifications are delivered so they are notified of system issues that require their attention.
Manage certificates	System Manager administrators can manage trusted certificate authorities, client/server certificates, and local (onboard) certificate authorities.
Use System Manager to view historical use of capacity and to predict future capacity needs	Integration between Digital Advisor and System Manager allows administrators to view data about historical trends in capacity use for clusters.
Use System Manager to back up data to StorageGRID using the Cloud Backup Service	As a Cloud Backup Service administrator, you can back up to StorageGRID if you have Cloud Manager deployed on premises. You can also archive objects using Cloud Backup Service with AWS or Azure.
Usability enhancements	<p>Beginning with ONTAP 9.10.1, you can:</p> <ul style="list-style-type: none"> Assign QoS policies to LUNs instead of the parent volume (VMware, Linux, Windows) Edit LUN QoS policy group Move a LUN Take a LUN offline Perform a rolling ONTAP image upgrade Create a port set and bind it to an igroup Automatic detection and repair recommendations for network wiring issues Enable or disable client access to snapshot directory Calculate reclaimable space before deleting snapshots Access continuously available field changes in SMB shares View capacity measurements using more accurate display units Manage host-specific users and groups for Windows and Linux Manage AutoSupport settings Resize volumes as a separate action

What's new in ONTAP 9.9.1

Learn about the new capabilities available in ONTAP 9.9.1.

For details about known issues, limitations, and upgrade cautions in recent ONTAP 9 releases, refer to the

[ONTAP 9 Release Notes](#). You must sign in with your NetApp account or create an account to access the Release Notes.

- Learn about new and enhanced [ONTAP MetroCluster features](#).
- Learn about [new and enhanced support for AFF, ASA, and FAS systems and supported switches](#).
- Learn about updates to the [ONTAP REST API](#).

To upgrade to the latest version of ONTAP, see [Prepare to upgrade ONTAP](#).

Data protection

Update	Description
Storage efficiency support on SnapLock volumes and aggregates	Storage efficiency capabilities for SnapLock volumes and aggregates have been extended to include data compaction, cross-volume deduplication, adaptive compression, and TSSE (Temperature Sensitive Storage Efficiency), allowing for greater space savings for WORM data.
Support for configuring different snapshot policies on SVM DR source and destination	SVM DR configurations can use the mirror-vault policy to configure different snapshot policies on the source and destination, and the policies on the destination are not overwritten by the policies on the source.
System Manager support for SnapMirror Cloud	SnapMirror Cloud is now supported in System Manager.
Auditing-enabled SVMs	The maximum number of auditing-enabled SVMs supported in a cluster has been increased from 50 to 400.
SnapMirror Synchronous	The maximum number of supported SnapMirror Synchronous endpoints per HA pair has increased from 80 to 160.
FlexGroup SnapMirror topology	FlexGroup volumes support two or more fanout relationships; for example A→B, A→C. Like FlexVol volumes, FlexGroup fanout supports a maximum of 8 fanout legs, and cascading up to two-levels; for example, A→B→C.

File access protocols

Update	Description
LDAP referral chasing enhancements	LDAP referral chasing is supported with LDAP signing and sealing, encrypted TLS connections, and communications over LDAPS port 636.
LDAPS support on any port	LDAPS can be configured on any port; port 636 remains the default.
NFSv4.x versions enabled by default	NFSv4.0, NFSv4.1, and NFSv4.2 are enabled by default.
Labeled NFSv4.2 support	Mandatory Access Control (MAC) labeled NFS is supported when NFSv4.2 is enabled. With this functionality, ONTAP NFS servers are MAC-aware, storing and retrieving <code>sec_label</code> attributes sent by clients.

Networking

Update	Description
Cluster resiliency	<ul style="list-style-type: none"> Port monitoring and avoidance for two-node switchless clusters (previously available only in switched configurations) Automatic node failover when a node cannot serve data across its cluster network New tools to display which cluster paths are experiencing packet loss
Virtual IP (VIP) LIF extension	<ul style="list-style-type: none"> Autonomous system number (ASN) for border gateway protocol (BGP) supports a 4-byte non-negative integer. Multi-exit discriminator (MED) enables advanced route selections with support for path prioritization. MED is an optional attribute in the BGP update message. VIP BGP provides default route automation using BGP peer grouping to simplify configuration.

S3 object storage

Update	Description
S3 metadata and tag support	The ONTAP S3 server provides enhanced automation capabilities to S3 clients and applications with support for user-defined object metadata and object tagging.

SAN

Update	Description
Foreign LUN import (FLI)	The SAN LUN Migrate App on the NetApp Support Site can be used to qualify a foreign array that is not listed in the FLI interoperability matrix.
NVMe-oF remote path access	If direct path access is lost in failover, remote I/O allows the system to failover to a remote path and continue data access.
Support for 12-node clusters on ASAs	12-node clusters are supported for AFF ASA configurations. ASA clusters can include a mix of various ASA system types.
NVMe-oF protocol on ASAs	The NVMe-oF protocol support is also available with an AFF ASA system.
Enhancements to igroups	<ul style="list-style-type: none"> You can create an igroup that consists of existing igroups. You can add a description to an igroup or host initiators that serves as an alias for the igroup or host initiator. You can map igroups to two or more LUNs simultaneously.
Single LUN performance improvement	Single LUN performance for AFF has been significantly improved, making it ideal for simplifying deployments in virtual environments. For example, A800 can provide up to 400% more Random Read IOPs.

Security

Update	Description
Support for multifactor authentication with Cisco DUO when logging in to System Manager	Beginning with ONTAP 9.9.1P3, you can configure Cisco DUO as a SAML identity provider (IdP), enabling users to authenticate using Cisco DUO when they log in to System Manager.

Storage efficiency

Update	Description
Set number of files to maximum for volume	Automate file maximums with the volume parameter <code>-files-set -maximum</code> , eliminating the need to monitor file limits.

Storage resource management enhancements

Update	Description
File System Analytics (FSA) management enhancements in System Manager	FSA provides additional System Manager capabilities for search and filtering, and for taking action on FSA recommendations.
Support for negative lookup cache	Caches a "file not found" error on the FlexCache volume to reduce network traffic caused by calls to the origin.
FlexCache disaster recovery	Provides non-disruptive migration of clients from one cache to another.
SnapMirror cascade and fanout support for FlexGroup volumes	Provides support for SnapMirror cascade and SnapMirror fanout relationships for FlexGroup volumes.
SVM disaster recovery support for FlexGroup volumes	SVM disaster recovery support for FlexGroup volumes provides redundancy by using SnapMirror to replicate and synchronize an SVM's configuration and data.
Logical space reporting and enforcement support for FlexGroup volumes	You can display and limit the amount of logical space consumed by FlexGroup volume users.
SMB access support in qtrees	SMB access is supported to qtrees in FlexVol and FlexGroup volumes with SMB enabled.

System Manager

Update	Description
System Manager displays risks reported by Digital Advisor	Use System Manager to link to Active IQ Digital Advisor (also known as Digital Advisor), which reports opportunities to reduce risk and improve the performance and efficiency of your storage environment.
Manually assign local tiers	System Manager users can assign a local tier manually when they are creating and adding volumes and LUNs.
Asynchronous directory delete	Directories can be deleted in System Manager with low-latency asynchronous directory delete functionality.

Update	Description
Generate Ansible Playbooks	System Manager users can generate Ansible Playbooks from the UI for a few select workflows and can use them in an automation tool to repeatedly add or edit volumes or LUNs.
Hardware Visualization	First introduced in ONTAP 9.8, the Hardware Visualization feature now supports all AFF platforms.
Digital Advisor integration	System Manager users can view support cases associated with the cluster and download. They can also copy cluster details they need to submit new support cases on the NetApp Support site. System Manager users can receive alerts from Digital Advisor to inform them when new firmware updates are available. Then, they can download the firmware image and upload it using System Manager.
Cloud Manager integration	System Manager users can set up protection to back up data to public cloud endpoints using the Cloud Backup Service.
Data protection provisioning workflow enhancements	System Manager users can manually name a SnapMirror destination and igrp name when setting up data protection.
Enhanced network port management	The network interfaces page has enhanced capabilities to display and manage interfaces on their home ports.
System management enhancements	<ul style="list-style-type: none"> Support for nested igrps Map multiple LUNs to an igrp in a single task and can use a WWPN alias for filtering during the process. During the NVMe-oF LIF creation, you no longer need to select identical ports on both the controllers. Disable FC ports with a toggle button for each port.
Enhanced display in System Manager of information about snapshots	<ul style="list-style-type: none"> System Manager users can view the size of snapshots and the SnapMirror label. Snapshot reserves are set to zero if snapshots are disabled.
Enhanced display in System Manager about capacity and location information for storage tiers	<ul style="list-style-type: none"> A new Tiers column identifies the local tiers (aggregates) in which each volume resides. System Manager shows the physical used capacity along with the logical used capacity at the cluster level as well as the local tier (aggregate) level. New capacity display fields allow monitor capacity, tracking volumes approaching capacity or that are underutilized.
Display in System Manager of EMS emergency alerts and other errors and warnings	The number of EMS alerts received in 24 hours, as well as other errors and warnings, are shown in the Health card in System Manager.

Changes to ONTAP limits and defaults

Learn about some of the changes to limits and defaults implemented in ONTAP 9 releases. NetApp strives to help its customers understand the most important default and

limit changes in each ONTAP release.

Changes to ONTAP defaults

Before you upgrade to a new ONTAP release, you should be aware of any changes to ONTAP default settings that might affect your automation or business operations.

Feature	Default change	Changed in release...
Autonomous Ransomware Protection (ARP)	ARP/AI is automatically enabled by default on all new volumes after a 12-hour grace period on supported platforms.	ONTAP 9.18.1
Volume defaults	Volumes created on newly created SVMs on ONTAP clusters allocated for NAS protocols have File System Analytics (FSA) enabled by default.	ONTAP 9.17.1
HTTP Strict Transport Security (HSTS)	HSTS is enabled by default in 9.17.1.	ONTAP 9.17.1
NAS audit	<p>The maximum limits for <code>file-session-io-grouping-count</code> and <code>file-session-io-grouping-duration</code> parameters have increased so that you can optionally select fewer, more consolidated NAS audit event notifications. This benefits SVMs with high rates of IO, reducing the storage impact on the destination volume.</p> <p><code>NFS_FILE_SESSION_IO_GROUPING_COUNT_MAX</code>: 20000 to 120000 <code>NFS_FILE_SESSION_IO_GROUPING_DURATION_MAX</code>: 600 to 3600</p>	ONTAP 9.16.1
Maximum volumes per node for FAS systems	For FAS systems with greater than 200GB RAM per controller, the maximum supported number of volumes per node increases from 1000 to 2500. In earlier versions of ONTAP, a Data Protection Optimized (DPO) license was needed to increase ONTAP FAS system support from 1000 to 2500 volumes per node.	ONTAP 9.16.1
Load-sharing mirrors	When you create a load-sharing mirror relationship, the SVM cannot have a storage limit enabled.	ONTAP 9.16.1
<code>vserver object-store-server user show</code> command	In releases prior to ONTAP 9.15.1, the <code>vserver object-store-server user show</code> command would return the S3 user's secret keys. The command will no longer return secret key data for S3 users.	ONTAP 9.15.1
NAS audit	NAS audit configuration allows retaining all audit log records by default. A revised value for the <code>rotate-limit</code> parameter ensures the audit log is sized properly for the volume supporting it.	ONTAP 9.15.1

Feature	Default change	Changed in release...
Space allocation	Space allocation is enabled by default for newly created LUNs. Space allocation had been disabled by default in previous versions of ONTAP (9.14.1 and earlier).	ONTAP 9.15.1
NVMe/TCP automated host discovery	Host discovery of controllers using the NVMe/TCP protocol is automated by default.	ONTAP 9.14.1
AES encryption for Kerberos-based communication	AES encryption for authentication is enabled by default for Kerberos-based communication with SMB servers. You can disable AES encryption manually if your environment does not support it.	ONTAP 9.13.1
RAID aggregate	Beginning with ONTAP 9.12.1, the system controller will not shut down by default after 24 hours if any aggregate is degraded. If a user changes the <code>raid.timeout</code> option, the system controller will continue to shut down after the expiration of <code>raid.timeout</code> hours.	ONTAP 9.12.1
TLS 1.1 disabled by default	TLS 1.1 is disabled by default for new installations of ONTAP. Systems that are upgraded to ONTAP 9.12.0 and later that already have TLS 1.1 enabled are not affected as the upgrade will leave TLS 1.1 in an enabled state. However, if you're upgrading clusters with FIPS enabled, TLS 1.1 is not supported with FIPS beginning with ONTAP 9.11.1, thus TLS 1.1 will automatically be disabled. When disabled by default, TLS 1.1 can be manually enabled as needed.	ONTAP 9.12.0
TLS 1.0 disabled by default	TLS 1.0 is disabled by default for new installations of ONTAP. Systems that are upgraded to ONTAP 9.8 and later that already have TLS 1.0 enabled are not affected as the upgrade will leave TLS 1.0 in an enabled state. However, if you're upgrading clusters with FIPS enabled, TLS 1.0 is not supported with FIPS beginning with ONTAP 9.8, thus TLS 1.0 will automatically be disabled. When disabled by default, TLS 1.0 can be manually enabled as needed.	ONTAP 9.8

Changes to ONTAP limits

Before you upgrade to a new ONTAP release, you should be aware of any changes to ONTAP limits that might affect your automation or business operations.

Feature	Limit change	Changed in release...
Qtree extended performance monitoring	You can enable extended performance monitoring for a maximum of 50,000 qtrees in a single ONTAP cluster.	ONTAP 9.16.1
SnapMirror active sync	SnapMirror active sync supports 80 volumes in a consistency group	ONTAP 9.15.1

Feature	Limit change	Changed in release...
SnapMirror asynchronous	Consistency groups using SnapMirror asynchronous protection support up to 80 volumes in a consistency group.	ONTAP 9.15.1
File System Analytics	To mitigate performance issues, ONTAP enforces that 5-8% of a volume's capacity must be free when enabling File System Analytics.	ONTAP 9.15.1
SVM data mobility	The maximum number of supported volumes per SVM with SVM data mobility increases to 400 and the number of supported HA pairs increases to 12.	ONTAP 9.14.1
FlexGroup rebalancing	The minimum configurable file size for FlexGroup rebalancing operations is increased from 4 KB to 20 MB.	<ul style="list-style-type: none"> ONTAP 9.14.1 ONTAP 9.13.1P1 ONTAP 9.12.1P10
FlexVol and FlexGroup volume size limit	The maximum supported FlexVol and FlexGroup volume constituent size on AFF and FAS platforms is increased from 100 TB to 300 TB.	ONTAP 9.12.1P2
LUN size limit	The maximum supported LUN size on AFF and FAS platforms is increased from 16 TB to 128 TB. The maximum supported LUN size in SnapMirror configurations (both synchronous and asynchronous) is increased from 16 TB to 128 TB.	ONTAP 9.12.1P2
FlexVol volume size limit	The maximum supported volume size on AFF and FAS platforms is increased from 100 TB to 300 TB. The maximum supported FlexVol volume size in SnapMirror synchronous configurations is increased from 100 TB to 300 TB.	ONTAP 9.12.1P2
File size limit	The maximum supported file size for NAS file systems on AFF and FAS platforms is increased from 16 TB to 128 TB. The maximum supported file size in SnapMirror synchronous configurations is increased from 16 TB to 128 TB.	ONTAP 9.12.1P2
Cluster volume limit	Increase the ability for controllers to more fully utilize CPU and memory and increase maximum volume count for a cluster from 15,000 to 30,000.	ONTAP 9.12.1
SVM-DR relationships for FlexVol volumes	For FlexVol volumes, the maximum number of SVM-DR relationships has increased from 64 to 128 (128 SVMs per cluster).	ONTAP 9.11.1
SnapMirror synchronous	The maximum number of SnapMirror synchronous operations allowed per HA pair has increased from 200 to 400.	ONTAP 9.11.1
NAS FlexVol volumes	The cluster limit for NAS FlexVol volumes has increased from 12,000 to 15,000.	ONTAP 9.10.1
SAN FlexVol volumes	The cluster limit for SAN FlexVol volumes has increased from 12,000 to 15,000.	ONTAP 9.10.1

Feature	Limit change	Changed in release...
SVM-DR with FlexGroup volumes	<ul style="list-style-type: none"> A maximum of 32 SVM-DR relationships is supported with FlexGroup volumes. The maximum number of volumes supported in a single SVM in an SVM-DR relationship is 300, which includes the number of FlexVol volumes and FlexGroup constituents. The maximum number of constituents in a FlexGroup cannot exceed 20. SVM-DR volume limits are 500 per node, 1000 per cluster (including FlexVol volumes and FlexGroup constituents). 	ONTAP 9.10.1
Auditing-enabled SVMs	The maximum number of auditing-enabled SVMs supported in a cluster has been increased from 50 to 400.	ONTAP 9.9.1
SnapMirror synchronous	The maximum number of supported SnapMirror synchronous endpoints per HA pair has increased from 80 to 160.	ONTAP 9.9.1
FlexGroup SnapMirror topology	FlexGroup volumes support two or more fanout relationships; for example, A to B, A to C. Like FlexVol volumes, FlexGroup fanout supports a maximum of 8 fanout legs and cascading up to two-levels; for example, A to B to C.	ONTAP 9.9.1
SnapMirror concurrent transfer	The maximum number of asynchronous volume-level concurrent transfers has increased from 100 to 200. SnapMirror Cloud transfers have increased from 32 to 100 on high-end systems and from 6 to 20 SnapMirror transfers on low-end systems.	ONTAP 9.8
FlexVol volumes limit	The space consumed by FlexVol volumes has increased from 100 TB to 300 TB for ASA platforms.	ONTAP 9.8

ONTAP 9 release support

Beginning with the ONTAP 9.8 release, NetApp delivers ONTAP releases twice per calendar year. Though plans are subject to change, the intent is to deliver new ONTAP releases in the second and fourth quarter of each calendar year. Use this information to plan the time frame of your upgrade to take advantage of the latest ONTAP release.

Version	Release date
9.18.1	November 2025
9.17.1	September 2025
9.16.1	January 2025

Version	Release date
9.15.1	July 2024
9.14.1	January 2024
9.13.1	June 2023
9.12.1	February 2023
9.11.1	July 2022
9.10.1	January 2022
9.9.1	June 2021

 If you are running an ONTAP version prior to 9.10.1, it is likely on Limited Support or Self-Service Support. Consider upgrading to versions with full support. You can verify the level of support for your version of ONTAP on the [NetApp Support Site](#).

Support levels

The level of support available for a specific version of ONTAP varies depending upon when the software was released.

Support level	Full support			Limited support		Self-service support		
Year	1	2	3	4	5	6	7	8
Access to online documentation	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Technical support	Yes	Yes	Yes	Yes	Yes			
Root-cause analysis	Yes	Yes	Yes	Yes	Yes			
Software downloads	Yes	Yes	Yes	Yes	Yes			
Service updates (patch releases [P-releases])	Yes	Yes	Yes					
Alerts about vulnerabilities	Yes	Yes	Yes					

To upgrade to the latest release of ONTAP, see [Upgrade to the latest version of ONTAP](#) and [When should I upgrade ONTAP?](#)

Copyright information

Copyright © 2026 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—with prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.