



Restore guest files and folders from VMDKs

SnapCenter Plug-in for VMware vSphere 4.4

Madhulika Kola
October 06, 2020

Table of Contents

Restore guest files and folders from VMDKs 1

Restore guest files and folders from VMDKs

You can restore one or more files or folders from a VMDK on a Windows guest OS.

About this task

By default, the attached virtual disk is available for 24 hours and then it is automatically detached. You can choose in the wizard to have the session automatically deleted when the restore operation completes, or you can manually delete the Guest File Restore session at any time, or you can extend the time in the **Guest Configuration** page.

Guest file or folder restore performance depends upon two factors: the size of the files or folders being restored; and the number of files or folders being restored. Restoring a large number of small-sized files might take a longer time than anticipated compared to restoring a small number of large-sized files, if the data set to be restored is of same size.



Only one attach or restore operation can run at the same time on a VM. You cannot run parallel attach or restore operations on the same VM.



The guest restore feature allows you to view and restore system and hidden files and to view encrypted files. Do not attempt to overwrite an existing system file or to restore encrypted files to an encrypted folder. During the restore operation, the hidden, system, and encrypted attributes of guest files are not retained in the restored file. Viewing or browsing reserved partitions might cause an error.

Steps

1. Click **Menu** and select the **Hosts and Clusters** menu option, then select a VM, then select **NetApp SnapCenter**, and then click **Guest File Restore**.
2. In the VMware vSphere web client, click **Guest File Restore** from the secondary drop-down list to start the wizard.
3. On the **Restore Scope** page, specify the backup that contains the virtual disk you want to attach by doing the following:
 - a. In the **Backup Name** table, select the backup that contains the virtual disk that you want attach.
 - b. In the **VMDK** table, select the virtual disk that contains the files or folders you want to restore.
 - c. In the **Locations** table, select the location, primary or secondary, of the virtual disk that you want to attach.
4. On the **Guest Details** page, do the following.
 - a. Choose where to attach the virtual disk:

Select this option...	If...
Use Guest VM	You want to attach the virtual disk to the VM that you right-clicked before you started the wizard, and then select the credential for the VM. Note: Credentials must already be created for the VM.

Select this option...	If...
Use Guest File Restore proxy VM	You want to attach the virtual disk to a proxy VM, and then select the proxy VM. The proxy VM must be configured before the attach and restore operation begins.

- b. Select the **Send email notification** option.

This option is required if you want to be notified when the attach operation finishes, and the virtual disk is available. The notification email includes the virtual disk name, the VM name, and the newly assigned drive letter for the VMDK.



Enable this option because a guest file restore is an asynchronous operation and there might be a time latency to establish a guest session for you.

This option uses the email settings that are configured when you set up the VMware vSphere web client in vCenter.

5. Review the summary, and then click **Finish**.

Before you click **Finish**, you can go back to any page in the wizard and change the information.

6. Wait until the attach operation completes.

You can view the progress of the attach operation in the Guest File Restore page, or in the Dashboard job monitor, or you can wait for the email notification.

7. To find the files that you want to restore from the attached virtual disk, click **Menu > SnapCenter Plug-in for VMware vSphere**, then in the left Navigator pane click **Guest File Restore** and select the **Guest Configuration** tab.

In the Guest Session Monitor table, you can display additional information about a session by clicking *...*in the right column.

8. Select the guest file restore session for the virtual disk that was listed in the notification email.

All partitions are assigned a drive letter, including system reserved partitions. If a VMDK has multiple partitions, you can select a specific drive by selecting the drive in the drop-down list in the drive field at the top of the Guest File Browse page.

9. Click the **Browse Files** icon to view a list of files and folders on the virtual disk.

When you double click a folder to browse and select individual files, there might be a time latency while fetching the list of files because the fetch operation is performed at run time.

For easier browsing, you can use filters in your search string. The filters are case-sensitive, Perl expressions without spaces. The default search string is `.*`. The following table shows some example Perl search expressions.

This expression...	Searches for...
.	Any character except a newline character.
.*	Any string. This is the default.

This expression...	Searches for...
a	The character a.
ab	The string ab.
a [vertical bar] b	The character a or b.
a*	Zero or more instances of the character a.
a+	One or more instances of the character a.
a?	Zero or one instance of the character a.
a{x}	Exactly x number of instances of the character a.
a{x,}	At least x number of instances of the character a.
a{x,y}	At least x number of instances of the character a ,and, at most, y number.
\	Escapes a special character.

The Guest File Browse page displays all hidden files and folders in addition to all other files and folders.

10. Select one or more files or folders that you want to restore, and then click **Select Restore Location**.

The files and folders to be restored are listed in the Selected File(s) table.

11. In the **Select Restore Location** page, specify the following:

Option	Description
Restore to path	Enter the UNC share path to the guest where the selected files will be restored. For example: \\10.60.136.65\c\$
If original file(s) exist	Select the action to be taken if the file or folder to be restored already exists on the restore destination: Always overwrite or Always skip. Note: If the folder already exists, then the contents of the folder are merged with the existing folder.
Disconnect Guest Session after successful restore	Select this option if you want the guest file restore session to be deleted when the restore operation completes.

12. Click **Restore**.

You can view the progress of the restore operation in the Guest File Restore page, or in the Dashboard job monitor, or you can wait for the email notification. The time it takes for the email notification to be sent depends upon the length of time of the restore operation.

The notification email contains an attachment with the output from the restore operation. If the restore operation fails, open the attachment for additional information.

Copyright Information

Copyright © 2020 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.