



Manage tracing

NetApp SMI-S Provider

NetApp
October 22, 2024

Table of Contents

- Manage tracing 1
 - Specifying trace settings 1
 - Specify trace file size 2
 - Specify the number of trace files saved 3

Manage tracing

You can configure how SMI-S Provider manages trace files, such as specifying the components to be traced, the target to which trace messages are written, the level of tracing, and the trace file location.

Specifying trace settings

Having tracing enabled is important for gathering information for troubleshooting. However, having tracing enabled can impact performance, so carefully consider what must be traced and how long you need tracing enabled.

Before you begin

- You must already have login credentials as Administrator.
- You must already have logged in to the host system as Administrator.

Steps

1. Access NetApp SMI-S Provider.
2. Specify various trace settings as applicable:

Action	Command
Specify the components to be traced	<code>cimconfig -s traceComponents=<i>components</i> -p</code>
Specify the trace facility	<code>cimconfig -s traceFacility=<i>facility</i> -p</code>
Specify the location of the trace file	<code>cimconfig -s traceFilePath=<i>path_name</i> -p</code>
Specify the trace level	<code>cimconfig -s traceLevel=<i>level</i> -p</code>

3. Restart the CIM server:

```
smis cimserver restart
```

Trace setting values

You can specify the components to trace, the trace target, and the level of tracing. Optionally, you can change the name and location of the trace file if you do not want to use the default trace file name and location.

You can configure the following trace settings:

- **traceComponents**

Specifies the components to be traced. By default, all components are traced.

- **traceFacility**

Specifies the target to which trace messages are written:

- File

This is the default value, which specifies that trace messages are written to the file specified by the `traceFilePath` configuration option.

- Log

Specifies that trace messages are written to the `cimserver_standard` log file.

- **traceFilePath**

Specifies the location of the trace file. By default, the trace file is named `cimserver.trc` and is located in the `traces` directory.

- **traceLevel**

Specifies the level of tracing. By default, tracing is disabled.

Trace level	Trace messages written
0	Tracing is disabled.
1	Severe and log messages.
2	Basic flow trace messages (low data detail)
3	Inter-function logic flow (medium data detail)
4	High data detail
5	High data detail + Method enter and exit

Specify trace file size

If tracing is enabled, the maximum trace file size is 100 MB by default. You can increase or decrease the maximum trace file size by setting the environment variable `PEGASUS_TRACE_FILE_SIZE`. The value of the trace file size can be 10 MB through 2 GB.

Before you begin

- You must already have login credentials as Administrator.
- You must already have logged in to the host system as Administrator.

Steps

1. Access NetApp SMI-S Provider.
2. Create a system or user environment variable named `PEGASUS_TRACE_FILE_SIZE` with the new trace file size in bytes.

Windows documentation has more information about creating environment variables.

3. Restart the CIM server:

```
smis cimserver restart
```

Specify the number of trace files saved

If tracing is enabled, seven trace files are saved by default. If you need more trace files saved, you can increase the maximum number of trace files saved by setting the environment variable `PEGASUS_TRACE_FILE_NUM`. If you increase the maximum number of trace files saved, you must ensure that the system has enough space on its hard drive to accommodate the trace files.

Before you begin

- You must already have login credentials as Administrator.
- You must already have logged in to the host system as Administrator.

About this task

If tracing is enabled, tracing information is written to the `cimserver.trc` file. The trace files are rotated. When `cimserver.trc` reaches the maximum trace file size, its contents are moved to the `cimserver.trc.n` file. By default, `n` is a value from 0 through 5. If you need more trace files saved, you increase the value of `n`.

Steps

1. Access NetApp SMI-S Provider.
2. Create a system or user environment variable named `PEGASUS_TRACE_FILE_NUM` with the new number of trace files saved.

Windows documentation has more information about creating environment variables.

3. Restart the CIM server:

```
smis cimserver restart
```

Copyright information

Copyright © 2024 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.