



DB2 plug-in

Snap Creator Framework

Zachary Wambold
January 19, 2021

This PDF was generated from https://docs.netapp.com/us-en/snap-creator-framework/administration/reference_db2_plug_in.html on October 26, 2021. Always check docs.netapp.com for the latest.

Table of Contents

DB2 plug-in..... 1

DB2 plug-in

The DB2 plug-in uses the db2 command to communicate with the database.

The following table lists the DB2 plug-in parameters, provides the parameter settings, and describes the parameters.

Parameter	Setting	Description
APP_NAME	db2	Provides the application name.
DB2_DATABASES	db_name:user_name	Lists the DB2 databases and the user name. Multiple databases and user names can be specified as a semicolon-separated list: for example, db1:user1;db2:user2.
DB2_CMD	path_to_db2cli_cmd	<p>Specifies the path that is used to initialize the database connection so that further commands can be executed on the database.</p> <ul style="list-style-type: none">• UNIX-based environment:db2_install_directory/sqlllib/bin/db2 <p>For example: /home/db2inst1/sqlllib/bin/db2</p> <ul style="list-style-type: none">• Windows: db2_install_directory\SQLLIB\BIN\db2cmd.exe <p>For example: C:\Program Files\IBM\SQLLIB\BIN\db2cmd.exe</p> <p>If a path is not specified, then sqlllib/db2 is used as the path.</p>

Note: The DB2 plug-in handles Write Anywhere File Layout (WAFL) operations by default. If you want to back up a consistency group backup with the DB2 plug-in, you should set the parameter to NTAP_CONSISTENCY_GROUP_WAFL_SYNC parameter to N. If you set this parameter to Y, additional and redundant synchronizing operations are performed.

For the latest information about support or to view compatibility matrices, see the Interoperability Matrix.

Related information

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.