



# Performing a volume restore

## Snap Creator Framework

Zachary Wambold  
January 19, 2021

# Table of Contents

Performing a volume restore ..... 1

# Performing a volume restore

You can use the IBM Domino plug-in to perform point-in-time, up-to-the-minute, or selectable up-to-the-minute volume restores for all major storage types.

Make sure to:

- Set the Data Restore Directory in the configuration file to the Domino data directory.
- Stop the Domino server.

Volume restore options are as follows:

| Restore type                                 | Description   |
|--|---|
| Volume restore (point-in-time)               | Restores the entire volume to its state at the time of the Snapshot copy.   |
| Volume restore (up-to-the-minute)            | Restores the entire volume to its state at the time of the Snapshot copy, then plays forward Domino transaction logs to the most recent copy. |
| Volume restore (selectable up-to-the-minute) | Restores the entire volume to its state at the time of the Snapshot copy, then plays forward Domino transaction logs to a specified time.     |



For up-to-the-minute and selectable point-in-time restores, Domino transaction logging must be enabled.

Transaction logs can only be played forward. Selecting a time before the Snapshot copy was created causes a restore error.

1. In the Profiles and Configurations pane, select the configuration file and click **Actions > Restore**.

Selecting **Restore** automatically launches the Snap Creator Framework Restore wizard. Throughout the Restore wizard, click **Next** to advance to the next page. Click **Back** to return to the previous page.



If you are restoring from a SnapVault copy, you are prompted to restore from primary or secondary storage. Your selection depends on how you are handling the limitation described in [Restoring databases](#).

2. On the Restore details page, specify the restore details:

| For this field...       | Do this...   |
|-------------------------|--|
| Controller/Vserver name | Select the SVM on the storage system you want to restore from. |
| Restore volume name     | Select the volume you want to restore from.                    |

| For this field...                                | Do this...   |
|--|--|
| Policy   | Select the policy for the backup you want to restore from. |
| Snap Creator Snapshot Copies/All Snapshot Copies | Leave the default.   |
| Restore Snapshot copy name                       | Select the Snapshot copy you want to restore from.         |
| Restore type                                     | Select <b>Volume Restore</b> .                             |

3. On the following page, specify the volume restore type:

| For this field...   | Do this...  |
|---------------------|---|
| Restore Type        | Click the volume restore type. If you choose <b>Selectable up the minute</b> , new fields are displayed where you can specify the date and time to which you want to play forward Domino transaction logs. Click <b>Ignore Validation</b> if the time on the Snap Creator Server does not match the time on the storage controller. |
| Disable Replication | Select this box to set a new Domino replica ID for restored database files.   |

4. Review the summary and click **Finish**.
5. In the Volume Restore dialog, click **OK**.

Snap Creator starts the restore job. Job information is displayed in the Console pane.

Restart the Domino server when the restore operation is complete.

## Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

## Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.