



Executing database backups

Snap Creator Framework

NetApp
April 09, 2021

This PDF was generated from https://docs.netapp.com/us-en/snap-creator-framework/sap-hana-ops/task_overview_of_database_backups.html on April 09, 2021. Always check docs.netapp.com for the latest.

Table of Contents

- Executing database backups 1
 - Overview of database backups 1
 - Backing up the database with the Snap Creator GUI 1
 - Backing up the database with Snap Creator command line 2
 - Reviewing available backups in SAP HANA Studio 3

Executing database backups

You can back up your SAP HANA database by using the Snap Creator GUI or the command line. To schedule backups, you can use the scheduler within the GUI, or you can use the command line in combination with an external scheduler like cron.

Overview of database backups

When Snap Creator is backing up the database, the following steps are executed.

1. Create a global synchronized backup save point (SAP HANA Snapshot copy) to obtain a consistent image on the persistence layer.
2. Create storage Snapshot copies for all data volumes.


In the example, there are three data volumes, which are distributed to both storage controllers, hana1a and hana1b.

3. Register the storage Snapshot backup within the SAP HANA backup catalog.
4. Delete the SAP HANA Snapshot copy.
5. Start SnapVault update for all data volumes.
6. Check SnapVault status and wait until finished or configurable timeout.
7. Delete storage Snapshot copies and delete backups in the SAP HANA backup catalog based on the defined retention policy for backups at the primary and secondary storage.
8. Delete all log backups, which are older than the oldest data backup on the file system and within the SAP HANA backup catalog.


Backing up the database with the Snap Creator GUI

You can back up a database with the Snap Creator GUI.


1. Select the **HANA_database_backup** configuration and then select **Actions > Backup**.



2. Select the backup policy and click **OK**.



The backup starts. Snap Creator triggers the “SnapVault update,” and Snap Creator waits until the data is replicated to the secondary storage. The wait time has been configured during the configuration and can be adapted in the SnapVault settings tab. Snap Creator triggers the SnapVault updates in parallel for each volume on the same storage controller, but in sequence for each storage controller.



Backing up the database with Snap Creator command line

You can also back up the database by using the Snap Creator command line.

1. To back up the database, run the following command.

```

mgmtsrv01:~ #
/opt/NetApp/Snap_Creator_Framework_411/scServer4.1.1/snapcreator
--server
localhost --port 8443 --user scadmin --passwd scadmin --profile
HANA_profile_ANA --config
ANA_database_backup --action backup --policy daily --verbose
[Wed Mar 5 14:17:08 2014] INFO: Validating policy: daily finished
successfully

##### Detecting Data ONTAP mode for hanala #####

##### Detecting Data ONTAP mode for hanalb #####
[Wed Mar 5 14:17:13 2014] INFO: STORAGE-03031: Getting system version
details of [hana2b]
[Wed Mar 5 14:17:13 2014] INFO: STORAGE-03032: Getting system version
details of [hana2b] finished successfully.
[Wed Mar 5 14:17:13 2014] INFO: STORAGE-03031: Getting system version
details of [hanala]
[Wed Mar 5 14:17:13 2014] INFO: STORAGE-03032: Getting system version
details of [hanala] finished successfully.
[Wed Mar 5 14:17:13 2014] INFO: STORAGE-03031: Getting system version
details of [hanalb]
[Wed Mar 5 14:17:13 2014] INFO: STORAGE-03032: Getting system version
details of [hanalb] finished successfully.

...
Truncated
...

```

Reviewing available backups in SAP HANA Studio

You can see the list of storage Snapshot backups in the SAP HANA Studio.

The highlighted backup in the following figure shows a Snapshot copy named “Backup-ANA_hourly_20140320103943.” This backup includes Snapshot copies for all three data volumes of the SAP HANA system. The backup is also available at the secondary storage.

Controller/Server	Volume	Access Time	Snapshot Copy Name	Location	% Cumulative T...	% Cumulative U...	% Total Backs	% Used Backs
@shana0b	backup_data_00003	Thu Mar 20 10:42:18 GMT+...	Backup-ANA-SV_hourly_20140320103943	Secondary(SnapVault)	0	0	0	0
@shana0b	backup_data_00002	Thu Mar 20 10:42:18 GMT+...	Backup-ANA-SV_hourly_20140320103943	Secondary(SnapVault)	0	0	0	0
@shana0b	backup_data_00001	Thu Mar 20 10:42:17 GMT+...	Backup-ANA-SV_hourly_20140320103943	Secondary(SnapVault)	0	0	0	0
@shana10	data_00002	Thu Mar 20 10:39:58 GMT+...	Backup-ANA-hourly_20140320103943	Primary	0	0	0	0
@shana10	data_00001	Thu Mar 20 10:39:58 GMT+...	Backup-ANA-hourly_20140320103943	Primary	0	0	0	0
@shana10	data_00003	Thu Mar 20 10:39:57 GMT+...	Backup-ANA-hourly_20140320103943	Primary	0	0	0	0
@shana0b	backup_data_00002	Thu Mar 20 09:42:20 GMT+...	Backup-ANA-SV_hourly_20140320093943	Secondary(SnapVault)	0	0	0	0
@shana0b	backup_data_00001	Thu Mar 20 09:42:19 GMT+...	Backup-ANA-SV_hourly_20140320093943	Secondary(SnapVault)	0	7	0	0
@shana0b	backup_data_00003	Thu Mar 20 09:42:19 GMT+...	Backup-ANA-SV_hourly_20140320093943	Secondary(SnapVault)	0	0	0	0
@shana0b	data_00002	Thu Mar 20 09:39:58 GMT+...	Backup-ANA-hourly_20140320093943	Primary	0	0	0	0
@shana0b	data_00001	Thu Mar 20 09:39:58 GMT+...	Backup-ANA-hourly_20140320093943	Primary	0	7	0	0
@shana10	data_00003	Thu Mar 20 09:39:57 GMT+...	Backup-ANA-hourly_20140320093943	Primary	0	0	0	0
@shana0b	backup_data_00001	Thu Mar 20 08:42:17 GMT+...	Backup-ANA-SV_hourly_20140320083943	Secondary(SnapVault)	0	15	0	0
@shana0b	backup_data_00003	Thu Mar 20 08:42:17 GMT+...	Backup-ANA-SV_hourly_20140320083943	Secondary(SnapVault)	0	0	0	0
@shana0b	backup_data_00002	Thu Mar 20 08:42:17 GMT+...	Backup-ANA-SV_hourly_20140320083943	Secondary(SnapVault)	0	0	0	0
@shana10	data_00002	Thu Mar 20 08:39:58 GMT+...	Backup-ANA-hourly_20140320083943	Primary	0	0	0	0
@shana10	data_00001	Thu Mar 20 08:39:58 GMT+...	Backup-ANA-hourly_20140320083943	Primary	0	14	0	0

The Snapshot copy name is used by Snap Creator as a backup ID when Snap Creator registers the storage Snapshot copy in the SAP HANA backup catalog. Within the SAP HANA Studio, the storage Snapshot backup is visible in the backup catalog. The external backup ID (EBID) has the same value as the Snapshot copy name as shown in the following figure.

Status	Started	Duration	Size	Backup Type	Destination Ty
Success	Mar 20, 2014 2:39:47 AM	00h 00m 12s	4.78 GB	Data Backup	Snapshot
Success	Mar 20, 2014 12:39:47 AM	00h 00m 14s	5.00 GB	Data Backup	Snapshot
Success	Mar 19, 2014 11:39:47 PM	00h 00m 12s	4.97 GB	Data Backup	Snapshot
Success	Mar 19, 2014 10:39:47 PM	00h 00m 12s	4.94 GB	Data Backup	Snapshot
Success	Mar 19, 2014 9:39:47 PM	00h 00m 12s	4.92 GB	Data Backup	Snapshot
Success	Mar 19, 2014 8:39:47 PM	00h 00m 12s	4.89 GB	Data Backup	Snapshot
Success	Mar 19, 2014 7:39:47 PM	00h 00m 12s	4.87 GB	Data Backup	Snapshot
Success	Mar 19, 2014 6:39:47 PM	00h 00m 12s	4.94 GB	Data Backup	Snapshot
Success	Mar 19, 2014 5:39:47 PM	00h 00m 12s	4.92 GB	Data Backup	Snapshot
Success	Mar 19, 2014 4:39:47 PM	00h 00m 12s	4.89 GB	Data Backup	Snapshot
Success	Mar 19, 2014 3:40:00 PM	00h 00m 08s	4.86 GB	Data Backup	Snapshot
Success	Mar 19, 2014 2:39:47 PM	00h 00m 39s	4.84 GB	Data Backup	Snapshot
Success	Mar 19, 2014 12:00:04 PM	00h 00m 12s	4.85 GB	Data Backup	Snapshot
Success	Mar 18, 2014 12:00:03 PM	00h 00m 12s	4.70 GB	Data Backup	Snapshot
Success	Mar 17, 2014 12:00:03 PM	00h 00m 12s	4.55 GB	Data Backup	Snapshot
Success	Feb 26, 2014 1:15:20 AM	00h 00m 54s	3.67 GB	Data Backup	Snapshot

Host	Service	Size	Nar	Source Type	EBID
cishana0b	index	258.04 MB	hdb	volume	Backup-ANA-hourly_20140320103943
cishana0b	xseng	65.84 MB	hdb	volume	Backup-ANA-hourly_20140320103943
cishana0b	index	258.10 MB	hdb	volume	Backup-ANA-hourly_20140320103943
cishana0b	name	78.93 MB	hdb	volume	Backup-ANA-hourly_20140320103943
cishana0b	stats	1.90 GB	hdb	volume	Backup-ANA-hourly_20140320103943
cishana0b	index	746.15 MB	hdb	volume	Backup-ANA-hourly_20140320103943
cishana10	index	257.60 MB	hdb	volume	Backup-ANA-hourly_20140320103943
cishana10	index	257.72 MB	hdb	volume	Backup-ANA-hourly_20140320103943
cishana10	index	257.85 MB	hdb	volume	Backup-ANA-hourly_20140320103943
cishana11	index	257.47 MB	hdb	volume	Backup-ANA-hourly_20140320103943
cishana11	index	257.47 MB	hdb	volume	Backup-ANA-hourly_20140320103943
cishana11	index	257.77 MB	hdb	volume	Backup-ANA-hourly_20140320103943

With every backup run, Snap Creator deletes Snapshot backups at the primary and at the secondary storage based on the retention policies defined for the different schedules (hourly, daily, and so on).

Snap Creator also deletes the backups within the SAP HANA backup catalog if the backup does not exist at the primary or secondary storage. The SAP HANA backup catalog always shows the complete list of backups that are available at the primary and/or the secondary storage.

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.