



## **Supported REST APIs**

SnapCenter Software 4.6

NetApp  
September 29, 2025

This PDF was generated from [https://docs.netapp.com/us-en/snapcenter-46/sc-automation/reference\\_supported\\_rest\\_apis.html](https://docs.netapp.com/us-en/snapcenter-46/sc-automation/reference_supported_rest_apis.html) on September 29, 2025. Always check [docs.netapp.com](https://docs.netapp.com) for the latest.

# Table of Contents

Supported REST APIs .....	1
REST APIs supported for other plug-ins .....	1
Auth .....	1
Domains .....	1
Jobs .....	1
Settings .....	1
Hosts .....	1
Resources .....	2
Backups .....	2
Clones .....	2
Clonesplit .....	2
Resource Groups .....	2
Policies .....	2
Storage .....	2
Share .....	3
Plugins .....	3
Reports .....	3
Alerts .....	3
Rbac .....	3
Configuration .....	3
CertificateSettings .....	4
Repository .....	4
REST API supported for disaster recovery of SnapCenter Server .....	4

# Supported REST APIs

## REST APIs supported for other plug-ins

The resources available through the SnapCenter REST API are organized in categories, as displayed on the SnapCenter API documentation page. A brief description of each of the resources with the base resource paths is presented below, along with additional usage considerations where appropriate.

### Auth

You can use this API call to log into the SnapCenter Server. This API returns a user authorization token that is used to authenticate subsequent requests.

### Domains

You can use these API calls to perform the following:

- retrieve all the domains
- retrieve details of a specific domain
- register or unregister a domain
- modify a domain

### Jobs

You can use these API calls to perform the following:

- retrieve all the jobs
- retrieve status of a job
- cancel or stop a job

### Settings

You can use these API calls to perform the following:

- register, view, modify, or remove a credential
- configure notification settings

### Hosts

You can use these API calls to perform the following:

- retrieve host details
- retrieve the plug-in installed and their resource details
- add, remove, or modify a plug-in host
- install or upgrade plug-ins

## Resources

You can use these API calls to perform the following:

- retrieve resources
- create, modify, or remove resources
- protect a resource
- back up, restore, or clone a resource

## Backups

You can use these API calls to perform the following:

- retrieve backup details
- rename or delete backups

## Clones

You can use these API calls to perform the following:

- retrieve clone details
- delete clones

## Clonesplit

You can use these API calls to perform the following:

- retrieve the status of a clone split operation
- start or stop a clone split operation

## Resource Groups

You can use these API calls to perform the following:

- retrieve details of a resource group
- create, modify, or delete a resource group
- back up a resource group

## Policies

You can use these API calls to perform the following:

- retrieve policy details
- create, modify, or delete policies

## Storage

You can use these API calls to perform the following:

- retrieve storage details
- create, modify, or delete a storage
- discover resources on a storage
- create or delete a share on the storage

## Share

You can use these API calls to perform the following:

- retrieve the details of a share
- create or delete a share on the storage

## Plugins

You can use these API calls to retrieve all the plug-ins on a host and perform different operations.

## Reports

You can use these API calls to perform the following:

- generate backup, restore, clone, and plug-in reports
- add, run, delete, or modify schedules

## Alerts

You can use these API calls to perform the following:

- retrieve all the alerts
- delete alerts

## Rbac

You can use these API calls to perform the following:

- retrieve details of users, groups, and roles
- add users
- create, modify, or delete roles
- assign or unassign roles and groups

## Configuration

You can use these API calls to perform the following:

- view the configuration settings
- modify the configuration settings

## CertificateSettings

You can use these API calls to perform the following:

- view the certificate status
- modify the certificate settings

## Repository

You can use these API calls to perform the following:

- backup and restore the NSM repository
- protect and unprotect the NSM repository
- failover
- rebuild the NSM repository

# REST API supported for disaster recovery of SnapCenter Server

SnapCenter disaster recovery (DR) functionality uses REST APIs to backup SnapCenter Server. Using REST APIs, you can perform the following operations on the REST APIs Swagger page. For information to access the Swagger page, see [How to access REST APIs using the swagger API web page](#).

### What you will need

- You should log in as the SnapCenter Admin user.
- The SnapCenter Server should be up and running to run DR restore API.

### About this task

SnapCenter Server DR supports all plug-ins.

Step	Description	REST API	HTTP method
1	<p>Fetch existing SnapCenter Server DR backups</p> <p> You must provide the backup name and the target path where the DR backups must be stored.</p>	/4.5/disasterrecovery/server/backup?targetpath={path}	GET
2	Create a new Server DR backup. Restores a SnapCenter Server from a specified Server DR backup.	/4.5/disasterrecovery/server/backup	POST

Step	Description	REST API	HTTP method
3	<p>Restores a SnapCenter Server from a specified Server DR backup.</p> <p><b>Prerequisites</b></p> <ul style="list-style-type: none"> <li>The alternate server host name should be same as the primary server, but the IP address can be different.</li> <li>Server version should be the same as the primary server.</li> <li>Host name should be the same as the primary server.</li> <li>Ensure the DR backup files are copied to the new SnapCenter server using the following command:</li> </ul> <pre>xcopy &lt;Ssource_Path&gt; \\&lt;Destination_Server_IP&gt; \&lt;Folder_Path&gt; /O /X /E /H /K {ex : xcopy C:\DRBackup \\10.225.81.114\c\$\DRBackup /O /X /E /H /K}</pre> <p>If the plug-in is not able to resolve the server hostname, log into each of the plug-in host and add the etc/host entry for the new IP in the format: &lt;New IP&gt; SC_Server_Name</p> <p>For example, 10.225.81.35 SCServer1</p> <p>The server etc/host entries will not be restored. You can restore it manually from the DR backup folder.</p>	/4.5/disasterrecovery/server/restore	POST
4	Delete the Server DR backup based on backup name.	/4.5/disasterrecovery/server/backup	DELETE
5	Enable or disable the storage DR	/4.5/disasterrecovery/storage	POST

For more information, see the [Disaster Recovery APIs](#) video.

## Copyright information

Copyright © 2025 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—with prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

**LIMITED RIGHTS LEGEND:** Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

## Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.