



Configuration variables for role-based access control

Snapdrive for Unix

Ivana Devine
January 21, 2021

Table of Contents

Configuration variables for role-based access control 1

Configuration variables for role-based access control

You must set the various configuration variables related to role-based access control in the `snapdrive.conf` file.

Variable	Description
<code>contact-http-dfm-port = 8088</code>	Specifies the HTTP port to use for communicating with an Operations Manager console server. The default value is 8088.
<code>contact-ssl-dfm-port = 8488</code>	Specifies the SSL port to use for communicating with an Operations Manager console server. The default value is 8488.
<code>rbac-method=dfm</code>	<p>Specifies the access control methods. The possible values are <code>native</code> and <code>dfm</code>.</p> <p>If the value is <code>native</code>, the access control file stored in <code>/vol/vol0/sdprbac/sdhost-name.prbac</code> is used for access checks.</p> <p>If the value is set to <code>dfm</code>, Operations Manager console is a prerequisite. In such a case, SnapDrive for UNIX sends access checks to the Operations Manager console.</p>
<code>rbac-cache=on</code>	<p>SnapDrive for UNIX maintains a cache of access check queries and the corresponding results. SnapDrive for UNIX uses this cache only when all the configured Operations Manager console servers are down.</p> <p>You can set this value to either <code>on</code> to enable cache, or to <code>off</code> to disable it. The default value is <code>off</code> so that you can configure SnapDrive for UNIX to use Operations Manager console and set the <code>rbac-method</code> configuration variable to <code>dfm</code>.</p>
<code>rbac-cache-timeout</code>	<p>Specifies the <code>rbac</code> cache timeout period and is applicable only when the <code>rbac-cache</code> is enabled. The default value is 24 hrs.</p> <p>SnapDrive for UNIX uses this cache only when all the configured Operations Manager console servers are down.</p>

Variable	Description
<i>use-https-to-dfm=on</i>	This variable lets you set SnapDrive for UNIX to use SSL encryption (HTTPS) when it communicates with Operations Manager console. The default value is <code>on</code> .

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.