



Verifying supported configurations

Snapdrive for Unix

NetApp

February 12, 2024

This PDF was generated from https://docs.netapp.com/us-en/snapdrive-unix/aix/task_importing_data_files.html on February 12, 2024. Always check docs.netapp.com for the latest.

Table of Contents

- Verifying supported configurations 1
 - Importing data files 1
 - Identifying the installed components 1
 - Verifying the supported configurations 1

Verifying supported configurations

The SnapDrive for UNIX configuration checker tool helps you to identify and verify the configurations supported to run SnapDrive for UNIX.

The configuration checker tool with the updated data file checks for the configurations supported by SnapDrive for UNIX and lists all of the supported and unsupported components in the system.

The tool helps to confirm that all of the necessary components and correct versions are available in the host before using SnapDrive for UNIX.

Importing data files

You can download the latest support matrix data and update the configuration checker tool before running the tool, so that the tool lists the latest supported configuration for SnapDrive for UNIX. The configuration checker tool with the updated data file checks for the configurations supported by SnapDrive for UNIX and lists all the supported components in the system.

Steps

1. Download the latest data file from the ToolChest.
2. Import the latest data file:

```
sdconfcheck import -file ./confcheck_data.tar.gz`
```

Identifying the installed components

You can identify the installed components on the host platform by using the SnapDrive for UNIX configuration checker tool.

Steps

1. Identify the installed components:

```
sdconfcheck detect
```

The `sdconfcheck.out` log file is used for identifying the installed components that are in the `/var/log` file. The log files are renamed incrementally as `sdconfcheck.out.1`, `sdconfcheck.out.2`, and so on.

The SnapDrive for UNIX configuration checker tool does not detect the Ext3 file system in a Red Hat Enterprise Linux 6 environment. You should run the `modprobe -v ext3` command to load the Ext3 file system.

2. You might have to install or configure the component listed after you run the `sdconfcheck detect` command.

Verifying the supported configurations

You can verify the supported configurations in SnapDrive for UNIX by examining the

components in the host system (such as, operating system, version of software installed on the host, protocol, file systems on the host, and so on) and the value specified for each configuration parameter in the `snapdrive.conf` file.

Steps

1. Verify the supported configurations:

sdconfcheck check

```
[root@scspr0023764001 bin]# sdconfcheck check
```

```
NOTE: SnapDrive Configuration Checker is using the data file version  
v12052013
```

```
    Please make sure that you are using the latest version.
```

```
    Refer to the SnapDrive for Unix Installation and Administration Guide  
for more details.
```

```
Detected Intel/AMD x64 Architecture
```

```
Detected Linux OS
```

```
Detected sg3_utils 1.28
```

```
Detected Kernel Version 2.6.32-358.el6.x86_64
```

```
Detected LVM_SUPPRESS_FD_WARNINGS has not set
```

```
Detected Multipathing version 0.4.9
```

```
Detected /etc/multipath.conf file not found
```

```
Detected Host OS Red Hat Enterprise Linux 6.0 Update 4
```

```
Detected NFSv3 FileSystem on Linux
```

```
Detected Software iSCSI on Linux
```

```
Detected NFSv4 Filesystem on Linux
```

```
Detected    Ext4 File System
```

```
Detected    Linux Native LVM2
```

```
Detected    Linux Native MPIO
```

```
Did not find any supported cluster solutions.
```

```
Did not find any supported HU tool kits.
```

```
Trace-Enabled: on
```

```
Trace-Level: 7
```

```
Supported Configurations on this host by SDU Version 5.2.2
```

```
-----
```

```
Linux NFS Configuration
```

```
[root@scspr0023764001 bin]#
```

Check the components listed in the output and install or configure the missing components.

Copyright information

Copyright © 2024 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.