



Performing management operations

SnapManager for SAP

NetApp
February 20, 2023

Table of Contents

- Performing management operations 1
 - View a list of operations 1
 - View operation details 1
 - Issue commands from an alternate host 2
 - Check the SnapManager software version 2
 - Stop the SnapManager host server 2
 - Restart the SnapManager host server 2
 - Uninstall SnapManager 3

Performing management operations

You can perform management tasks after you have set up and configured SnapManager. These tasks enable you to manage normal operations beyond backing up, restoring, and cloning.

Administrators can perform operations either by using the graphical user interface or command-line interface.

View a list of operations

You can view a summary listing of all the operations performed against a profile.

About this task

You can view the following information when you list operations associated with a particular profile:

- Start and end date when the operation ran
- Operation status
- Operation ID
- Type of operation
- Host that it ran upon

Step

1. To list the summary information of all the operations, use the following command:

```
smsap operation list profile -profile profile_name -delimiter character [-quiet | -verbose]
```

When the `-delimiter` option is specified, the command lists each row on a separate line and the attributes in that row are separated by the character specified.

View operation details

You can view detailed information about a particular profile to verify the success or failure of an operation. It can also help you determine the storage resources in use for a particular operation.

About this task

You can view the following details about a particular operation:

- Operation ID
- Type of operation
- Whether the operation was forced
- Runtime information, including status, start and end date of the operation
- The host on which the operation ran, including the Process ID and SnapManager version

- Repository information
- Storage resources in use

Step

1. To view the detailed information for a specific operation ID, enter the following command:

```
smsap operation show -profile profile_name [-label label | -id id] [-quiet | -verbose]
```

Issue commands from an alternate host

You can issue CLI commands from a host other than the database host and SnapManager will route the commands you enter to the appropriate host.

About this task

For the system to dispatch an operation to the correct host, it must first know where to find the profile for the operation. In this procedure the system keeps the profile to repository mapping information for a file in the user's home directory on the local host.

Step

1. To make the local user's home directory aware of the profile-to-repository mappings so it can route the operation request, enter the following command:

```
smsap profile sync -repository -dbname repo_dbname -host repo_host -port repo_port -login -username repo_username [-quiet | -verbose]
```

Check the SnapManager software version

You can determine which version of the product you are running on your local host by running the `version` command.

Step

1. To check the SnapManager version, enter this command: `smsap version`

Stop the SnapManager host server

When you have finished using SnapManager, you might want to stop the server.

Step

1. To stop the server, enter the following command, as a root user:

```
smsap_server stop
```

Restart the SnapManager host server

You can restart the SnapManager server through the Services window.

Steps

1. Click **Start > Control Panel > Administrative Tools > Services**.
2. In the Services window, select NetAppSnapManager 3.3 for SAP.
3. You can restart the server in one of the following ways:
 - a. In the left panel, click **Restart**.
 - b. Right-click NetAppSnapManager 3.3 for SAP and select **Restart** from the drop-down menu.
 - c. Double-click NetAppSnapManager 3.3 for SAP and in the properties window that opens, click **Restart**.

Uninstall SnapManager

You can uninstall SnapManager from the host server.

What you'll need

- Stop the host server before uninstalling SnapManager.

Steps

1. Click **Start > Control Panel > Add or Remove Programs**.
2. Select **SnapManager for SAP**.
3. Click **Uninstall**.

Copyright information

Copyright © 2023 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.