



Support for the S3 REST API

StorageGRID

NetApp

October 03, 2025

This PDF was generated from <https://docs.netapp.com/us-en/storagegrid-115/s3/changes-to-s3-rest-api-support.html> on October 03, 2025. Always check docs.netapp.com for the latest.

Table of Contents

Support for the S3 REST API	1
Changes to S3 REST API support	1
Supported versions	3
Support for StorageGRID platform services	3
Recommendations for using platform services	4

Support for the S3 REST API

StorageGRID supports the Simple Storage Service (S3) API, which is implemented as a set of Representational State Transfer (REST) web services. Support for the S3 REST API enables you to connect service-oriented applications developed for S3 web services with on-premises object storage that uses the StorageGRID system. This requires minimal changes to a client application's current use of S3 REST API calls.

- [Changes to S3 REST API support](#)
- [Supported versions](#)
- [Support for StorageGRID platform services](#)

Changes to S3 REST API support

You should be aware of changes to the StorageGRID system's support for the S3 REST API.

Release	Comments
11.5	<ul style="list-style-type: none">• Added support for managing bucket encryption.• Added support for S3 Object Lock and deprecated legacy Compliance requests.• Added support for using DELETE Multiple Objects on versioned buckets.• The Content-MD5 request header is now correctly supported.
11.4	<ul style="list-style-type: none">• Added support for DELETE Bucket tagging, GET Bucket tagging, and PUT Bucket tagging. Cost allocation tags are not supported.• For buckets created in StorageGRID 11.4, restricting object key names to meet performance best practices is no longer required.• Added support for bucket notifications on the s3:ObjectRestore:Post event type.• AWS size limits for multipart parts are now enforced. Each part in a multipart upload must be between 5 MiB and 5 GiB. The last part can be smaller than 5 MiB.• Added support for TLS 1.3, and updated list of supported TLS cipher suites.• The CLB service is deprecated.

Release	Comments
11.3	<ul style="list-style-type: none"> Added support for server-side encryption of object data with customer-provided keys (SSE-C). Added support for DELETE, GET, and PUT Bucket lifecycle operations (Expiration action only) and for the <code>x-amz-expiration</code> response header. Updated PUT Object, PUT Object - Copy, and Multipart Upload to describe the impact of ILM rules that use synchronous placement at ingest. Updated list of supported TLS cipher suites. TLS 1.1 ciphers are no longer supported.
11.2	<p>Added support for POST Object restore for use with Cloud Storage Pools. Added support for using the AWS syntax for ARN, policy condition keys, and policy variables in group and bucket policies. Existing group and bucket policies that use the StorageGRID syntax will continue to be supported.</p> <p>Note: Uses of ARN/URN in other configuration JSON/XML, including those used in custom StorageGRID features, have not changed.</p>
11.1	<p>Added support for Cross-Origin Resource Sharing (CORS), HTTP for S3 client connections to grid nodes, and compliance settings on buckets.</p>
11.0	<p>Added support for configuring platform services (CloudMirror replication, notifications, and Elasticsearch search integration) for buckets. Also added support for object tagging location constraints for buckets, and the Available consistency control setting.</p>
10.4	<p>Added support for ILM scanning changes to versioning, Endpoint Domain Names page updates, conditions and variables in policies, policy examples, and the PutOverwriteObject permission.</p>
10.3	<p>Added support for versioning.</p>
10.2	<p>Added support for group and bucket access policies, and for multipart copy (Upload Part - Copy).</p>
10.1	<p>Added support for multipart upload, virtual hosted-style requests, and v4 authentication.</p>

Release	Comments
10.0	Initial support of the S3 REST API by the StorageGRID system. The currently supported version of the <i>Simple Storage Service API Reference</i> is 2006-03-01.

Supported versions

StorageGRID supports the following specific versions of S3 and HTTP.

Item	Version
S3 specification	<i>Simple Storage Service API Reference</i> 2006-03-01
HTTP	<p>1.1</p> <p>For more information about HTTP, see HTTP/1.1 (RFCs 7230-35).</p> <p>Note: StorageGRID does not support HTTP/1.1 pipelining.</p>

Related information

[IETF RFC 2616: Hypertext Transfer Protocol \(HTTP/1.1\)](#)

[Amazon Web Services \(AWS\) Documentation: Amazon Simple Storage Service API Reference](#)

Support for StorageGRID platform services

StorageGRID platform services enable StorageGRID tenant accounts to leverage external services such as a remote S3 bucket, a Simple Notification Service (SNS) endpoint, or an Elasticsearch cluster to extend the services provided by a grid.

The following table summarizes the available platform services and the S3 APIs used to configure them.

Platform service	Purpose	S3 API used to configure the service
CloudMirror replication	Replicates objects from a source StorageGRID bucket to the configured remote S3 bucket.	PUT Bucket replication
Notifications	Sends notifications about events in a source StorageGRID bucket to a configured Simple Notification Service (SNS) endpoint.	PUT Bucket notification

Platform service	Purpose	S3 API used to configure the service
Search integration	Sends object metadata for objects stored in a StorageGRID bucket to a configured Elasticsearch index.	PUT Bucket metadata notification Note: This is a StorageGRID custom S3 API.

A grid administrator must enable the use of platform services for a tenant account before they can be used. Then, a tenant administrator must create an endpoint that represents the remote service in the tenant account. This step is required before a service can be configured.

Recommendations for using platform services

Before using platform services, you must be aware of the following recommendations:

- NetApp recommends that you allow no more than 100 active tenants with S3 requests requiring CloudMirror replication, notifications, and search integration. Having more than 100 active tenants can result in slower S3 client performance.
- If an S3 bucket in the StorageGRID system has both versioning and CloudMirror replication enabled, NetApp recommends that the destination endpoint also have S3 bucket versioning enabled. This allows CloudMirror replication to generate similar object versions on the endpoint.
- CloudMirror replication is not supported if the source bucket has S3 Object Lock enabled.
- CloudMirror replication will fail with an AccessDenied error if the destination bucket has legacy Compliance enabled.

Related information

[Use a tenant account](#)

[Administer StorageGRID](#)

[Operations on buckets](#)

[PUT Bucket metadata notification configuration request](#)

Copyright information

Copyright © 2025 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.